

Safety Data Sheet SIB1820.2 Date of issue: 12/04/2014 Version: 1.0

SECTION 1: Identification of the sub	stance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Substance
Physical state	: Liquid
Substance name	: 1,3-BIS(TRIETHOXYSILYLETHYL)TETRAMETHYLDISILOXANE
Product code	: SIB1820.2
Formula	: C20H50O7Si4
Synonyms	: 4,4,12,12-TETRAETHOXY-7,7,9,9-TETRAMETHYL-3,8,13-TRIOXA-4,7,9,12- TETRASILAPENTADECANE
Chemical family	: ORGANOETHOXYSILANE
1.2. Relevant identified uses of the subs	stance or mixture and uses advised against
Use of the substance/mixture	: Chemical intermediate For research use only
1.3. Details of the supplier of the safety	data sheet
GELEST, INC. 11 East Steel Road Morrisville, PA 19067 USA T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 info@gelest.com - www.gelest.com	AM - 5:30 PM EST
1.4. Emergency telephone number	
Emergency number	: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)
<b>SECTION 2: Hazards identification</b>	
2.1. Classification of the substance or n	nixture
Classification (GHS-US)         Eye Irrit. 2A H319         Full text of H-phrases: see section 16         2.2.       Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	
Signal word (GHS-US) Hazard statements (GHS-US) Precautionary statements (GHS-US)	<ul> <li>GHS07</li> <li>Warning</li> <li>H319 - Causes serious eye irritation</li> <li>P264 - Wash hands thoroughly after handling P280 - Wear protective gloves/protective clothing/eye protection/face protection P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention</li> </ul>
2.3. Other hazards	
Other hazards not contributing to the classification	: Note: The hydrolysis product of bis(triethoxysilyl)octane is ethanol. This product contains ethanol which is classified as a carcinogen by IARC in alcoholic beverages.
2.4. Unknown acute toxicity (GHS-US)	
No data available	
<b>SECTION 3: Composition/information</b>	n on ingredients
3.1. Substance	
Substance type	: Multi-constituent
Name	: 1,3-BIS(TRIETHOXYSILYLETHYL)TETRAMETHYLDISILOXANE
CAS No	: 117680-21-4

Name		Product identifier	%	Classification (GHS-US)
1,3-Bis(triethoxysilylethyl)tetramethyldisiloxane		(CAS No) 117680-21-4	> 95	Eye Irrit. 2A, H319
Ethanol		(CAS No) 64-17-5	< 0.5	Flam. Liq. 2, H225 Carc. 1A, H350 STOT SE 3, H335
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general	me	nove contaminated clothing and shoes. In dical advice immediately (show the label w ilable show packaging or label.		
First-aid measures after inhalation		nove to fresh air and keep at rest in a posi k medical advice.	tion comfortabl	e for breathing. If you feel unwell,
First-aid measures after skin contact	: Wa	sh with plenty of soap and water.		
First-aid measures after eye contact	<ul> <li>e contact</li> <li>: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lense present and easy to do. Continue rinsing. Get medical advice/attention.</li> </ul>			
irst-aid measures after ingestion : Never give anything by mouth to an unconscious person. Get medical advice/attention.				
4.2. Most important symptoms and ef	fects, bot	h acute and delayed		
Symptoms/injuries after inhalation	: May	cause irritation to the respiratory tract.		
Symptoms/injuries after skin contact	: May	y cause skin irritation.		
Symptoms/injuries after eye contact	: Cau	uses serious eye irritation.		
Symptoms/injuries after ingestion	: No	information available.		
I.3. Indication of any immediate medi	cal attent	ion and special treatment needed		
No additional information available				
SECTION 5: Firefighting measures	;			
5.1. Extinguishing media				
Suitable extinguishing media	: Wa	ter spray. Water fog. Alcohol-resistant foar	m. Carbon diox	ide. Dry chemical.
5.2. Special hazards arising from the	substance	e or mixture		
Fire hazard		ating fumes and organic acid vapors may operatures or open flame.	develop when r	naterial is exposed to elevated

5.3.	Advice for firefighters								
Firefightir	ng instructions	: Use water chemical		for cooling	exposed o	containers.	Exercis	se caution w	hen fighting any
Protection	n during firefighting		ter fire area vertex and skin						ratory protection

SECTI	ON 6: Accidental release meas	sures				
6.1.	Personal precautions, protective equipment and emergency procedures					
6.1.1.	For non-emergency personnel					
Emerger	ncy procedures	: Evacuate unnecessary personnel.				
6.1.2.	For emergency responders					
Protectiv	e equipment	: Equip cleanup crew with proper protection.				
6.2.	Environmental precautions					
Prevent	entry to sewers and public waters. Notify	authorities if liquid enters sewers or public waters.				
6.3.	Methods and material for containme	nt and cleaning up				
Methods	for cleaning up	: Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or shovel spills into appropriate container for disposal.				
6.4.	Reference to other sections					
See Hea	ading 8. Exposure controls and personal	protection.				
SECTI	ON 7: Handling and storage					
7.1.	Precautions for safe handling					
Precauti	ons for safe handling	: Avoid all eye and skin contact and do not breathe vapor and mist. Provide good ventilation in				

# 1,3-BIS(TRIETHOXYSILYLETHYL)TETRAMETHYLDISILOXANE Safety Data Sheet

7.2. Conditions for safe s	storage, including any	incompatibilities	
Storage conditions		ep container tightly closed.	
Incompatible materials			
Storage area	: Sto	ore in a well-ventilated place. Store a	away from heat.
7.3. Specific end use(s)			
No additional information availal	ble		
SECTION 8: Exposure c	ontrols/personal	protection	
8.1. Control parameters			
Ethanol (64-17-5)			
USA ACGIH	ACGIH STEL (ppm)		1000 ppm
USA NIOSH	NIOSH REL (TWA) (n	ng/m <sup>3</sup> )	1900 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (TWA) (I		Ç
	( ) (	, ,	1000 ppm
USA OSHA	OSHA PEL (TWA) (m	· ,	1900 mg/m³
USA OSHA	OSHA PEL (TWA) (pp	pm)	1000 ppm
USA IDLH	US IDLH (ppm)		3300 ppm (10% LEL)
8.2. Exposure controls	_		
Appropriate engineering controls		ovide local exhaust or general room	
Personal protective equipment		old all unnecessary exposure. Emer ailable in the immediate vicinity of ar	gency eye wash fountains and safety showers should be by potential exposure.
Hand protection	: Ne	oprene or nitrile rubber gloves.	
Eye protection	: Ch	emical goggles. Contact lenses sho	uld not be worn.
Skin and body protection	: We	ear suitable protective clothing.	
Respiratory protection	: NIC	<mark>OSH-ce</mark> rtified organic vapor (black c	artridge) respirator.
<b>SECTION 9: Physical an</b>	d chemical prope	erties	
	physical and chemica		
Physical state	: Liq		
Appearance		ear liquid.	
Molecular mass		4.95 g/mol	
Color		data available	
Odor	: Slig	ght.	
Odor threshold	: No	data available	
Refractive index	: 1.4	21	
рН	: No	data available	
Relative evaporation rate (butyl	acetate=1) : No	data available	
Melting point	: <0	O°C	
Freezing point	: No	data available	
Boiling point		5 - 135 °C @ 0.1 mm Hg	
Flash point		10 °C	
Auto-ignition temperature		data available	
Decomposition temperature		data available	
Flammability (solid, gas)		data available	
Vapor pressure		).01 mm Hg @ 25°C	
Relative vapor density at 20 °C	: >1		
Relative density VOC content	: 0.9 : < 3		
Solubility		acts with water.	
Log Pow		data available	
Log Kow		data available	
Viscosity, kinematic		data available	
Viscosity, dynamic		data available	
Explosive properties		data available	
Oxidizing properties		data available	
Explosive limits		data available	
	. 110		

## 1,3-BIS(TRIETHOXYSILYLETHYL)TETRAMETHYLDISILOXANE Safety Data Sheet

9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable in sealed containers.	
10.3. Possibility of hazardous reactions	
	air or with water liberating ethanol. Hazardous polymerization will not occur.
10.4. Conditions to avoid	<u> </u>
Heat. Open flame. Sparks.	
10.5. Incompatible materials	
Oxidizing agent.	
<b>10.6.</b> Hazardous decomposition products Ethanol. Organic acid vapors. Silicon dioxide.	
SECTION 11: Toxicological information	on
11.1. Information on toxicological effects	- Mariate - 2004
Acute toxicity	: Not classified
Ethanol (64-17-5)	
LC50 inhalation rat (mg/l) Skin corrosion/irritation	124.7 mg/l/4h : Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Ethanol (64-17-5)	
IARC group	1 - Carcinogenic to humans
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated	: Not classified
exposure)	
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract.
Symptoms/injuries after skin contact	: May cause skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: No information available.
Reason for classification	: Expert judgment
SECTION 12: Ecological information	
12.1. Toxicity	
-	
Ethanol (64-17-5)	
LC50 fish 1	12.0 - 16.0 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	9268 - 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

#### EC50 Daphnia 2 2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. **Bioaccumulative potential**

Ethanol (64-17-5)				
Log Po	W	-0.32		
12.4.	Mobility in soil			

No additional information available

# 1,3-BIS(TRIETHOXYSILYLETHYL)TETRAMETHYLDISILOXANE Safety Data Sheet

12.5. Other adverse eff	fects			
Effect on ozone layer	: No	additional information availab	ble	
Effect on the global warming	: No	known ecological damage ca	used by this product.	
SECTION 13: Dispose	al considerations			
13.1. Waste treatment				
Waste disposal recommenda		nerate. Dispose in a safe ma	nner in accordance with local/natio	nal regulations
Ecology - waste materials		id release to the environmen		nai regulations.
Loology waste materials	. ////			
<b>SECTION 14: Transpo</b>	ort information			
14.1. UN number				
Not regulated for transport.				
14.2. UN proper shippi	ing name			
Not applicable				
14.3. Additional informat	ion			
Other information	: No	supplementary information a	vailable.	
Transport by sea				
No additional information av	ailable			
Air transport				
No additional information av	ailable			
SECTION 15: Regulat				
15.1. US Federal regulation				
	LETHYL)TETRAMETHYLD			
TSCA Exemption/Exclusion			blied for research and development CFR 720.36, and must meet the re	
			by a "technically qualified individua	
	720	.3(ee). The use of this mate	rial for "commercial purposes" as d	
	lis n	ot permitted in the United Sta	ates.	
Ethanol (64-17-5) Listed on the United States TSCA (Toxic Substances Control Act) inventory				
	1)tetramethyldisiloxane (1 ates TSCA (Toxic Substance			
	,			
15.2. International regulati	0115			
Ethanol (64-17-5)				
	hal Agency for Research on			
	lian Inventory of Chemical S SL (Domestic Sustances List			
Listed on IECSC (Inventor	y of Existing Chemical Subs	tances Produced or Imported		
	Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)			
	Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Korean ECL (Existing Chemicals List)			
Listed on NZIoC (New Zea	and Inventory of Chemicals			
	es Inventory of Chemicals a			
	L (Ingredient Disclosure List)	·		
1,0-bis(uneuroxysiryietity		······································		
15.3. US State regulations				
1,3-BIS(TRIETHOXYSILYLI	ETHYL)TETRAMETHYLDIS	SILOXANE(117680-21-4)		
U.S California - Propositio	-	No		
U.S California - Propositio	n 65 - Developmental	No		
Toxicity				
U.S California - Propositio Toxicity - Female	n 65 - Reproductive	No		
	n 65 Donraduativa	No		
U.S California - Propositio Toxicity - Male	n oo - Reproductive	No		
Ethanol (64-17-5) U.S California -	U.S California -	U.S California -	U.S California -	No significance risk level
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)
Carcinogens List	Developmental Toxicity	Reproductive Toxicity -	Reproductive Toxicity -	
12/04/2014	EN (F	inglish US)	SDS ID: SIB1820.2	5/7
		J /		0/1

Safety Data Sheet

Ethanol (64-17-5)				
		Female	Male	
Yes	Yes	No	No	
1,3-Bis(triethoxysilylethyl)	tetramethyldisiloxane (11768	0-21-4)		-
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
No	No	No	No	
Ethanol (64-17-5)				
U.S Idaho - Occupational F U.S Maine - Chemicals of U.S Massachusetts - Allow U.S Massachusetts - Allow U.S Massachusetts - Oil & U.S Massachusetts - Three U.S Minnesota - Chemical U.S Minnesota - Chemical U.S Minnesota - Permissible U.S New Hampshire - Reg U.S New Hampshire - Reg U.S New Jersey - Right to U.S New Jersey - Right to U.S New Jersey - Special U.S New York - Occupatio U.S New York - Occupatio U.S New York - Occupatio U.S Pennsylvania - RTK (F U.S Tennessee - Occupati U.S Texas - City of Austin U.S Texas - Effects Screer U.S Texas - Effects Screer U.S Vermont - Permissible U.S Washington - Permissible	High Concern vable Ambient Limits (AALs) vable Threshold Concentrations Hazardous Material List - Groi Hazardous Material List - Groi Hazardous Material List - Groi Hazardous Material List - Soil Hazardous Material List - Soil Hazardous Material List - Soil to Know List shold Effects Exposure Limits - To Know List shold Effects Exposure Limits - TWAs s of High Concern is Substance List ole Exposure Limits - TWAs pulated Toxic Air Pollutants - Ar funde Toxic Air Pollutants - Ar Know Hazardous Substance L Health Hazards Substances Li nal Exposure Limits - TWAs lutants - Guideline Concentrati Exposure Limits - TWAs Right to Know) List ional Exposure Limits - TWAs - Aerosol Paint and Glue Rester ning Levels - Long Term	s (ATCs) undwater Reportable Concentr undwater Reportable Concentr ortable Quantity Reportable Concentration - Re Reportable Concentration - Re (TELs) mbient Air Levels (AALs) - 24-H mbient Air Levels (AALs) - Ann ist st ons - 1-Hour	ation - Reporting Category 2 eporting Category 1 eporting Category 2	

### **SECTION 16: Other information**

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

#### Full text of H-phrases::

Carc. 1A	Carcinogenicity Category 1A
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 2	Flammable liquids Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H350	May cause cancer

Safety Data Sheet

HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 2 Moderate Hazard
Physical	: 1 Slight Hazard

Prepared by safety and environmental affairs.

Date of issue: 12/04/2014 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2014 Gelest Inc. Morrisville, PA 19067

