

**GELEST, INC.**

11 East Steel Rd. Morrisville, PA 19067  
Phone: (215) 547-1015

MATERIAL SAFETY  
DATA SHEET

EMERGENCY TELEPHONE  
CHEMTREC: 1-800-424-9300

NAME USED ON LABEL: **TRIMETHYLSILYL CYANIDE - SIT8585.0**  
CHEMICAL NAME: TRIMETHYLSILYLCYANIDE  
SYNONYMS: TRIMETHYLSILYLNITRILE; CYANOTRIMETHYLSILANE  
CHEMICAL FAMILY: ORGANOSILANE  
FORMULA: C<sub>4</sub>H<sub>9</sub>NSi  
HMIS CODES HEALTH: 3 FLAMMABILITY: 4 REACTIVITY: 1

**INGREDIENTS**

IDENTITY	CAS NO.	%	TLV	OSHA PEL
TRIMETHYLSILYLCYANIDE	7677-24-9	>97	not established	(OSHA PEL for hydrogen cyanide, skin: 5ppm)

**PHYSICAL DATA**

Boiling Point: 118-9°C	Freezing Point: 11-12°C
Specific Gravity: 0.744	Vapor Pressure, 37°: 37.3mm
Vapor Density (air=1): >1	Solubility in water: reacts
% volatiles: 100	Evaporation rate (butyl acetate =1): ~1
Molecular Weight: 99.21	Odor Threshold: 2ppm (hydrogen cyanide)
Appearance & Color: Clear to straw liquid with acrid odor of hydrogen cyanide	

**FIRE & EXPLOSION DATA**

Flash Point, COC : 1°C (34°F)      Autoignition Temp.: not determined  
Flammability Limits: not determined

**Leave area of fire unless equipped with a self-contained breathing apparatus.**  
Extinguishing Media: If no greater threat is present, this material should be allowed to burn, since combustion eliminates acute toxic potential. If a greater threat is present, use carbon dioxide or dry chemical.  
Special Fire Fighting Procedures: Avoid inhalation, eye and skin contact. Do not breathe fumes or inhale vapors. Wear self-contained air supply.  
Unusual Fire and Explosion Hazards: **Toxic fumes of hydrogen cyanide will develop when material is exposed to water.**

-1-(SIT8585.0)

## ENVIRONMENTAL INFORMATION

Spill response: May be hazardous to aquatic life if released to open waters. Cover spill with absorbent material. Transfer to a suitable container for disposal.

Recommended Disposal: Controlled incineration is preferred. Alternately, in an enclosed vessel with a caustic vent scrubber, hydrolyze material by mixing slowly with dilute sodium hydroxide, maintaining basic pH at all times. Aqueous layer contains sodium cyanide. Organic layer may be incinerated. Follow all chemical pollution control regulations.

## HEALTH HAZARD DATA

Eye Contact: Will cause immediate or delayed severe eye irritation.

Skin contact: Highly toxic. May be fatal if absorbed through the skin. Prompt and thorough washing with soap and water will reduce or eliminate potential dermal effects.

Inhalation: Highly toxic. May be fatal if inhaled. At low levels may cause cyanosis (blue-gray coloring of skin, lips and fingernails caused by lack of oxygen).

Inhalation Toxicity: Not determined

Oral Toxicity: Not determined.

Chronic Toxicity: There are no known chronic effects related to this compound.

## SUGGESTED FIRST AID

EYES: In case of contact, immediately flush eyes with flowing water for at least 15 minutes. Get medical attention.

SKIN: Flush with water, then wash with soap and water.

INHALATION: Move exposed individual to fresh air. Call a physician.

INGESTION: If swallowed give two glasses of water and induce vomiting. Never give fluids or induce vomiting if patient is unconscious or having convulsions. Get medical attention.

Note to physician: If cyanosis is evident treat for cyanide poisoning. Provide oxygen.

## REACTIVITY DATA

Stability: Stable in sealed containers stored under a dry inert atmosphere.

Conditions to avoid: Combustible; avoid contact with heat, sparks or open flame.

Incompatibility (materials to avoid): Reacts with water and moisture in air, liberating hydrogen cyanide. Avoid contact with alcohols, acids, oxidizers.

Hazardous decomposition products: Hydrogen cyanide, organic acid vapors..

-2-(SIT8585.0)

## SPECIAL PROTECTION INFORMATION

Ventilation: Local exhaust is required. Mechanical is recommended.

Respiratory Protection: If exposure exceeds TLV for hydrogen cyanide, air-supplied or combination organic vapor/acid gas respirator.

Eye and Face Protection: Chemical worker's goggles. Do not wear contact lenses.

Other Clothing and Equipment: Rubber, neoprene or nitrile gloves. An eyewash and emergency shower should be available. Launder clothing before reuse.

## OTHER PRECAUTIONS

For research and industrial use only.

Storage and Handling: Store in sealed containers.

## TRANSPORTATION

DOT SHIPPING NAME: TOXIC BY INHALATION, LIQUID, FLAMMABLE, N.O.S.  
(TRIMETHYLSILYLNITRILE)

DOT HAZARD CLASS: 6.1 SUB: 3

DOT LABEL: TOXIC BY INHALATION LIQUID, FLAMMABLE

DOT ID No: UN3384 PG: I

IMDG:: IMDG Code segregation group 6

Prepared by safety and environmental affairs ISSUE DATE SIT8585.0: 2/11/08  
SUPERSEDES: 11/1/07

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

-3-(SIT8585.0)

© 2008 Gelest Inc. Morrisville, PA 19067