



BIMAX® ADOD

1, 10-Decanediol diacrylate CAS No. 13048-34-5 EINECS No. 2359224

Applications

This material is a long chain hydrophobic crosslinker used for flexible dental materials, inks and toners, radiation curable coatings with improved weatherability, and transparent resins for plastic lenses.

	Т١	/pical	Properties
--	----	--------	-------------------

Physical Properties

Color, APHA < Moisture, % < Acrylic acid, % <	< 100 Mol	lecular weight 2 nsity (relative) 0	clear, colorless to light yellow liquid 282.4 g/mol 0.98 g/ml 200°C 1.485
MEHQ, ppm 2	200 Refi	ractive index, 25°C 1	1.485

<u>Packaging</u>

5-gallon poly pails, containing 17 kg each

Storage and Handling

Store at temperatures below 25° C, away from heat and ignition sources. Wear goggles and gloves. Eye and skin contact should be avoided. If contact occurs, wash affected area immediately with cold water. Consult the Safety Data Sheet.

This information is presented for your consideration in the belief that it is accurate and reliable; however, Bimax makes no guarantees or warranty, either expressed or implied, of the accuracy or the completeness of this information. The information in this data sheet is designed only as a guidance for safe handling, storage and use of the substance. It is not a specification, nor does it guarantee any specific properties. All chemicals should be handled only by competent personnel, within a controlled environment. Individuals receiving this information are expected to use their own judgment in determining the relevancy for a particular circumstance. Accordingly, Bimax will not be responsible for damages of any kind resulting from the use of, or reliance upon, such information.

281 Industrial Road Glen Rock, Pennsylvania 17327, USA Tel: +1 717-227-1774 Fax: +1 717-227-1775