

Safety Data Sheet AKB130 Date of issue: 11/11/2015 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Mixture Physical state : Liquid

Product name : BARIUM(II) 1-METHOXY-2-PROPOXIDE, 25% in methoxypropanol

Product code AKB130 Formula : C8H18BaO4

: BARIUM 2-METHOXYPROPOXIDE Synonyms

: METAL COMPOUND Chemical family

Relevant identified uses of the substance or mixture and uses advised against

: Chemical intermediate Use of the substance/mixture

For research use only

Details of the supplier of the safety data sheet

GELEST, INC.

11 East Steel Road Morrisville, PA 19067

USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

SECTION 2: Hazards identification

Classification of the substance or mixture

GHS-US classification

Flam. Liq. 3 H226 Eye Irrit. 2A H319 STOT SE 3 H336

Full text of H-phrases: see section 16

2.2. **Label elements**

GHS-US labeling

Hazard pictograms (GHS-US)





GHS02

GHS07

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) H226 - Flammable liquid and vapor

H319 - Causes serious eye irritation H336 - May cause drowsiness or dizziness

: P280 - Wear protective gloves/protective clothing/eye protection/face protection Precautionary statements (GHS-US)

P210 - Keep away from heat, open flames, sparks. - No smoking P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P261 - Avoid breathing vapors

P264 - Wash hands thoroughly after handling P271 - Use only outdoors or in a well-ventilated area

P303+P361+P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P312 - Call a doctor if you feel unwell

P337+P313 - If eye irritation persists: Get medical advice/attention

P370+P378 - In case of fire: Use water spray, foam, carbon dioxide, dry chemical to extinguish

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

EN (English US) SDS ID: AKB130 11/11/2015 Page 1

Safety Data Sheet

P403+P235 - Keep in a cool place

P405 - Store locked up

P501 - Dispose of contents/container to licensed waste disposal facility.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/Information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Methoxypropanol	(CAS No) 107-98-2	> 70	Flam. Liq. 3, H226 Eye Irrit. 2A, H319 STOT SE 3, H336
Barium (II) 1-methoxy-2-propoxide	(CAS No) Not found	> 20	Eye Irrit. 2A, H319

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not

available show packaging or label.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel

unwell, seek medical advice.

First-aid measures after skin contact : Wash with plenty of soap and water. Get medical advice/attention.

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause drowsiness or dizziness. May cause irritation to the respiratory tract. Barium vapors

and dust have moderate toxicity.

Symptoms/injuries after skin contact : May cause skin irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : May be harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Foam. Carbon dioxide. Dry chemical.

Unsuitable extinguishing media : Do not use straight streams.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapor. Irritating fumes and organic acid vapors may develop when

material is exposed to elevated temperatures or open flame.

Explosion hazard : May form flammable/explosive vapor-air mixture.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray to cool exposed surfaces.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Avoid all eye and skin contact and do not breathe vapor and mist.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Eliminate every possible source of ignition. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

11/11/2015 EN (English US) SDS ID: **AKB130** 2/7

Safety Data Sheet

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and material for containment and cleaning up

For containment

: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

Methods for cleaning up

Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or shovel spills into appropriate container for disposal. Use only non-sparking tools.

Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapors are flammable. Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Precautions for safe handling

Avoid all eye and skin contact and do not breathe vapor and mist. Ground containers when handling powder. Take precautionary measures against static discharge. Use only outdoors or in a well-ventilated area. Use only non-sparking tools.

Hygiene measures

Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

Conditions for safe storage, including any incompatibilities

Technical measures

Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical equipment.

Storage conditions

Keep container tightly closed. Keep in a cool place. Store locked up.

Incompatible materials

Storage area

Store in a well-ventilated place. Store away from heat.

Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

Control parameters 8.1.

Methoxypropanol (107-98-2)				
USA ACGIH	ACGIH TWA (ppm)		50 ppm	
USA ACGIH	ACGIH STEL (ppm)		100 ppm	
USA NIOSH	NIOSH REL (TWA) (mg/m³)		360 mg/m³	
USA NIOSH	NIOSH REL (TWA) (ppm)		100 ppm	
USA NIOSH	NIOSH REL (STEL) (mg/m³)		540 mg/m³	
USA NIOSH	NIOSH REL (STEL) (ppm)		150 ppm	

Barium (II) 1-methoxy-2-propoxide (Not found)

Barrain (ii) 1-inctiloxy-2-propositie (Not round)			
	USA ACGIH	ACGIH TWA (mg/m³)	0.5 mg/m³ soluble compounds as Ba

Exposure controls

Appropriate engineering controls

: Provide local exhaust or general room ventilation.

Personal protective equipment

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Hand protection

: Neoprene or nitrile rubber gloves.

Eye protection

Chemical goggles. Contact lenses should not be worn.

Skin and body protection

Wear suitable protective clothing.

Respiratory protection

Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended. NIOSH-certified organic vapor (black cartridge) respirator.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Liquid Appearance : Liquid.

SDS ID: AKB130 11/11/2015 EN (English US)

Safety Data Sheet

Molecular mass : 315.55 g/mol
Color : Amber.
Odor : Mild.

Odor threshold : No data available
Refractive index : No data available
pH : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : 117 °C initial
Flash point : 34 °C

Auto-ignition temperature : No data available
Decomposition temperature : No data available

Flammability (solid, gas) : Flammable liquid and vapor

Vapor pressure : No data available Relative vapor density at 20 °C : No data available

Relative density : 1.04VOC content : > 70 %

Solubility : Insoluble in water.

Organic solvent: Soluble: isopropanol, methoxyethanol

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable in sealed containers.

10.3. Possibility of hazardous reactions

Decomposes in contact with moist air. Material decomposes slowly in contact with air by reaction with water, liberating isopropanol and barium hydroxide.

10.4. Conditions to avoid

Heat. Open flame. Sparks.

Germ cell mutagenicity

Reproductive toxicity

Carcinogenicity

10.5. Incompatible materials

Water.

10.6. Hazardous decomposition products

Organic acid vapors. Barium oxide fumes.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Methoxypropanol (107-98-2)		
LC50 inhalation rat (mg/l)	> 6 mg/l/4h	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Causes serious eye irritation.	
Respiratory or skin sensitization	: Not classified	

11/11/2015 EN (English US) SDS ID: **AKB130** 4/7

: Not classified

: Not classified

: Not classified

Safety Data Sheet

Specific target organ toxicity (single exposure)

: May cause drowsiness or dizziness.

Specific target organ toxicity (repeated

exposure)

Aspiration hazard

: Not classified : Not classified

Potential Adverse human health effects and

symptoms

: In general, soluble barium salts, such as the chloride and sulfide, have been reported as poisonous when taken orally. The insoluble salt, barium sulfate, is used in radiography and is

not acutely toxic.

Symptoms/injuries after inhalation

: May cause drowsiness or dizziness. May cause irritation to the respiratory tract. Barium vapors

and dust have moderate toxicity.

Symptoms/injuries after skin contact May cause skin irritation. Symptoms/injuries after eye contact Causes serious eye irritation. Symptoms/injuries after ingestion May be harmful if swallowed.

Reason for classification : Expert judgment

SECTION 12: Ecological information

Toxicity

Methoxypropanol (107-98-2)		
LC50 fish 1	20.8 g/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
EC50 Daphnia 1	23300 mg/l (Exposure time: 48 h - Species: Daphnia magna)	

Persistence and degradability

No additional information available

Bioaccumulative potential 12.3.

Methoxypropanol (107-98-2)		
BCF fish 1	< 2	
Log Pow	-0.437	

12.4. **Mobility in soil**

No additional information available

12.5. Other adverse effects

Other adverse effects This substance may be hazardous to the environment.

Effect on ozone layer No additional information available

Effect on the global warming No known ecological damage caused by this product.

SECTION 13: Disposal considerations

Waste treatment methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Dispose in a safe manner in accordance with local/national regulations. Dispose of Waste disposal recommendations

contents/container to licensed waste disposal facility.

Additional information Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. **UN** number

UN-No.(DOT) : 1993 DOT NA no. UN1993

UN proper shipping name

Proper Shipping Name (DOT) : Flammable liquids, n.o.s.

(BARIUM(II) 1-METHOXY-2-PROPOXIDE, 25% in methoxypropanol) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Transport hazard class(es) (DOT) Hazard labels (DOT) : 3 - Flammable liquid

: G - Identifies PSN requiring a technical name **DOT Symbols**

Packing group (DOT) : III - Minor Danger

DOT Packaging Exceptions (49 CFR 173.xxx) : 150 DOT Packaging Non Bulk (49 CFR 173.xxx) : 203

SDS ID: AKB130 11/11/2015 EN (English US) 5/7

Safety Data Sheet

DOT Packaging Bulk (49 CFR 173.xxx) : 242

14.3. Additional information

Other information : No supplementary information available.

Transport by sea

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 60 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)

SECTION 15: Regulatory information

15.1. US Federal regulations

BARIUM(II) 1-METHOXY-2-PROPOXIDE, 25% in methoxypropanol (Not found)

TSCA Exemption/Exclusion

CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r) is not permitted in the United States.

Methoxypropanol (107-98-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Barium (II) 1-methoxy-2-propoxide (Not found)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

Methoxypropanol (107-98-2)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

Listed on Turkish inventory of chemical

Barium (II) 1-methoxy-2-propoxide (Not found)

15.3. US State regulations

BARIUM(II) 1-METHOXY-2-PROPOXIDE, 25% in methoxypropanol(Not found)	
U.S California - Proposition 65 - Carcinogens List	No
U.S California - Proposition 65 - Developmental Toxicity	No
U.S California - Proposition 65 - Reproductive Toxicity - Female	No
U.S California - Proposition 65 - Reproductive Toxicity - Male	No

Methoxypropanol (107-98-2)

U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	

Barium (II) 1-methoxy-2-propoxide (Not found)

Barium (ii) 1-methoxy-z-propoxide (Not Tound)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)	
No	No	No	No		

11/11/2015 EN (English US) SDS ID: **AKB130** 6/7

Safety Data Sheet

SECTION 16: Other information

Abbreviations and acronyms

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

Full text of H-phrases::

_^	At of 11 philases				
	Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A			
	Flam. Liq. 3	Flammable liquids Category 3			
	STOT SE 3	Specific target organ toxicity (single exposure) Category 3			
	H226	Flammable liquid and vapor			
	H319	Causes serious eye irritation			
	H336	May cause drowsiness or dizziness			

HMIS III Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 3 Serious Hazard
Physical : 1 Slight Hazard

Prepared by safety and environmental affairs.

Date of issue: 11/11/2015 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2015 Gelest Inc. Morrisville, PA 19067

11/11/2015 EN (English US) SDS ID: **AKB130** 7/7