

Safety Data Sheet AKM550
Date of issue: 04/08/2016 Version: 1.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance
Physical state : Solid

Substance name : MOLYBDENUM(VI) OXIDE BIS(2,4-PENTANEDIONATE)

Product code : AKM550
Formula : C10H14MoO6

Synonyms : MOLYBDENYL ACETYLACETONATE; DIOXOBIS(PENTANE-2,4-DIONATO-

O,O')MOLYBDENUM

Chemical family : METAL COMPOUND

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Chemical intermediate

For research use only

### 1.3. Details of the supplier of the safety data sheet

#### **GELEST, INC.**

11 East Steel Road Morrisville, PA 19067

USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

#### SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

# GHS-US classification Eye Irrit. 2A H319

Full text of H statements : see section 16

#### 2.2. Label elements

#### **GHS-US** labeling

Hazard pictograms (GHS-US)



GHS07

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H319 - Causes serious eye irritation

Precautionary statements (GHS-US) : P280 - Wear protective gloves/protective clothing/eye protection/face protection

P264 - Wash hands thoroughly after handling

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention

#### 2.3. Other hazards

No additional information available

## 2.4. Unknown acute toxicity (GHS US)

No data available

## **SECTION 3: Composition/Information on ingredients**

### 3.1. Substance

Substance type : Mono-constituent

Name : MOLYBDENUM(VI) OXIDE BIS(2,4-PENTANEDIONATE)

CAS No : 17524-05-9 EC no : 241-522-0

04/08/2016 EN (English US) SDS ID: **AKM550** Page 1

## Safety Data Sheet

Name	Product identifier	%	GHS-US classification
Molybdenum(VI) oxide bis(2,4-pentanedionate)	(CAS No) 17524-05-9	95 - 100	Eye Irrit. 2A, H319

#### 3.2. Mixture

Not applicable

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not

available show packaging or label.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel

unwell, seek medical advice.

First-aid measures after skin contact : Wash with plenty of soap and water. Get medical advice/attention.

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Get medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : May cause irritation to the respiratory tract.

Symptoms/injuries after skin contact : May cause skin irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Foam. Carbon dioxide. Dry chemical.

Unsuitable extinguishing media : Do not use straight streams.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Irritating fumes and organic acid vapors may develop when material is exposed to elevated

temperatures or open flame.

#### 5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray to cool exposed surfaces.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Avoid contact with skin and eyes. Do not breathe dust.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

## 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

## 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams.

Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal.

## 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Do not breathe dust. Avoid dust formation. Provide local

exhaust or general room ventilation to minimize exposure to dust.

04/08/2016 EN (English US) SDS ID: **AKM550** 2/6

## Safety Data Sheet

Hygiene measures : Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed.

Storage area : Store in a well-ventilated place. Store away from heat.

#### 7.3. Specific end use(s)

No additional information available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Molybdenum(VI) oxide bis(2,4-pentanedionate) (17524-05-9)			
USA ACGIH	ACGIH TWA (mg/m³)	10 mg/m³ for insoluble molybdenum compounds as Molybdenum	
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³ for insoluble molybdenum compounds as Molybdenum	

#### 8.2. Exposure controls

Appropriate engineering controls : Provide local exhaust or general room ventilation.

Personal protective equipment : Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be

available in the immediate vicinity of any potential exposure.

Hand protection : Neoprene or nitrile rubber gloves.

Eye protection : Chemical goggles. Contact lenses should not be worn.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended. NIOSH-certified dust and mist (orange cartridge) respirator.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Powder.

Molecular mass : 326.17 g/mol

Color : Yellow-orange.

Odor : No data available

Odor threshold : No data available

Refractive index No data available No data available Relative evaporation rate (butyl acetate=1) No data available Melting point 181 °C decomposes : No data available Freezing point **Boiling point** No data available No data available Flash point Auto-ignition temperature : No data available : No data available Decomposition temperature Flammability (solid, gas) No data available

Relative density : 1.64

Solubility : Insoluble in water.

Organic solvent: Soluble: pentanedione, THF  $\,$ 

No data available

No data available

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : No data available

#### 9.2. Other information

Relative vapor density at 20 °C

Vapor pressure

No additional information available

04/08/2016 EN (English US) SDS ID: **AKM550** 3/6

Safety Data Sheet

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable.

#### 10.3. Possibility of hazardous reactions

Material decomposes slowly in contact with air by reaction with water, liberating pentanedione.

#### 10.4. Conditions to avoid

Heat. Open flame. Sparks.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Molybdenum oxide fumes. Organic acid vapors.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : Not classified
Specific target organ toxicity (repeated : Not classified

exposure)

: Not classified

Potential Adverse human health effects and

symptoms

Aspiration hazard

Material decomposes very slowly in contact with air by reaction with water, liberating pentanedione. Pentanedione has the following toxicological hazards: toxic, irritant, neurological

hazards, teratogen, possible mutagen, target organ - thymus.

Symptoms/injuries after inhalation : May cause irritation to the respiratory tract.

Symptoms/injuries after skin contact : May cause skin irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : No information available.

Reason for classification : Expert judgment

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

No additional information available

## 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Effect on ozone layer : No additional information available

Effect on the global warming : No known ecological damage caused by this product.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

04/08/2016 EN (English US) SDS ID: **AKM550** 4/6

Safety Data Sheet

## **SECTION 14: Transport information**

#### 14.1. UN number

Not regulated for transport.

#### 14.2. UN proper shipping name

Not applicable

#### 14.3. Additional information

Other information

: No supplementary information available.

#### Transport by sea

No additional information available

#### Air transport

No additional information available

#### **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

#### MOLYBDENUM(VI) OXIDE BIS(2,4-PENTANEDIONATE) (17524-05-9)

TSCA Exemption/Exclusion

CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r) is not permitted in the United States

## Molybdenum(VI) oxide bis(2,4-pentanedionate) (17524-05-9)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

## Molybdenum(VI) oxide bis(2,4-pentanedionate) (17524-05-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on NZIoC (New Zealand Inventory of Chemicals)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

#### 15.3. US State regulations

MOLYBDENUM(VI) OXIDE BIS(2,4-PENTANEDIONATE)(17524-05-9)				
U.S California - Proposition 65 - Carcinogens List	No			
U.S California - Proposition 65 - Developmental Toxicity	No			
U.S California - Proposition 65 - Reproductive Toxicity - Female	No			
U.S California - Proposition 65 - Reproductive Toxicity - Male	No			

## Molybdenum(VI) oxide bis(2,4-pentanedionate) (17524-05-9)

U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	

## **SECTION 16: Other information**

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

## Full text of H-phrases::

_	•	
	H319	Causes serious eye irritation

04/08/2016 EN (English US) SDS ID: **AKM550** 5/6

Safety Data Sheet

#### **HMIS III Rating**

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 1 Slight Hazard
Physical : 1 Slight Hazard


Prepared by safety and environmental affairs.

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2016 Gelest Inc. Morrisville, PA 19067



04/08/2016 EN (English US) SDS ID: **AKM550** 6/6