

Safety Data Sheet ENEA0055 Date of issue: 03/15/2017 Version: 1.0

SECTION 1: Identification		
1.1. Product identifier		
Product name	: ALLYL 2-BROMO-2-METHYLPROPIONATE	
Product code	: ENEA0055	
Product form	: Substance	
Physical state	: Liquid	
Formula	: C7H11BrO2	
Synonyms	: ALLYL 2-BROMOISOBUTYRATE	
Cynonyms	PROPANOIC ACID, 2-BROMO-2-METHYL-, 2-PROPEN-1-YL ESTER	
Chemical family	: ORGANIC ESTER	
1.2. Recommended use of the chemical	and restrictions on use	
Recommended use	: Chemical intermediate	
	For research use only	
1.3. Details of the supplier of the safety	data sheet	
GELEST, INC. 11 East Steel Road Morrisville, PA 19067 USA T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 info@gelest.com - www.gelest.com	AM - 5:30 PM EST	
1.4. Emergency telephone number		
Emergency number	: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)	
SECTION 2: Hazard(s) identification		
2.1. Classification of the substance or n		
GHS-US classification		
Flammable liquids Category 4 Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2A Full text of H statements : see section 16	H227 H315 H319	
2.2. Label elements		
GHS-US labeling		
Hazard pictograms (GHS-US)		
	GHS07	
Signal word (GHS-US)	: Warning	
Hazard statements (GHS-US)	: H227 - Combustible liquid H315 - Causes skin irritation H319 - Causes serious eye irritation	
Precautionary statements (GHS-US)	 P280 - Wear protective gloves/protective clothing/eye protection/face protection P210 - Keep away from heat, open flames, sparks No smoking P264 - Wash hands thoroughly after handling P302+P352 - If on skin: Wash with plenty of soap and water P332+P313 - If skin irritation occurs: Get medical advice/attention P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention P321 - Specific treatment (see first aid instructions on this label) P362+P364 - Take off contaminated clothing and wash it before reuse P370+P378 - In case of fire: Use water spray or fog, foam, carbon dioxide, dry chemical to extinguish P403+P235 - Keep in a cool place P501 - Dispose of contents/container to licensed waste disposal facility. 	
2.3. Hazards not otherwise classified (H	INOC)	
No additional information available		

Safety Data Sheet

SECTION 3: Composition/Inform	nation on in	gredients		
3.1. Substances				
Substance type	: Monc	o-constituent		
Name	: ALLY	L 2-BROMO-2-METHYLPROP	IONATE	
CAS No	: 4063	0-82-8		
Name		Product identifier	%	GHS-US classification
Allyl-2-bromo-2-methylpropionate		(CAS No) 40630-82-8	97 - 100	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Full text of hazard classes and H-statemer	ts : see section	16		
3.2. Mixtures				
Not applicable				
4.1. Description of first aid measured	es			
First-aid measures general	medie	ove contaminated clothing and s cal advice immediately (show th able show packaging or label.		ent or if you feel unwell, seek). If possible show this sheet; if no
First-aid measures after inhalation		ove victim to fresh air and keep II, seek medical advice.	at rest in a position cor	nfortable for breathing. If you feel
First-aid measures after skin contact		n with plenty of soap and water.		
First-aid measures after eye contact	prese	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses present and easy to do. Continue rinsing. Get medical advice/attention.		
First-aid measures after ingestion	: Neve	r give anything by mouth to an	unconscious person. G	et medical advice/attention.
4.2. Most important symptoms and				
Symptoms/injuries after inhalation		cause irritation to the respirator	/ tract.	
Symptoms/injuries after skin contact		es skin irritation.		
Symptoms/injuries after eye contact		achrymator. Causes serious ey	e irritation.	
Symptoms/injuries after ingestion	: No in	formation available.		
4.3. Indication of any immediate m No additional information available	edical attentio	n and special treatment need	ed	
SECTION 5: Firefighting measu	es			
5.1. Extinguishing media				
Suitable extinguishing media	: Wate	r spray. Water fog. Foam. Carb	on dioxide. Dry chemic	al.
Unsuitable extinguishing media	: Do no	ot use straight streams.		
5.2. Special hazards arising from t	he substance	or mixture		
Fire hazard	: Comb	pustible liquid. Irritating fumes a sed to high temperatures or ope	•	may develop when material is
5.3. Advice for firefighters				
Firefighting instructions				spray to cool exposed surfaces.
Protection during firefighting		ot enter fire area without proper I all eye and skin contact and d		including respiratory protection. d mist.
SECTION 6: Accidental release				
6.1. Personal precautions, protect			a series as a second second	
General measures	: Remo	ove ignition sources. Use specia	al care to avoid static e	lectric charges.
6.1.1. For non-emergency personne				
Protective equipment	: Wear protective equipment as described in Section 8.			
Emergency procedures	: Evac	uate unnecessary personnel.		
6.1.2. For emergency responders				
Protective equipment		ot attempt to take action without er protection. For further informa		upment. Equip cleanup crew with

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Safety Data Sheet

6.3. Methods and material for containm	ent and cleaning up
For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Clean up any spills as soon as possible, using an absorbent material to collect it. Use only non- sparking tools.
6.4. Reference to other sections	
See Heading 8. Exposure controls and persona	I protection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Keep away from heat, open flames, sparks No smoking.
Precautions for safe handling	: Avoid all eye and skin contact and do not breathe vapor and mist. Ground/bond container and receiving equipment. Provide good ventilation in process area to prevent accumulation of vapors. Use only non-sparking tools.
Hygiene measures	: Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, includ	ing any incompatibilities
Storage conditions	: Keep container tightly closed. Keep in a cool place.
Incompatible materials	: Oxidizing agent.
Storage area	: Store in a well-ventilated place. Store away from heat.
SECTION 8: Exposure controls/pers	sonal protection
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	
Appropriate engineering controls	: Provide local exhaust or general room ventilation.
Personal protective equipment	: Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Neoprene or nitrile rubber gloves.
Eye protection	: Chemical goggles. Contact lenses should not be worn.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified organic vapor (black cartridge) respirator.
SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and	
Physical state	: Liquid
Appearance	: Liquid.
Molecular mass	: 207.07 a/mol

Molecular mass	: 207.07 g/mol
Color	: Straw to amber.
Odor	: Irritating.
Odor threshold	: No data available
Refractive index	: 1.462
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: <1
Melting point	: No data available
Freezing point	: <0 °C
Boiling point	: 50 - 51 °C @ 12 mm Hg
Flash point	: 64 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Combustible liquid
Vapor pressure	: < 5 mm Hg @ 20°C
Relative vapor density at 20 °C	: >1
Relative density	: 1.302
Solubility	: Reacts with water.

Safety Data Sheet

Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available
9.2. Other information No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable.	
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
Heat. Open flame. Sparks.	
10.5. Incompatible materials Oxidizing agent. Incompatible materials	
10.6. Hazardous decomposition products	
Organic acid vapors.	
SECTION 11: Toxicological informat	ion
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
	None of the components in this product at concentrations >0.1% are listed by IARC, NTP,
	OSHA or ACGIH as a carcinogen.
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified : May cause irritation to the respiratory tract.
Symptoms/injuries after inhalation	: Causes skin irritation.
Symptoms/injuries after skin contact	
Symptoms/injuries after eye contact Symptoms/injuries after ingestion	: mild lachrymator. Causes serious eye irritation. : No information available.
Reason for classification	: Expert judgment
SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil No additional information available	

Safety Data Sheet

12.5. Other adverse effects	
Other adverse effects	: This substance may be hazardous to the environment.
Effect on ozone layer	: No additional information available
Effect on the global warming	: No known effects from this product.
GWPmix comment	: No known effects from this product.
SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
Sewage disposal recommendations	: Do not dispose of waste into sewer.
Product/Packaging disposal recommendations	: Incinerate. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
14.1. UN number	
DOT NA no.	NA1993
14.2. UN proper shipping name	
Transport document description	: NA1993 Combustible liquid, n.o.s. (ALLYL 2-BROMO-2-METHYLPROPIONATE), 3, III
Proper Shipping Name (DOT)	: Combustible liquid, n.o.s.
	(ALLYL 2-BROMO-2-METHYLPROPIONATE)
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT)	: III - Minor Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Symbols	: D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical name
14.3. Additional information	
Emergency Response Guide (ERG) Number	: 128
Other information	: No supplementary information available.
Special transport precautions	: This product is Combustible as defined by the US Department of Transportation (DOT). It is regulated for transport in the US in container > 119 gallons or 450 liters. The product is not regulated for transport by the IATA, ADR/RID, ADNR or the IMDG regulations.
Transport by sea	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Air transport	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
SECTION 15: Regulatory information	n
15.1. US Federal regulations	
ALLYL 2-BROMO-2-METHYLPROPIONATE	40630-82-8)
TSCA Exemption/Exclusion	CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r) is not permitted in the United States.

Allyl-2-bromo-2-methylpropionate (40630-82-8)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

Safety Data Sheet

15.2. International regulations	
CANADA No additional information available	
EU-Regulations No additional information available	
National regulations No additional information available	
15.3. US State regulations	
No additional information available	
SECTION 16: Other information	n de la compañía de l
Full text of H-phrases::	
H227	Combustible liquid
H315	Causes skin irritation
H319	Causes serious eye irritation
Abbreviations and acronyms	: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

Prepared by safety and environmental affairs.

Date of issue: 03/15/2017 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

© 2017 Gelest Inc. Morrisville, PA 19067