

Safety Data Sheet ENEA0253 Date of issue: 06/27/2017 Version: 1.0

SECTION 1: Identification	
1.1. Product identifier	
Product name	: ALLYLOXY(POLYETHYLENE OXIDE) (1-4 EO)
Product code	: ENEA0253
Product form	: Substance
Physical state	: Liquid
Synonyms	: ALLYL ALCOHOL ETHOXYLATE
	POLYETHYLENE OXIDE MONOALLYL ETHER POLYETHYLENE GLYCOL MONOALLYL ETHER
Chemical family	: POLYETHER
1.2. Recommended use of the chemica	al and restrictions on use
Recommended use	: Chemical intermediate For research and industrial use only
1.3. Details of the supplier of the safety	y data sheet
GELEST, INC. 11 East Steel Road Morrisville, PA 19067 USA T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 info@gelest.com	D AM - 5:30 PM EST
1.4. Emergency telephone number	
Emergency number	: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or	mixture
GHS-US classification Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2 Full text of H statements : see section 16	H315 H319
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	
	GHS07
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H315 - Causes skin irritation H319 - Causes serious eye irritation
Precautionary statements (GHS-US)	 P280 - Wear protective gloves/protective clothing/eye protection/face protection P264 - Wash hands thoroughly after handling P302+P352 - If on skin: Wash with plenty of soap and water P332+P313 - If skin irritation occurs: Get medical advice/attention P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention P321 - Specific treatment (see first aid instructions on this label) P362+P364 - Take off contaminated clothing and wash it before reuse
2.3. Hazards not otherwise classified (HNOC)
No additional information available	
2.4. Unknown acute toxicity (GHS US)	
No data available	
SECTION 3: Composition/Informati	on on ingredients
3.1. Substances	
Substance type	: Multi-constituent

ALLYLOXY(POLYETHYLENE OXIDE) (1-4 EO) Safety Data Sheet

Name	: ALLYLOXY(POLYETHYLENE OXID	E) (1-4 EO)	
CAS No	: 27274-31-3		
Name	Product identifier	%	GHS-US classification
Polyethylene oxide monoallyl ether	(CAS No) 27274-31-3	90 - 100	Not classified
2-Alloxyethanol	(CAS No) 111-45-5	0 - 10	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Allyl alcohol	(CAS No) 107-18-6	< 0.1	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Dermal), H310 Acute Tox. 1 (Inhalation:vapour), H330 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Acute 1, H400
Full text of hazard classes and H-statements	s : see section 16		
3.2. Mixtures			
Not applicable			
4.1. Description of first aid measures	8		
First-aid measures general	: Remove contaminated clothing and s medical advice immediately (show th available show packaging or label.	e label where possible	e). If possible show this sheet; if not
First-aid measures after inhalation	: Remove victim to fresh air and keep unwell, seek medical advice.	at rest in a position co	mfortable for breathing. If you feel
First-aid measures after skin contact	: Wash with plenty of soap and water.	Get medical advice/at	ttention.
First-aid measures after eye contact	: Immediately flush eyes thoroughly wi present and easy to do. Continue ring		
First-aid measures after ingestion	: Never give anything by mouth to an u	unconscious person. (Get medical advice/attention.
4.2. Most important symptoms and e	effects, both acute and delayed		
Symptoms/effects after inhalation	: May be irritating to the respiratory sys	stem.	
Symptoms/effects after skin contact	: Causes skin irritation.		
Symptoms/effects after eye contact	: Causes serious eye irritation.		
Symptoms/effects after ingestion	: May be harmful if swallowed.		
4.3. Indication of any immediate med	dical attention and special treatment need	ed	
No additional information available			
SECTION 5: Firefighting measure	s		
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Water fog. Foam. Carbo	on dioxide. Dry chemi	cal.
Unsuitable extinguishing media	: None known.		
5.2. Special hazards arising from the	e substance or mixture		
Fire hazard	: Irritating fumes and organic acid vaport temperatures or open flame.	ors may develop wher	n material is exposed to elevated
5.3. Advice for firefighters			
Firefighting instructions	: Exercise caution when fighting any c containers.		
Protection during firefighting	: Do not enter fire area without proper Avoid all eye and skin contact and do		
SECTION 6: Accidental release m	easures		
6.1. Personal precautions, protective	e equipment and emergency procedures		
6.1.1. For non-emergency personnel			
Protective equipment	: Wear protective equipment as descri	bed in Section 8.	
Emergency procedures	: Evacuate unnecessary personnel.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without proper protection. For further informa protection".		
6.2. Environmental precautions			

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Safety Data Sheet

6.3. Methods and material for co	ontainment and cleaning up
For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Clean up any spills as soon as possible, using an absorbent material to collect it.
6.4. Reference to other sections	
See Heading 8. Exposure controls and	personal protection.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe handlin	ng
Precautions for safe handling	: Avoid all eye and skin contact and do not breathe vapor and mist. Provide good ventilation in process area to prevent accumulation of vapors.
Hygiene measures	: Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage	, including any incompatibilities
Storage conditions	: Keep container tightly closed.
Incompatible materials	: Oxidizing agent.
Storage area	: Store in a well-ventilated place. Store away from heat.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Allyl alcohol (107-18-6)		
ACGIH	ACGIH TWA (ppm)	0.5 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	2 ppm
IDLH	US IDLH (ppm)	20 ppm
NIOSH	NIOSH REL (TWA) (mg/m³)	5 mg/m ³
NIOSH	NIOSH REL (TWA) (ppm)	2 ppm
NIOSH	NIOSH REL (STEL) (mg/m ³)	10 mg/m ³
NIOSH	NIOSH REL (STEL) (ppm)	4 ppm

8.2. Exposure controls	
Appropriate engineering controls	: Provide local exhaust or general room ventilation.
Personal protective equipment	: Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Neoprene or nitrile rubber gloves.
Eye protection	: Chemical goggles. Contact lenses should not be worn.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified organic vapor (black cartridge) respirator.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical an	d chemical properties
Physical state	: Liquid
Appearance	: Clear liquid.
Molecular mass	: ~ 200 g/mol
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
Refractive index	: No data available
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: <-40 °C
Boiling point	: > 205 °C
Flash point	: >150 °C

Safety Data Sheet

Auto-ignition temperature	: 265 °C
Decomposition temperature	No data available
Flammability (solid, gas)	No data available
Vapor pressure	: < 0.01 mm Hg
Relative vapor density at 20 °C	No data available
Relative density	: 1.004
VOC content	: <3%
Solubility	: Soluble in water.
Log Pow	No data available
Log Kow	No data available
Viscosity, kinematic	No data available
Viscosity, dynamic	No data available
Explosive properties	No data available
Oxidizing properties	No data available
Explosion limits	No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable.	
10.3. Possibility of hazardous reactions No additional information available	
10.4. Conditions to avoid	
Heat. Open flame. Sparks.	
10.5. Incompatible materials	
Oxidizing agent.	
10.6. Hazardous decomposition products	
Organic acid vapors.	
SECTION 11: Toxicological information	on
11.1. Information on toxicological effects	
	Not classified
Allyl alcohol (107-18-6)	
LD50 oral rat	64 mg/kg
LD50 oral mouse	96 mg/kg
LD50 dermal rabbit	89 mg/kg
LC50 inhalation rat (mg/l)	0.391 mg/l/4h
ATE US (oral)	64 mg/kg body weight
ATE US (dermal)	89 mg/kg body weight
ATE US (vapors)	0.391 mg/l/4h
ATE US (dust, mist)	0.391 mg/l/4h
Polyethylene oxide monoallyl ether (27274-31	
LD50 oral rat	> 2000 mg/kg
2-Alloxyethanol (111-45-5)	
LD50 oral rat	3050 mg/kg
LD50 intraperitioneal mouse ATE US (oral)	250 mg/kg 3050 mg/kg body weight
Skin corrosion/irritation	Causes skin irritation.
	Causes skin irritation.
Serious eye damage/irritation	

Safety Data Sheet

Reproductive toxicity Specific target organ toxicity – single exposure	: Not classified : Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects after inhalation	: May be irritating to the respiratory system.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: May be harmful if swallowed.

SECTION 12: Ecological information

```
12.1. Toxicity
```

Allyl alcohol (107-18-6)	
LC50 fish 1	0.28 - 0.37 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	0.32 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
12.2 Porsistonce and degradability	

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Allyl alcohol (107-18-6)		
BCF fish 1	(no bioaccumulation expected)	
Log Pow	0.17	
12.4. Mobility in soil		
No additional information available		
12.5. Other adverse effects		
Other adverse effects	This substance may be hazardous to the environment.	
Effect on ozone layer	No additional information available	

Effect of ozofic layer	
Effect on the global warming	: No known effects from this product.
GWPmix comment	: No known effects from this product.

SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
Sewage disposal recommendations	: Do not dispose of waste into sewer.
Product/Packaging disposal recommendations	: Incinerate. Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	

14.1. U	N number
Not regulate	ed for transport.
14.2. U	N proper shipping name
Not applica	ble
14.3. Add	itional information
Other inform	nation : No supplementary information available.

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

Safety Data Sheet

Allyl alcohol (107-18-6)			
Listed on the United States TSCA (Toxic Substar Listed on the United States SARA Section 302	nces Control Act) inventory		
Subject to reporting requirements of United State	s SARA Section 313		
SARA Section 302 Threshold Planning Quantity (TPQ)	1000		
SARA Section 313 - Emission Reporting	1 %		
Polyethylene oxide monoallyl ether (27274-31	-3)		
Listed on the United States TSCA (Toxic Substar	nces Control Act) inventory		
2-Alloxyethanol (111-45-5)			
Listed on the United States TSCA (Toxic Substar	nces Control Act) inventory		
15.2. International regulations			
CANADA			
Allyl alcohol (107-18-6)			
Listed on the Canadian DSL (Domestic Substanc	es List)		
WHMIS Classification	Class B Division 2 - Flammable Liquid Class D Division 1 Subdivision A - Very toxic material causing immediate and serious toxic effects Class D Division 2 Subdivision B - Toxic material causing other toxic effects		
Polyethylene oxide monoallyl ether (27274-31	-3)		
Listed on the Canadian DSL (Domestic Substanc			
2-Alloxyethanol (111-45-5)	,		
Listed on the Canadian NDSL (Non-Domestic Su	bstances List)		
EU-Regulations			
Allyl alcohol (107-18-6)			
Listed on the EEC inventory EINECS (European	Inventory of Existing Commercial Chemical Substances)		
2-Alloxyethanol (111-45-5)			
	Inventory of Existing Commercial Chemical Substances)		
National regulations			
Allyl alcohol (107-18-6)			
Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Korean ECL (Existing Chemicals List) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Japanese Poisonous and Deleterious Substances Control Law Japanese Pollutant Release and Transfer Register Law (PRTR Law) Listed on the Canadian IDL (Ingredient Disclosure List) Listed on INSQ (Mexican National Inventory of Chemical Substances)			
Polyethylene oxide monoallyl ether (27274-31	-3)		
Listed on the AICS (Australian Inventory of Chem Listed on IECSC (Inventory of Existing Chemical Listed on the Japanese ENCS (Existing & New C Listed on the Korean ECL (Existing Chemicals Lis Listed on NZIOC (New Zealand Inventory of Chem Listed on PICCS (Philippines Inventory of Chemic	Substances Produced or Imported in China) hemical Substances) inventory st) nicals)		
2-Alloxyethanol (111-45-5)			
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)			
15.3. US State regulations			

Allyl alcohol (107-18-6)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List U.S. Pennsylvania RTK (Right to Know) List

Safety Data Sheet

SECTION 16: Other information

H225	Highly flammable liquid and vapor
H227	Combustible liquid
H301	Toxic if swallowed
H310	Fatal in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H330	Fatal if inhaled
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
	threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.:
	European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling.
HMIS III Rating	
HMIS III Rating Health	
•	and Development; GHS: The Globally Harmonized System of Classification and Labelling. : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is
Health	 and Development; GHS: The Globally Harmonized System of Classification and Labelling. 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F
Health Flammability Physical	 and Development; GHS: The Globally Harmonized System of Classification and Labelling. 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA) 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Health Flammability	 and Development; GHS: The Globally Harmonized System of Classification and Labelling. 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA) 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Health Flammability Physical	 and Development; GHS: The Globally Harmonized System of Classification and Labelling. 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given 2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA) 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2017 Gelest Inc. Morrisville, PA 19067