

Safety Data Sheet GEE4710 Date of issue: 04/29/2016 Version: 1.0

1.1. Product identifier	ubstance/mixture and of the company/undertaking			
Product form	: Substance			
Physical state	: Substance : Liquid			
Substance name	: ETHYLTRIETHOXYGERMANE			
Product code	: GEE4710			
Formula	: C8H20GeO3			
Synonyms	: C8H20GeO3 : ETHYLGERMANIUM TRIETHOXIDE			
Chemical family	: ETHYLGERMANIUM TRIETHOXIDE : ORGANOGERMANIUM			
	ubstance or mixture and uses advised against			
Use of the substance/mixture	: Chemical intermediate For research use only			
1.3. Details of the supplier of the safe	ety data sheet			
GELEST, INC.				
11 East Steel Road Morrisville, PA 19067				
USA T 215-547-1015 - F 215-547-2484 - (M-F): 8: info@gelest.com - www.gelest.com	00 AM - 5:30 PM EST			
1.4. Emergency telephone number				
Emergency number	: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)			
SECTION 2: Hazards identification				
2.1. Classification of the substance of				
GHS-US classification				
Flam. Liq. 4 H227				
Eye Irrit. 2A H319				
Full text of H statements : see section 16				
2.2. Label elements				
GHS-US labeling Hazard pictograms (GHS-US)				
hazaru pictograms (Grio-03)				
Signal word (CHS LIS)	GHS07			
Signal word (GHS-US) Hazard statements (GHS-US)	: Warning : H227 - Combustible liquid			
Hazard statements (OHO-00)	H319 - Causes serious eye irritation			
Precautionary statements (GHS-US)	: P280 - Wear protective gloves/protective clothing/eye protection/face protection			
	P210 - Keep away from heat, open flames, sparks No smoking			
	P264 - Wash hands thoroughly after handling P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove			
	contact lenses, if present and easy to do. Continue rinsing			
	P337+P313 - If eye irritation persists: Get medical advice/attention			
	P370+P378 - In case of fire: Use water spray, foam, carbon dioxide, dry chemical to extinguish P403+P235 - Keep in a cool place			
	P501 - Dispose of contents/container to licensed waste disposal facility			
2.3. Other hazards				
Other hazards not contributing to the	: Additional ethanol may be formed by reaction with moisture and water. The hydrolysis product			
classification	of this compound is ethanol. Overexposure to ethanol by skin absorption, inhalation or ingestion may have a narcotic effect (headache, nausea, drowsiness). Ethanol is metabolized			
	to acetaldehyde and acetic acid which in large quantities result in metabolic acidosis, CNS			
	depression and death due to respiratory arrest. The US OSHA PEL (TWA) for ethanol is 1000			
	ppm. This product contains ethanol which is classified as a carcinogen by IARC in alcoholic			
	beverages.			

Safety Data Sheet

2.4. Unknown acute toxicity (GHS U	S)			
No data available				
SECTION 3: Composition/Informa	ation on in	gredients		
3.1. Substance				
Substance type		o-constituent		
	: ETHYLTRIETHOXYGERMANE			
CAS No	: 5865			
Name		Product identifier	%	GHS-US classification
Ethyltriethoxygermane		(CAS No) 5865-92-9	95 - 100	Flam. Liq. 4, H227 Eye Irrit. 2A, H319
Other Organogermaniums			0 - 5	Not classified
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measure	S			
First-aid measures general	medi	ove contaminated clothing and shoes. Ir cal advice immediately (show the label v able show packaging or label.		
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.			
First-aid measures after skin contact		n with plenty of soap and water. Get me		
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, present and easy to do. Continue rinsing. Get medical advice/attention.			
First-aid measures after ingestion	: Never give anything by mouth to an unconscious person. Get medical advice/attention.			
I.2. Most important symptoms and e	effects, both	acute and delayed		
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract.			
Symptoms/injuries after skin contact	: May cause skin irritation.			
Symptoms/injuries after eye contact	: Causes serious eye irritation.			
Symptoms/injuries after ingestion	: No information available.			
Chronic symptoms		ontact with water this compound liberate e central nervous system.	es ethanol which	n is known to have a chronic effect
4.3. Indication of any immediate med	dical attentio	n and special treatment needed		
No additional information available				
SECTION 5: Firefighting measure	S			
5.1. Extinguishing media				
Suitable extinguishing media	: Wate	r spray. Foam. Carbon dioxide. Dry che	mical.	
Jnsuitable extinguishing media		ot use straight streams.		
5.2. Special hazards arising from the		-		
Fire hazard	: Com	oustible liquid. Irritating fumes and organ sed to elevated temperatures or open fla		may develop when material is
5.3. Advice for firefighters				
Firefighting instructions		cise caution when fighting any chemical		
Protection during firefighting		ot enter fire area without proper protective all eye and skin contact and do not bre		
SECTION 6: Accidental release m	easures			
6.1. Personal precautions, protective	e equipment	and emergency procedures		
General measures	: Remo	ove ignition sources. Use special care to	avoid static ele	ectric charges.
6.1.1. For non-emergency personnel				
Protective equipment	: Wear	protective equipment as described in S	ection 8.	
Emergency procedures		uate unnecessary personnel.		
6.1.2. For emergency responders				
Protective equipment	; Do no	ot attempt to take action without suitable	protective equ	ipment. Equip cleanup crew with
	prope	er protection. For further information refe	er to section 8: "	Exposure controls/personal

04/29/2016

Safety Data Sheet

6.2. Environmental precautions	
•	Notify authorities if liquid enters sewers or public waters.
6.3. Methods and material for conta	ainment and cleaning up
For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or shovel spills into appropriate container for disposal. Use only non-sparking tools.
6.4. Reference to other sections	
See Heading 8. Exposure controls and per	sonal protection.
SECTION 7: Handling and storage	ge
7.1. Precautions for safe handling	
Additional hazards when processed	: Keep away from heat/sparks/open flames/hot surfaces No smoking.
Precautions for safe handling	 Avoid all eye and skin contact and do not breathe vapor and mist. Ground/bond container and receiving equipment. Provide good ventilation in process area to prevent accumulation of vapors. Use only non-sparking tools.
Hygiene measures	: Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage conditions	: Keep container tightly closed. Keep in a cool place.
Incompatible materials	: Moisture. Water.
Storage area	: Store in a well-ventilated place. Store away from heat.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/	personal protection
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	
Appropriate engineering controls	: Provide local exhaust or general room ventilation.
Personal protective equipment	: Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Neoprene or nitrile rubber gloves.
Eye protection	: Chemical goggles. Contact lenses should not be worn.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified organic vapor (black cartridge) respirator.
SECTION 9: Physical and chemi	cal properties
9.1. Information on basic physical	and chemical properties
Physical state	: Liquid
Appearance	: Clear liquid.
Molecular mass	: 236.83 g/mol
Color	: Straw.
Odor	: Mild. Fruity.

Odor	: Mild. Fruity.
Odor threshold	: No data available
Refractive index	: 1.4178
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: <1
Melting point	: No data available
Freezing point	: <°C
Boiling point	: 180 °C
Flash point	: >60 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Combustible liquid
Vapor pressure	: No data available
Relative vapor density at 20 °C	: >1

Safety Data Sheet

Relative density	: 1.1105
VOC content	: 100 %
Solubility	: Reacts with water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable.	
10.3. Possibility of hazardous reactions	
Reacts with water and moisture in air liberating	ethanol.
10.4. Conditions to avoid	
Heat. Open flame. Sparks.	
10.5. Incompatible materials	
Moisture. Water.	
10.6. Hazardous decomposition products	
Ethanol. Germanium oxides. Organic vapors.	
SECTION 11: Toxicological informat	ion
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated	: Not classified
exposure)	
Aspiration hazard	: Not classified
Potential Adverse human health effects and	: This material slowly generates ethanol on contact with water and moisture in living tissues.
symptoms	Material generates ethanol on contact with water or moisture in skin, eyes and mucous
Symptoms/injuries after inhalation	membranes and has an irritating, dehydrating effect on overexposed tissue. : May cause irritation to the respiratory tract.
Symptoms/injuries after skin contact	: May cause skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: No information available.
Chronic symptoms	: On contact with water this compound liberates ethanol which is known to have a chronic effect
	on the central nervous system.
Reason for classification	: Expert judgment
SECTION 12: Ecological information	

SECTION 12: Ecological information 12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

Safety Data Sheet

12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Other adverse effects	: This substance may be hazardous to the environment.
Effect on ozone layer	: No additional information available
Effect on the global warming	: No known ecological damage caused by this product.
SECTION 13: Disposal consideration	IS
13.1. Waste treatment methods	
Sewage disposal recommendations	: Do not dispose of waste into sewer.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
14.1. UN number	
DOT NA no.	NA1993
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Combustible liquid, n.o.s.
, ,	(ETHYLTRIETHOXYGERMANE)
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
DOT Symbols	: D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical name
Packing group (DOT)	: <mark>III - Mi</mark> nor Danger
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
14.3. Additional information	
Emergency Response Guide (ERG) Number	: 128
Other information	: No supplementary information available.
Special transport precautions	: This product is Combustible as defined by the US Department of Transportation (DOT). It is regulated for transport in the US in container > 119 gallons. The product is not regulated for transport by the IATA, ADR/RID, ADNR or the IMDG regulations.
Transport by sea	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel
Air transport	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
SECTION 15: Regulatory information	
15.1. US Federal regulations	
ETHYLTRIETHOXYGERMANE (5865-92-9)	
TSCA Exemption/Exclusion	CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r) is not permitted in the United States
Ethyltriethoxygermane (5865-92-9)	
Not listed on the United States TSCA (Toxic Su	ubstances Control Act) inventory
15.2. International regulations	

No additional information available

Safety Data Sheet

15.3. US State regulations	15.3. US State regulations				
ETHYLTRIETHOXYGERMANE(5865-92-9)					
U.S California - Proposition 65 - Carcinogens List		No			
U.S California - Proposition 65 - Developmental Toxicity		No			
U.S California - Proposition 65 - Reproductive Toxicity - Female		No			
U.S California - Proposition Toxicity - Male	n 65 - Reproductive	No			
Ethyltriethoxygermane (5865-92-9)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)	
No	No	No	No		
Other Organogermaniums					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)	
No	No	No	No		

SECTION 16: Other information Abbreviations and acronyms Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal : Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development. Full text of H-phrases:: H227 Combustible liquid H319 Causes serious eye irritation

HMIS III Rating

Health Flammability Physical

: 2 Moderate Hazard - Temporary or minor injury may occur

- : 2 Moderate Hazard
- : 1 Slight Hazard

Prepared by safety and environmental affairs.

Date of issue: 04/29/2016 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2016 Gelest Inc. Morrisville, PA 19067