

Safety Data Sheet GEL6467
Date of issue: 05/11/2017 Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Product name : LITHIUM METAGERMANATE

Product code : GEL6467
Product form : Substance
Physical state : Solid
Formula : GeLi2O3

Synonyms : DILITHIUM GERMANATE

LITHIUM GERMANIUM OXIDE DILITHIUM TRIOXAGERMANATE

Chemical family : INORGANIC GERMANATE

1.2. Recommended use of the chemical and restrictions on use

Recommended use : Chemical intermediate

For research use only

1.3. Details of the supplier of the safety data sheet

GELEST, INC.

11 East Steel Road Morrisville, PA 19067

USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin corrosion/irritation Category 2 H315 Serious eye damage/eye irritation Category 2 H319

Full text of H statements : see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



GHS07

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H315 - Causes skin irritation

H319 - Causes serious eye irritation

Precautionary statements (GHS-US) : P280 - Wear protective gloves/protective clothing/eye protection/face protection

P264 - Wash hands thoroughly after handling

P302+P352 - If on skin: Wash with plenty of soap and water P332+P313 - If skin irritation occurs: Get medical advice/attention

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention P321 - Specific treatment (see first aid instructions on this label) P362+P364 - Take off contaminated clothing and wash it before reuse

2.3. Hazards not otherwise classified (HNOC)

No additional information available

2.4. Unknown acute toxicity (GHS US)

No data available

Print date: 05/11/2017 EN (English US) SDS ID: **GEL6467** Page 1

Safety Data Sheet

SECTION 3: Composition/Information on ingredients

Substances

Substance type : Mono-constituent

: LITHIUM METAGERMANATE Name

CAS-No. : 12315-28-5

Name	Product identifier	%	GHS-US classification
Lithium metagermanate	(CAS-No.) 12315-28-5	95 - 100	Skin Irrit. 2, H315
			Eye Irrit. 2, H319

Full text of hazard classes and H-statements: see section 16

Mixtures

Not applicable

4.1. **Description of first aid measures**

: Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek First-aid measures general

medical advice immediately (show the label where possible). If possible show this sheet; if not

available show packaging or label.

First-aid measures after inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel

unwell, seek medical advice

First-aid measures after skin contact Wash with plenty of soap and water. Get medical advice/attention.

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Get medical advice/attention.

Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : Causes skin irritation. Symptoms/effects after eye contact : Causes serious eye irritation. Symptoms/effects after ingestion : No information available.

Indication of any immediate medical attention and special treatment needed 4.3.

Treat exposures by protocols for mild caustic.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media Not combustible. : None known. Unsuitable extinguishing media

Special hazards arising from the substance or mixture

No additional information available

Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Avoid contact with skin and

eyes. Do not breathe dust.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with Protective equipment proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

Methods and material for containment and cleaning up

Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal.

Reference to other sections

See Heading 8. Exposure controls and personal protection.

SDS ID: GEL6467 Print date: 05/11/2017 EN (English US) 2/6

Safety Data Sheet

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Avoid dust formation. Do not breathe dust. Provide local

exhaust or general room ventilation to minimize exposure to dust.

Hygiene measures : Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild

soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed. Store in sealed containers under an inert atmosphere.

Incompatible materials : Aluminum. Zinc.

Storage area : Store in a well-ventilated place.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Lithium metagermanate (12315-28-5)		
OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ nuisance dust

8.2. Exposure controls

Appropriate engineering controls : Provide local exhaust or general room ventilation.

Personal protective equipment : Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be

available in the immediate vicinity of any potential exposure.

Hand protection : Neoprene or nitrile rubber gloves.

Eye protection : Chemical goggles. Contact lenses should not be worn.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended. NIOSH-certified dust and mist (orange cartridge) respirator.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid
Appearance : Powder.
Molecular mass : 134.47 g/mol
Color : White.

Odor : No data available
Odor threshold : No data available
Refractive index : No data available
pH : No data available
Relative evaporation rate (butyl acetate=1) : No data available

Melting point : 1239 °C

Freezing point : No data available Boiling point No data available No data available Flash point Auto-ignition temperature : No data available Decomposition temperature No data available Flammability (solid, gas) No data available Vapor pressure < 0.01 mm Hg @ 20°C Relative vapor density at 20 °C : No data available

Relative density : 3.53 VOC content : 0 %

Solubility : Water: 8.5 g/l @ 25°C Log Pow : No data available Log Kow : No data available No data available Viscosity, kinematic Viscosity, dynamic No data available No data available Explosive properties Oxidizing properties : No data available **Explosion limits** : No data available

Print date: 05/11/2017 EN (English US) SDS ID: **GEL6467** 3/6

Safety Data Sheet

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable. Absorbs moisture to form lithium metagermanate polyhydrates.

10.3. Possibility of hazardous reactions

In contact with aluminum and zinc, may liberate hydrogen.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Aluminum. Zinc.

10.6. Hazardous decomposition products

When heated to decomposition emits lithium peroxide, lithium hydroxide and germanates.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

None of the components in this product at concentrations >0.1% are listed by IARC, NTP,

OSHA or ACGIH as a carcinogen.

Reproductive toxicity : Not classified STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Symptoms/effects after inhalation : May cause irritation to the respiratory tract.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

Symptoms/effects after ingestion : No information available.

Reason for classification : Expert judgment

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

GWPmix comment

No additional information available

12.5. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

Effect on ozone layer : No additional information available

Effect on the global warming : No known effects from this product.

Print date: 05/11/2017 EN (English US) SDS ID: **GEL6467** 4/6

: No known effects from this product.

Safety Data Sheet

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Product/Packaging disposal recommendations : Landfill. Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

Not regulated for transport.

14.2. UN proper shipping name

Not applicable

14.3. Additional information

Other information : No supplementary information available.

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

LITHIUM METAGERMANATE (12315-28-5)

TSCA Exemption/Exclusion

CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r) is not permitted in the United States.

Lithium metagermanate (12315-28-5)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

Lithium metagermanate (12315-28-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Lithium metagermanate (12315-28-5)

Listed on the Korean ECL (Existing Chemicals List)

15.3. US State regulations

No additional information available

SECTION 16: Other information

Full text of H-phrases::

H315	Causes skin irritation
H319	Causes serious eye irritation

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling.

Print date: 05/11/2017 EN (English US) SDS ID: **GEL6467** 5/6

Safety Data Sheet

Hazard Rating

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Prepared by safety and environmental affairs.


Date of issue: 05/11/2017 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2017 Gelest Inc. Morrisville, PA 19067



Print date: 05/11/2017 EN (English US) SDS ID: **GEL6467** 6/6