

Safety Data Sheet GET7280 Date of issue: 03/31/2016 Version: 1.0

SECTION 1: Identification of the su	ubstance/mixture and of the company/undertaking			
1.1. Product identifier				
Product form	: Substance			
Physical state	: Liquid			
Substance name	: TETRAISOPROPOXYGERMANE			
Product code	GET7280			
Formula	C12H28GeO4			
Synonyms	GERMANIUM TETRA-2-PROPOXIDE; GERMANIUM ISOPROPYLATE			
Chemical family	ORGANOALKOXYGERMANE			
1.2. Relevant identified uses of the su	bstance or mixture and uses advised against			
Use of the substance/mixture	: Chemical intermediate For research use only			
1.3. Details of the supplier of the safet	y data sheet			
GELEST, INC. 11 East Steel Road Morrisville, PA 19067 USA T 215-547-1015 - F 215-547-2484 - (M-F): 8:0 info@gelest.com - www.gelest.com	0 AM - 5:30 PM EST			
1.4. Emergency telephone number				
Emergency number	: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)			
<b>SECTION 2: Hazards identification</b>				
2.1. Classification of the substance or				
GHS-US classification Flam. Liq. 4 H227 Eye Irrit. 2A H319				
Full text of H statements : see section 16				
2.2. Label elements				
GHS-US labeling				
Hazard pictograms (GHS-US)	GHS07			
Signal word (GHS-US)	: Warning			
Hazard statements (GHS-US)	: H227 - Combustible liquid H319 - Causes serious eye irritation			
Precautionary statements (GHS-US)	<ul> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection P210 - Keep away from heat, open flames, sparks No smoking P264 - Wash hands thoroughly after handling P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention P370+P378 - In case of fire: Use water spray or fog, foam, carbon dioxide, dry chemical to extinguish P403+P235 - Keep in a cool place P501 - Dispose of contents/container to licensed waste disposal facility</li> </ul>			
2.3. Other hazards				
No additional information available				
2.4. Unknown acute toxicity (GHS US)				

No data available

Safety Data Sheet

<b>SECTION 3: Composition/Inform</b>	ation on ingredients			
3.1. Substance				
Substance type	: Mono-constituent			
lame	: TETRAISOPROPOXYGERMANE			
CAS No	: 21154-48-3			
Name	Product identifier	%	GHS-US classification	
Tetraisopropoxygermane	(CAS No) 21154-48-3	95 - 100	Flam. Liq. 4, H227 Eye Irrit. 2A, H319	
		·		
3.2. Mixture Not applicable				
SECTION 4: First aid measures				
I.1. Description of first aid measure	25			
First-aid measures general	<ul> <li>Remove contaminated clothing and shoes medical advice immediately (show the lab available show packaging or label.</li> </ul>	<ul> <li>In case of accide el where possible)</li> </ul>	ent or if you feel unwell, seek . If possible show this sheet; if no	
First-aid measures after inhalation	: Remove victim to fresh air and keep at res unwell, seek medical advice.	st in a position con	nfortable for breathing. If you feel	
First-aid measures after skin contact	: Wash with plenty of soap and water. Get r			
irst-aid measures after eye contact	: Immediately flush eyes thoroughly with wa present and easy to do. Continue rinsing.			
irst-aid measures after ingestion	: Never give anything by mouth to an uncor	nscious person. Ge	et medical advice/attention.	
.2. Most important symptoms and	effects, both acute and delayed			
Symptoms/injuries after inhalation	: May cause irritation to the respiratory trac	t.		
symptoms/injuries after skin contact	: May cause skin irritation.			
symptoms/injuries after eye contact	: Causes serious eye irritation.			
Symptoms/injuries after ingestion	: No information available.			
I.3. Indication of any immediate me No additional information available	dical attention and special treatment needed			
SECTION 5: Firefighting measure	es			
5.1. Extinguishing media				
Suitable extinguishing media	: Water spray. Water fog. Foam. Carbon die	oxide. Dry chemica	al.	
Insuitable extinguishing media	: None known.			
5.2. Special hazards arising from th	e substance or mixture			
Fire hazard	: Combustible liquid. Irritating fumes and or exposed to elevated temperatures or oper		may develop when material is	
Advice for firefighters				
Firefighting instructions	: Exercise caution when fighting any chemic containers.	cal fire. Use water	spray or fog for cooling exposed	
Protection during firefighting	: Do not enter fire area without proper prote Avoid all eye and skin contact and do not			
SECTION 6: Accidental release n				
.1. Personal precautions, protectiv	e equipment and emergency procedures			
General measures	: Remove ignition sources. Use special care	e to avoid static el	ectric charges.	
<b>5.1.1.</b> For non-emergency personnel				
Protective equipment	: Wear protective equipment as described in Section 8.			
mergency procedures	: Evacuate unnecessary personnel.			
6.1.2. For emergency responders				
Protective equipment	: Do not attempt to take action without suita proper protection. For further information protection".			
6.2. Environmental precautions				
Prevent entry to sewers and public waters.	Notify authorities if liquid enters sewers or public wa	aters.		
.3. Methods and material for conta	inment and cleaning up			
For containment	: Contain any spills with dikes or absorbent streams.	s to prevent migra	tion and entry into sewers or	

Safety Data Sheet

Methods for cleaning up	: Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or shovel spills into appropriate container for disposal. Use only non-sparking tools.		
6.4. Reference to other sections			
See Heading 8. Exposure controls and persona	al protection.		
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
Additional hazards when processed Precautions for safe handling	<ul> <li>Keep away from heat/sparks/open flames/hot surfaces No smoking.</li> <li>Avoid all eye and skin contact and do not breathe vapor and mist. Ground/bond container and receiving equipment. Provide good ventilation in process area to prevent accumulation of vapors. Use only non-sparking tools.</li> </ul>		
Hygiene measures	: Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.		
7.2. Conditions for safe storage, include	ding any incompatibilities		
Storage conditions	: Keep container tightly closed. Keep in a cool place.		
Incompatible materials	: Oxidizing agent.		
Storage area	: Store in a well-ventilated place. Store away from heat.		
7.3. Specific end use(s)			
No additional information available			
SECTION 8: Exposure controls/per	sonal protection		
8.1. Control parameters			
No additional information available			
8.2. Exposure controls			
Appropriate engineering controls	: Provide local exhaust or general room ventilation.		
Personal protective equipment	: Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should b		
	available in the immediate vicinity of any potential exposure.		
Hand protection	: Neoprene or nitrile rubber gloves.		
Eye protection	: Chemical goggles. Contact lenses should not be worn.		
Skin and body protection	: Wear suitable protective clothing.		
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified organic vapor (black cartridge) respirator.		
<b>SECTION 9: Physical and chemical</b>	properties		
9.1. Information on basic physical and	chemical properties		
Physical state	: Liquid		
Appearance	: Clear liquid.		
Molecular mass	: 308.94 g/mol		
Color	: No data available		
Odor	: Characteristic. Isopropanol.		
Odor threshold	: No data available		
Refractive index	: 1.4141		
рН	: No data available		
Relative evaporation rate (butyl acetate=1)	: No data available		
Melting point	: <0°C		
Freezing point	: No data available		
Boiling point	: 109 °C @ 30 mm Hg		
Flash point	: 68 °C		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: Combustible liquid		
Vapor pressure	: < 1 mm Hg @ 25°C		
Relative vapor density at 20 °C	: >1		
Relative density	: 1.025		
Solubility	: Reacts with water.		
Log Pow	: No data available		
	No data available		

Viscosity, kinematic

Log Kow

: No data available

### Safety Data Sheet

03/31/2016	EN (English US)	SDS ID: GET7280	4/6
Effect on ozone layer	: No additional information available		
Other adverse effects	: This substance may be hazardous t	o the environment.	
12.5. Other adverse effects			
No additional information available			
12.4. Mobility in soil			
No additional information available			
12.3. Bioaccumulative potential			
No additional information available			
12.2. Persistence and degradability			
No additional information available			
12.1. Toxicity			
SECTION 12: Ecological information			
Reason for classification	: Expert judgment		
Symptoms/injuries after ingestion	: No information available.		
Symptoms/injuries after eye contact	: Causes serious eye irritation.		
Symptoms/injuries after inhalation Symptoms/injuries after skin contact	<ul><li>May cause irritation to the respirato</li><li>May cause skin irritation.</li></ul>	y tract.	
symptoms	on contact with water or moisture in dehydrating effect on overexposed	skin, eyes and mucous membranes and has an i issue.	
Aspiration hazard Potential Adverse human health effects and	: Not classified : This compound liberates isopropan	I on contact with moisture. Material generates is	opropanol
Specific target organ toxicity (repeated exposure)	: Not classified		
Specific target organ toxicity (single exposure)	: Not classified		
Reproductive toxicity	: Not classified		
Carcinogenicity	: Not classified		
Germ cell mutagenicity	: Not classified		
Respiratory or skin sensitization	: Not classified		
Serious eye damage/irritation	: Causes serious eye irritation.		
Skin corrosion/irritation	: Not classified		
Acute toxicity	: Not classified		
SECTION 11: Toxicological informat 11.1. Information on toxicological effects			
10.6. Hazardous decomposition products Germanium oxides. Isopropanol. Organic acid v			
<b>10.5.</b> Incompatible materials Oxidizing agent.			
Heat. Open flame. Sparks.			
10.4. Conditions to avoid			
Material decomposes slowly in contact with moi	st air or with water liberating isopropanol		
10.3. Possibility of hazardous reactions			
Stable.			
10.2. Chemical stability			
No additional information available			
10.1. Reactivity			
SECTION 10: Stability and reactivity			
No additional information available			
9.2. Other information			
Explosion limits	: No data available		
Explosive properties Oxidizing properties	: No data available		
-volocivo proportios	: No data available		

Safety Data Sheet

Effect on the global warming	: No known ecological damage caused by this product.		
SECTION 13: Disposal consideration	S		
13.1. Waste treatment methods			
Sewage disposal recommendations	: Do not dispose of waste into sewer.		
Waste disposal recommendations	Incinerate. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.		
Ecology - waste materials	: Avoid release to the environment.		
<b>SECTION 14: Transport information</b>			
14.1. UN number			
DOT NA no.	NA1993		
14.2. UN proper shipping name			
Proper Shipping Name (DOT)	: Combustible liquid, n.o.s.		
	(TETRAISOPROPOXYGERMANE)		
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120		
DOT Symbols	D - Proper shipping name for domestic use only, or to and from Canada, G - Identifies PSN		
	requiring a technical name		
Packing group (DOT)	: III - Minor Danger		
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150		
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203		
DOT Packaging Bulk (49 CFR 173.xxx)	: 241		
14.3. Additional information			
Emergency Response Guide (ERG) Number	: 128		
Other information	: No supplementary information available.		
Special transport precautions	: This product is Combustible as defined by the US Department of Transportation (DOT). It is regulated for transport in the US in container > 119 gallons. The product is not regulated for transport by the IATA, ADR/RID, ADNR or the IMDG regulations.		
Transport by sea			
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel		
Air transport			
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L		
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L		
SECTION 15: Regulatory information			
15.1. US Federal regulations			
TETRAISOPROPOXYGERMANE (21154-48-3)			
TSCA Exemption/Exclusion	CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r) is not permitted in the United States		
Tetraisopropoxygermane (21154-48-3)			
Not listed on the United States TSCA (Toxic Su	bstances Control Act) inventory		
15.2. International regulations			
No additional information available			

No additional information available

#### 15.3. US State regulations

TETRAISOPROPOXYGERMANE(21154-48-3)		
U.S California - Proposition 65 - Carcinogens List	No	
U.S California - Proposition 65 - Developmental Toxicity	No	
U.S California - Proposition 65 - Reproductive Toxicity - Female	No	
U.S California - Proposition 65 - Reproductive	No	

### Safety Data Sheet

TETRAISOPROPOXYGERMANE(21154-48-3)				
Toxicity - Male				
Tetraisopropoxygermane	e (21154-48-3)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	

SECTION 16: Other information			
Abbreviations and acronyms	<ul> <li>Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; m millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Sa Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract S Registration Number; EC No.: European Commission Registration Number; EC Index N European Commission Index Number; OECD: The Organisation for Economic Co-opera and Development.</li> </ul>		
Full text of H-phrases::			
H227			Combustible liquid
H319			Causes serious eye irritation
HMIS III Rating Health Flammability Physical	: 2 Moderate H : 2 Moderate H : 1 Slight Haza	lazard	porary or minor injury may occur
Prepared by safety and environmental affai	rs.		
Date of issue: 03/31/2016 Version: 1.0			
SDS US (GHS HazCom 2012) - Custom			
According to Federal Register / Vol. 77, No. 58 / M	/onday, March 26, 2012 /	Rules and Reg	gulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2016 Gelest Inc. Morrisville, PA 19067