

Safety Data Sheet OMTI080 Date of issue: 03/18/2016 Versio

Version: 1.0

SECTION 1: Identification of the su	bstance/mixture and of the company/undertaking		
1.1. Product identifier			
Product form	: Substance		
Physical state	: Liquid		
Substance name	: TITANIUM TETRAKIS(DIMETHYLAMIDE), 99+%		
Product code	: OMTI080		
Formula	: C8H24N4Ti		
Synonyms	: TDMAT; TETRAKIS(DIMETHYLAMIDO)TITANIUM; TETRAKISDIMETHYLAMINOTITANIUM		
Chemical family	: METAL COMPOUND		
1.2. Relevant identified uses of the sul	ostance or mixture and uses advised against		
Use of the substance/mixture	: Chemical intermediate For research and industrial use only		
1.3. Details of the supplier of the safet	/ data sheet		
GELEST, INC. 11 East Steel Road Morrisville, PA 19067 USA T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 <u>info@gelest.com</u> - <u>www.gelest.com</u>) AM - 5:30 PM EST		
1.4. Emergency telephone number			
Emergency number	: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)		
SECTION 2: Hazards identification			
2.1. Classification of the substance or	mixture		
GHS-US classification			
Flam. Liq. 2 H225 Skin Corr. 1B H314 Eye Dam. 1 H318 STOT SE 3 H335 Full text of H statements : see section 16			
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	: GHS02 GHS05 GHS07		
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	: H225 - Highly flammable liquid and vapor H314 - Causes severe skin burns and eye damage H318 - Causes serious eye damage H335 - May cause respiratory irritation		
Precautionary statements (GHS-US)	 P280 - Wear protective gloves/protective clothing/eye protection/face protection P210 - Keep away from heat, open flames, sparks No smoking P233 - Keep container tightly closed P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P260 - Do not breathe vapors P264 - Wash hands thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting P303+P361+P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing 		
03/18/2016	EN (English US) SDS ID: OMTI080 Page 1		

TITANIUM TETRAKIS(DIMETHYLAMIDE), 99+% Safety Data Sheet

	P36 P37 P40 P40 P40 P40 P32	P310 - Immediately call a doctor P363 - Wash contaminated clothing before reuse P370+P378 - In case of fire: Use water spray, foam, carbon dioxide, dry chemical to extinguish P403+P233 - Store in a well-ventilated place. Keep container tightly closed P403+P235 - Keep in a cool place P405 - Store locked up P321 - Specific treatment (see first aid instructions on this label) P501 - Dispose of contents/container to licensed waste disposal facility		
2.3. Other hazards				
Other hazards not contributing to the classification		litional dimethylamine may be formed b _ (TWA) for dimethylamine is 10 ppm.	y reaction with mo	bisture and water. The US OSHA
2.4. Unknown acute toxicity (GHS U	S)			
No data available				
SECTION 3: Composition/Inform	ation on i	ngredients		
3.1. Substance				
Substance type	: Mor	no-constituent		
Name	: TIT	ANIUM TETRAKIS(DIMETHYLAMIDE)	, 99+%	
CAS No	: 327	5-24-9		
EC no	: 221	-904-3		
Name		Product identifier	%	GHS-US classification
Titanium tetrakis(dimethylammonium)		(CAS No) 3275-24-9	99 - 100	Flam. Liq. 2, H225 Skin Corr. 1B, H314 Eye Dam. 1, H318
				STOT SE 3, H335
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measure	S			
First-aid measures general	med	nove contaminated clothing and shoes. dical advice immediately (show the labe ilable show packaging or label.	In case of accide where possible).	nt or if you feel unwell, seek . If possible show this sheet; if not
First-aid measures after inhalation		nove victim to fresh air and keep at rest ice/attention.	in a position com	fortable for breathing. Get medica
First-aid measures after skin contact	: Wa	sh with plenty of soap and water. Get in	nmediate medical	advice/attention.
First-aid measures after eye contact	pres	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.		
First-aid measures after ingestion	: Nev	ver give anything by mouth to an uncon-	scious person. Ge	et medical advice/attention.
4.2. Most important symptoms and	effects, bot	h acute and delayed		
Symptoms/injuries	: Cau	uses severe skin burns and eye damage	э.	
Symptoms/injuries after inhalation	: May	/ cause respiratory irritation.		
Symptoms/injuries after skin contact	: Cau	ises (severe) skin burns.		
Symptoms/injuries after eye contact	: Cau	ises serious eye damage.		
Symptoms/injuries after ingestion	: May be harmful if swallowed.			
4.3. Indication of any immediate me	dical attent	ion and special treatment needed		
No additional information available				
SECTION 5: Firefighting measure	es			
5.1. Extinguishing media				
Suitable extinguishing media	: Wa	ter spray. Foam. Carbon dioxide. Dry cl	nemical.	
Unsuitable extinguishing media		not use straight streams.		
5.2. Special hazards arising from th		-		
Fire hazard		hly flammable liquid and vapor. Irritating	fumes of ethvlm	ethylamine and organic acid vapo
Explosion hazard	may	/ develop when material is exposed to v / form flammable/explosive vapor-air m	water or open flam	
5.3. Advice for firefighters	-			
Firefighting instructions	· Eve	rcise caution when fighting any chemic	al fire. Use water	spray to cool exposed surfaces
Protection during firefighting		not enter fire area without proper protection		
5 - 5 - 5		id all eye and skin contact and do not b		

TITANIUM TETRAKIS(DIMETHYLAMIDE), 99+% Safety Data Sheet

SECTION 6: Accidental release	moneuroe
	ve equipment and emergency procedures
General measures	: Eliminate every possible source of ignition. Use special care to avoid static electric charges.
General measures	. Linninate every possible source of ignition. Ose special care to avoid static electric charges.
6.1.1. For non-emergency personnel	
Protective equipment	: Wear protective equipment as described in Section 8.
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
	Notify authorities if liquid enters sewers or public waters.
6.3. Methods and material for conta	ainment and cleaning up
For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	 Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or shovel spills into appropriate container for disposal. Use only non-sparking tools.
6.4. Reference to other sections	
See Heading 8. Exposure controls and per	sonal protection.
3 1	
SECTION 7: Handling and stora	ge
7.1. Precautions for safe handling	Llondle amptu containare with care because residuel venere an florenship. Kees succession
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable. Keep away from heat/sparks/open flames/hot surfaces No smoking.
Precautions for safe handling	: Avoid all eye and skin contact and do not breathe vapor and mist. Ground/bond container and receiving equipment. Take precautionary measures against static discharge. Use only outdoo or in a well-ventilated area. Use only non-sparking tools.
Hygiene measures	: Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Use explosion-procedures to avoid static electricity should be followed.
Storage conditions	: Keep container tightly closed. Keep in a cool place. Store locked up.
Incompatible materials	: Acids. Alcohols. Oxidizing agent. Moisture. Water.
Storage area	: Store in a well-ventilated place. Store away from heat.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/	norsonal protection
8.1. Control parameters No additional information available	
8.2. Exposure controls	· Provide local exhaust or general room ventilation
Appropriate engineering controls Personal protective equipment	 Provide local exhaust or general room ventilation. Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Neoprene or nitrile rubber gloves.
Eye protection	: Chemical goggles or face shield. Contact lenses should not be worn.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor - amine gas (brown cartridge) respirator.
SECTION 9: Physical and chemi	cal properties
9.1. Information on basic physical	
Physical state	: Liquid
Appearance	: Liquid.
Molecular mass	: 224.2 g/mol
Color	: Orange-amber.
03/18/2016	EN (English US) SDS ID: OMTI080 3/
	ENTEROUSELLS) SUS UT OMHOSO 3/

TITANIUM TETRAKIS(DIMETHYLAMIDE), 99+% Safety Data Sheet

Odor	: Acrid. Amine. fishy.				
Odor threshold	: No data available				
Refractive index	: No data available				
рН	: No data available				
Relative evaporation rate (butyl acetate=1)	: No data available				
Melting point	: No data available				
Freezing point	: <0°C				
Boiling point	: 50 °C @ 0.05 mm Hg				
Flash point	: 8 °C				
Auto-ignition temperature	: No data available				
Decomposition temperature	: No data available				
Flammability (solid, gas)	: Highly flammable liquid and vapor				
Vapor pressure	: 0.1 mm Hg @ 25°C				
Relative vapor density at 20 °C	: 7.5				
Relative density	: 0.947				
Solubility	: Reacts with water.				
Log Pow	: No data available				
Log Kow	: No data available				
Viscosity, kinematic	: No data available				
Viscosity, dynamic	: No data available				
Explosive properties	: No data available				
Oxidizing properties	: No data available				
Explosion limits	: No data available				
9.2. Other information					
No additional information available					
SECTION 10: Stability and reactivity					
10.1. Reactivity					
No additional information available					
10.2. Chemical stability Stable in sealed containers stored under a dry inert atmosphere.					
Stable in sealed containers stored under a dry inert atmosphere.					
10.3. Possibility of hazardous reactions					
Reacts with water and moisture in air, liberating	almethylamine.				
10.4. Conditions to avoid					
Heat. Open flame. Sparks.					
10.5. Incompatible materials					
Acids. Alcohols. Oxidizing agent. Moisture. Water.					
10.6. Hazardous decomposition products					
Dimethylamine. Organic acid vapors. Titanium d					
SECTION 11: Toxicological informat 11.1. Information on toxicological effects					
Acute toxicity	: Not classified				
Skin corrosion/irritation	: Causes severe skin burns and eye damage.				
Serious eye damage/irritation	: Causes serious eye damage.				
Respiratory or skin sensitization	: Not classified				
Germ cell mutagenicity	: Not classified				
Carcinogenicity	: Not classified				
Reproductive toxicity	: Not classified				
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.				
Specific target organ toxicity (repeated	: Not classified				
exposure)					
Aspiration hazard	: Not classified				
Symptoms/injuries after inhalation	: May cause respiratory irritation.				
Symptoms/injuries after skin contact	: Causes (severe) skin burns.				

Safety Data Sheet

03/18/2016	EN (English US)	SDS ID: OMTI080	5/7
DOT Vessel Stowage Other	: 40 - Stow "clear of living qua	ers"	
DOT Vessel Stowage Location	passenger vessel carrying a passengers, or one passenger passenger vessels in which t section is exceeded	wed "on deck" or "under deck" on a cargo vessel a umber of passengers limited to not more than the la r per each 3 m of overall vessel length; and (ii) "On e number of passengers specified in paragraph (k)(arger of 25 deck only" o
Transport by sea			
Other information	: No supplementary informatio	available.	
Emergency Response Guide (ERG) Number	: 132		
14.3. Additional information			
DOT Packaging Bulk (49 CFR 173.xxx)	: 243		
DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx)	: 150 : 202		
Packing group (DOT)	: II - Medium Danger		
DOT Symbols	: G - Identifies PSN requiring a	technical name	
Hazard labels (DOT)	: 3 - Flammable liquid 8 - Corrosive		
Class (DOT)	: 3 - Class 3 - Flammable and	ombustible liquid 49 CFR 173.120	
	(TITANIUM TETRAKIS(DIME		
14.2. UN proper shipping name Proper Shipping Name (DOT)	: Flammable liquids, corrosive	nos	
DOT NA no.	UN2924		
UN-No.(DOT)	: 2924		
14.1. UN number			
SECTION 14: Transport information			
Ecology - waste materials	: Avoid release to the environn	ent.	
Additional information		care because residual vapors are flammable.	
Waste disposal recommendations	: Dispose in a safe manner in a contents/container to license	ccordance with local/national regulations. Dispose of waste disposal facility.	זכ
Sewage disposal recommendations	: Do not dispose of waste into		~f
13.1. Waste treatment methods			
SECTION 13: Disposal consideratio	ns		
Effect on the global warming	: No known ecological damage	caused by this product.	
Effect on ozone layer	: No additional information ava		
Other adverse effects	: This substance may be haza		
12.5. Other adverse effects			
No additional information available			
12.4. Mobility in soil			
No additional information available			
12.3. Bioaccumulative potential			
No additional information available			
12.2. Persistence and degradability			
No additional information available			
12.1. Toxicity			
SECTION 12: Ecological information	n		
Reason for classification	: Expert judgment		
Symptoms/injuries after ingestion	: May be harmful if swallowed.		

Safety Data Sheet

Air transport
DOT Quantity Limitations Passenger aircraft/rail : 1 L (49 CFR 173.27)
DOT Quantity Limitations Cargo aircraft only (49 : 5 L CFR 175.75)
SECTION 15: Regulatory information
15.1. US Federal regulations

Titanium tetrakis(dimethylammonium) (3275-24-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

Titanium tetrakis(dimethylammonium) (3275-24-9)

Listed on the Canadian NDSL (Non-Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

15.3. US State regulations

FITANIUM TETRAKIS(DIMETHYLAMIDE), 99+%(3275-24-9)					
U.S California - Proposition 65 - Carcinogens List		No			
U.S California - Proposition 65 - Developmental Toxicity		No			
U.S California - Proposition Toxicity - Female	1 65 - Reproductive	No			
U.S California - Proposition 65 - Reproductive Toxicity - Male		No			
Titanium tetrakis(dimethyla	ammonium) (3275-24-9)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	P	.S California - roposition 65 - eproductive Toxicity - emale	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	N	0	No	

SECTION 16: Other information

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

Full text of H-phrases::

H225	Highly flammable liquid and vapor
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

HMIS III Rating

Flammability

Health

Physical

: 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures

- : 3 Serious Hazard
 - : 1 Slight Hazard

Prepared by safety and environmental affairs.

Date of issue: 03/18/2016 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2016 Gelest Inc. Morrisville, PA 19067

