

Safety Data Sheet SIA0060.0 Date of issue: 11/30/2016 Version: 1.0

SECTION 1: Identification	
1.1. Product identifier	
Product name	: ACETOXYMETHYLTRIMETHYLSILANE
Product code	: SIA0060.0
Product form	: Substance
Physical state	: Liquid
Formula	: C6H14O2Si
Synonyms	: TRIMETHYLSILYLMETHYL ACETATE
	METHANOL, 1-(TRIMETHYLSILYL)-, 1-ACETATE
Chemical family	: ORGANOSILANE
1.2. Recommended use of the chemical	
Recommended use	: Chemical intermediate For research and industrial use only
1.3. Details of the supplier of the safety	data sheet
GELEST, INC.	
11 East Steel Road	
Morrisville, PA 19067 USA	
T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 info@gelest.com - www.gelest.com	AM - 5:30 PM EST
1.4. Emergency telephone number	
Emergency number	: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)
CECTION 2: Upperd(a) identification	
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or n	nixture
GHS-US classification	
Flammable liquids Category 2	H225
Serious eye damage/eye irritation Category 2A	H319
Full text of H statements : see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	
	GHS02 GHS07
Signal word (GHS-US)	: Danger
Signal word (GHS-US) Hazard statements (GHS-US)	: Danger : H225 - Highly flammable liquid and vapor
Hazard statements (GHS-US)	 Danger H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation
	 Danger H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation P280 - Wear protective gloves/protective clothing/eye protection/face protection
Hazard statements (GHS-US)	 Danger H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation P280 - Wear protective gloves/protective clothing/eye protection/face protection P210 - Keep away from heat, open flames, sparks No smoking P233 - Keep container tightly closed
Hazard statements (GHS-US)	 Danger H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation P280 - Wear protective gloves/protective clothing/eye protection/face protection P210 - Keep away from heat, open flames, sparks No smoking P233 - Keep container tightly closed P240 - Ground/Bond container and receiving equipment
Hazard statements (GHS-US)	 Danger H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation P280 - Wear protective gloves/protective clothing/eye protection/face protection P210 - Keep away from heat, open flames, sparks No smoking P233 - Keep container tightly closed P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical equipment
Hazard statements (GHS-US)	 Danger H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation P280 - Wear protective gloves/protective clothing/eye protection/face protection P210 - Keep away from heat, open flames, sparks No smoking P233 - Keep container tightly closed P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge
Hazard statements (GHS-US)	 Danger H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation P280 - Wear protective gloves/protective clothing/eye protection/face protection P210 - Keep away from heat, open flames, sparks No smoking P233 - Keep container tightly closed P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P264 - Wash hands thoroughly after handling
Hazard statements (GHS-US)	 Danger H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation P280 - Wear protective gloves/protective clothing/eye protection/face protection P210 - Keep away from heat, open flames, sparks No smoking P233 - Keep container tightly closed P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge
Hazard statements (GHS-US)	 Danger H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation P280 - Wear protective gloves/protective clothing/eye protection/face protection P210 - Keep away from heat, open flames, sparks No smoking P233 - Keep container tightly closed P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P264 - Wash hands thoroughly after handling P303 + P361 + P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse skin with water/shower P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
Hazard statements (GHS-US)	 Danger H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation P280 - Wear protective gloves/protective clothing/eye protection/face protection P210 - Keep away from heat, open flames, sparks No smoking P233 - Keep container tightly closed P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P264 - Wash hands thoroughly after handling P303 + P361 + P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse skin with water/shower P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Hazard statements (GHS-US)	 Danger H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation P280 - Wear protective gloves/protective clothing/eye protection/face protection P210 - Keep away from heat, open flames, sparks No smoking P233 - Keep container tightly closed P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P264 - Wash hands thoroughly after handling P303 + P361 + P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse skin with water/shower P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337 + P313 - If eye irritation persists: Get medical advice/attention
Hazard statements (GHS-US)	 Danger H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation P280 - Wear protective gloves/protective clothing/eye protection/face protection P210 - Keep away from heat, open flames, sparks No smoking P233 - Keep container tightly closed P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P264 - Wash hands thoroughly after handling P303 + P361 + P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse skin with water/shower P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P37 + P313 - If eye irritation persists: Get medical advice/attention P370 + P378 - In case of fire: Use water spray, foam, carbon dioxide, dry chemical to extinguish
Hazard statements (GHS-US)	 Danger H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation P280 - Wear protective gloves/protective clothing/eye protection/face protection P210 - Keep away from heat, open flames, sparks No smoking P233 - Keep container tightly closed P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P264 - Wash hands thoroughly after handling P303 + P361 + P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse skin with water/shower P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337 + P318 - If eye irritation persists: Get medical advice/attention P370 + P378 - In case of fire: Use water spray, foam, carbon dioxide, dry chemical to extinguish P403 + P235 - Keep in a cool place
Hazard statements (GHS-US)	 Danger H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation P280 - Wear protective gloves/protective clothing/eye protection/face protection P210 - Keep away from heat, open flames, sparks No smoking P233 - Keep container tightly closed P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P264 - Wash hands thoroughly after handling P303 + P361 + P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse skin with water/shower P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P37 + P313 - If eye irritation persists: Get medical advice/attention P370 + P378 - In case of fire: Use water spray, foam, carbon dioxide, dry chemical to extinguish
Hazard statements (GHS-US)	 Danger H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation P280 - Wear protective gloves/protective clothing/eye protection/face protection P210 - Keep away from heat, open flames, sparks No smoking P233 - Keep container tightly closed P240 - Ground/Bond container and receiving equipment P241 - Use explosion-proof electrical equipment P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge P264 - Wash hands thoroughly after handling P303 + P361 + P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse skin with water/shower P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337 + P318 - If eye irritation persists: Get medical advice/attention P370 + P378 - In case of fire: Use water spray, foam, carbon dioxide, dry chemical to extinguish P403 + P235 - Keep in a cool place

Safety Data Sheet

2.3. Hazards not otherwise classifie	J (HNOC)
No additional information available	
2.4. Unknown acute toxicity (GHS U	5)
No data available	
SECTION 3: Composition/Informa	ation on ingredients
3.1. Substance	
Substance type	: Mono-constituent
Name	: ACETOXYMETHYLTRIMETHYLSILANE
CAS No	: 2917-65-9
Name	Product identifier % GHS-US classification
Trimethylsilylmethyl acetate	(CAS No) 2917-65-9 95 - 100 Flam. Liq. 2, H225
Full text of hazard classes and H-statements	Eye Irrit. 2A, H319
3.2. Mixture	
Not applicable	
4.1. Description of first aid measure First-aid measures general	s : Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek
-inst-aid measures general	medical advice immediately (show the label where possible). If possible show this sheet; if available show packaging or label.
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you f unwell, seek medical advice.
First-aid measures after skin contact	: Wash with plenty of soap and water. Get medical advice/attention.
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Immediately flush eye thoroughly with water for at least 15 minutes. Get medical advice/attention.
First-aid measures after ingestion	: Never give anything by mouth to an unconscious person. Get medical advice/attention.
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract.
Symptoms/injuries after skin contact	: May cause skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: No information available.
4.3. Indication of any immediate me	dical attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measure	s
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Foam. Carbon dioxide. Dry chemical.
Unsuitable extinguishing media	: None known.
5.2. Special hazards arising from the	a substance or mixture
Fire hazard	: Highly flammable liquid and vapor. Irritating fumes and organic acid vapors may develop v
	material is exposed to elevated temperatures or open flame.
Explosion hazard	: May form flammable/explosive vapor-air mixture.
5.3. Advice for firefighters	
Firefighting instructions	: Exercise caution when fighting any chemical fire. Use water spray to cool exposed surface
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection
	Avoid all eye and skin contact and do not breathe vapor and mist.
SECTION 6: Accidental release m	easures
	e equipment and emergency procedures
General measures	: Eliminate every possible source of ignition. Use special care to avoid static electric charge
6.1.1. For non-emergency personnel	· Waar protective equipment as described in Section 9
Protective equipment	: Wear protective equipment as described in Section 8.
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew w proper protection. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Prevent entry to sewers and public waters.	lotify authorities if liquid enters sewers or public waters.

Safety Data Sheet

6.3. Methods and material for containment	t and cleaning up
For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Clean up any spills as soon as possible, using an absorbent material to collect it. Use only non-sparking tools.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal p	rotection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
•	. Kaan away from haat/anarka/anan flomaa/hat ay faasa . Na amaking Uandla amaty aantainara
Additional hazards when processed	: Keep away from heat/sparks/open flames/hot surfaces No smoking. Handle empty containers with care because residual vapors are flammable.
Precautions for safe handling	: Avoid all eye and skin contact and do not breathe vapor and mist. Ground/bond container and receiving equipment. Provide good ventilation in process area to prevent accumulation of vapors. Take precautionary measures against static discharge. Use only non-sparking tools.
Hygiene measures	: Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, including	any incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical equipment.
Storage conditions	: Keep container tightly closed. Keep in a cool place.
Incompatible materials	: Strong oxidizers.
Storage area	: Store in a well-ventilated place. Store away from heat.
SECTION 8: Exposure controls/perso	nal protection
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	
Appropriate engineering controls	: Provide local exhaust or general room ventilation.
Personal protective equipment	: Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Neoprene or nitrile rubber gloves.
Eye protection	: Chemical goggles. Contact lenses should not be worn.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.
SECTION 9: Physical and chemical pr	operties
9.1. Information on basic physical and ch	emical properties
Physical state	: Liquid
Appearance	: Clear liquid.
Molecular mass	: 146.26 g/mol
Color	: Straw.
Odor	: Mild. Pleasant.
Odor threshold	: No data available
Refractive index	: 1.406
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: ~1
Melting point	: No data available
Freezing point	: <0°C
Boiling point	: 136 - 137 °C
Flash point	: 20 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available

- Decomposition temperature: No data availableFlammability (solid, gas): Highly flammable lice
 - as) : Highly flammable liquid and vapor : No data available

Vapor pressure

Safety Data Sheet

Relative density VOC content Solubility Log Pow	: 0.867 : 100 %
Solubility	
-	Och the investor
_og Pow	: Soluble in water.
	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	V
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable in sealed containers.	
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
Heat. Open flame. Sparks.	
10.5. Incompatible materials	
Strong oxidizers.	
10.6. Hazardous decomposition product	ts
Organic acid vapors.	
SECTION 11: Toxicological informa	tion
11.1. Information on toxicological effect	s
Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
	None of the components in this product at concentrations >0.1% are listed by IARC, NTP, OSHA or ACGIH as a carcinogen
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Providio torgat agent toricity for a stad	
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract.
Symptoms/injuries after skin contact	: May cause skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: No information available.
Reason for classification	: Expert judgment
SECTION 12: Ecological informatio	n

No additional information available	

12.2. Persistence and degradability

No additional information available

Safety Data Sheet

12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Other adverse effects	: This substance may be hazardous to the environment.
Effect on ozone layer	: No additional information available
Effect on the global warming	: No known effects from this product.
GWPmix comment	: No known effects from this product.
SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
Sewage disposal recommendations	: Do not dispose of waste into sewer.
Waste disposal recommendations	: May be incinerated. Dispose in a safe manner in accordance with local/national regulations.
	Dispose of contents/container to licensed waste disposal facility.
Additional information	: Handle empty containers with care because residual vapors are flammable.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
14.1. UN number	
UN-No.(DOT)	: 1993
DOT NA no.	UN1993
14.2. UN proper shipping name	
Transport document description	: UN1993 Flammable liquids, n.o.s. (ACETOXYMETHYLTRIMETHYLSILANE), 3, II
Proper Shipping Name (DOT)	: Flammable liquids, n.o.s.
	(ACETOXYMETHYLTRIMETHYLSILANE)
Class (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Packing group (DOT)	: II - Medium Danger
Hazard labels (DOT)	: 3 - Flammable liquid
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Symbols	: G - Identifies PSN requiring a technical name
14.3. Additional information	
Emergency Response Guide (ERG) Number	: 128
Other information	: No supplementary information available.
Transport by sea	
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a
·	passenger vessel carrying a number of passengers limited to not more than the larger of 25
	passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this
	section is exceeded
Air transport	
DOT Quantity Limitations Passenger aircraft/rail	· 51
(49 CFR 173.27)	
DOT Quantity Limitations Cargo aircraft only (49	: 60 L
CFR 175.75)	
SECTION 15: Regulatory information	n
15.1. US Federal regulations	

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Canadian NDSL (Non-Domestic Substances List)

Safety Data Sheet

15.2. International regulations

CANADA

EU-Regulations

National regulations

No additional information available

Trimethylsilylmethyl acetate (2917-65-9)

Trimethylsilylmethyl acetate (2917-65-9)

Trimethylsilylmethyl acetate (2917-65-9)

15.3. US State regulations	
No additional information available	
SECTION 16: Other information	
Full text of H-phrases::	
H225	Highly flammable liquid and vapor
H319	Causes serious eye irritation
Abbreviations and acronyms	: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling.
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 4 Severe Hazard - Flammable gases, or very volatile flammable liquids with flash points below 73 F, and boiling points below 100 F. Materials may ignite spontaneously with air. (Class IA)
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.
Prepared by safety and environmental affairs.	
Date of issue: 11/30/2016 Version: 1.0	
SDS US (GHS HazCom 2012) - Custom	

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2016 Gelest Inc. Morrisville, PA 19067