

(2-ACRYLOXYETHOXY)TRIMETHYLSILANE

Safety Data Sheet SIM6481.0 Date of issue: 02/08/2016 Version: 1.0

SECTION 1: Identification of the sul	bstance/mixture and of t	he company/undertaking	
1.1. Product identifier			
Product form	: Substance		
Physical state	: Liquid		
Substance name	: (2-ACRYLOXYETHOXY)T	RIMETHYLSILANE	
Product code	SIA0160.0		
Formula	: C8H16O3Si		
Synonyms	: 2-TRIMETHYLSILOXYETH	IYLACRYLATE	
Chemical family	: ORGANOSILANE		
1.2. Relevant identified uses of the sub	stance or mixture and uses a	lvised against	
Use of the substance/mixture	: Chemical intermediate For research use only		
1.3. Details of the supplier of the safety	v data sheet		
GELEST, INC. 11 East Steel Road Morrisville, PA 19067 USA T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 info@gelest.com - www.gelest.com) AM - 5:30 PM EST		
1.4. Emergency telephone number			
Emergency number	: CHEMTREC: 1-800-424-93	300 (USA); +1 703-527-3887 (International)	
SECTION 2: Hazards identification			
2.1. Classification of the substance or i	mixture		
GHS-US classification			
Flam. Liq. 4 H227			
Eye Irrit. 2A H319			
Full text of H statements : see section 16			
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	: GHS07		
Signal word (GHS-US)	: Warning		
Hazard statements (GHS-US)	: H227 - Combustible liquid H319 - Causes serious eye	irritation	
Precautionary statements (GHS-US)	P210 - Keep away from he P264 - Wash hands thorou P305+P351+P338 - IF IN E contact lenses, if present a P337+P313 - If eye irritatio P370+P378 - In case of fire P403+P235 - Keep in a con	YÉS: Rinse cautiously with water for several minund nd easy to do. Continue rinsing n persists: Get medical advice/attention be: Use water spray, foam, carbon dioxide, dry cher	utes. Remove
2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GHS US)			
No data available			
SECTION 3: Composition/Information	on on ingredients		
3.1. Substance			
Substance type	: Multi-constituent		
02/09/2016	EN (English US)	SDS ID: SIM6481.0	Page 1

· ·	: (2-ACRYLOXYETHOXY)TRIMETHYLSILANE : 18269-99-3		
Name	Product identifier	%	GHS-US classification
(2-Acryloxyethoxy)trimethylsilane	(CAS No) 18269-99-3	95 - 100	Flam. Liq. 4, H227 Eye Irrit. 2A, H319
Other Organosilanes		0 - 5	Not classified
Hydroquinone monomethyl ether	(CAS No) 150-76-5	< 0.05	Acute Tox. 4 (Oral), H302 Eye Irrit. 2B, H320 Skin Sens. 1, H317

3.2. **Mixture**

Not applicable

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if no available show packaging or label.
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Wash with plenty of soap and water. Get medical advice/attention.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	: Never give anything by mouth to an unconscious person. Get medical advice/attention.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract.
Symptoms/injuries after skin contact	: May cause skin irritation. Skin sensitization and allergic reaction reactionhas been reported for related acrylate compounds,.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: No information available.
4.3. Indication of any immediate medic	cal attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Foam. Carbon dioxide. Dry chemical.
Unsuitable extinguishing media	: Do not use straight streams.
5.2. Special hazards arising from the s	ubstance or mixture
Fire hazard	: Combustible liquid. Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.
5.3. Advice for firefighters	
Firefighting instructions	: Exercise caution when fighting any chemical fire. Use water spray to cool exposed surfaces.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapor and mist.
SECTION 6: Accidental release me	asures
6.1. Personal precautions, protective e	equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges.
6.1.1. For non-emergency personnel	
Protective equipment	: Wear protective equipment as described in Section 8.
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with
	proper protection. For further information refer to section 8: "Exposure controls/personal

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up			
For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.		
Methods for cleaning up	: Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or shovel spills into appropriate container for disposal. Use only non-sparking tools.		
6.4. Reference to other se	ections		
See Heading 8. Exposure control	ols and personal protection.		
SECTION 7: Handling an	nd storage		
7.1. Precautions for safe	handling		
Additional hazards when process	sed : Keep away from heat, open flames, sparks No smoking.		
Precautions for safe handling	: Avoid all eye and skin contact and do not breathe vapor and mist. Ground/bond container and receiving equipment. Provide good ventilation in process area to prevent accumulation of vapors. Use only non-sparking tools.		
Hygiene measures	: Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage conditions	: Keep container tightly closed. Keep in a cool place. Store in sealed containers in the dark at 0- 5°C.		
Incompatible materials	: Moisture. Water.		
Storage area	: Store in a well-ventilated place. Store away from heat.		
7.3. Specific end use(s)			
No additional information availab	No additional information available		
SECTION 8: Exposure c	ontrols/personal protection		
8.1. Control parameters			
Hydroquinone monomethyl e	ether (150-76-5)		
USA ACGIH	ACGIH TWA (mg/m ³) 5 mg/m ³		
USA NIOSH	NIOSH REL (TWA) (mg/m ³) 5 mg/m ³		
8.2. Exposure controls			

8.2. Exposure controls	
Appropriate engineering controls	: Provide local exhaust or general room ventilation.
Personal protective equipment	: Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Neoprene or nitrile rubber gloves.
Eye protection	: Chemical goggles. Contact lenses should not be worn.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified organic vapor (black cartridge) respirator.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	chemical properties		
Physical state	: Liquid		
Appearance	: Clear liquid.		
Molecular mass	: 189.29 g/mol		
Color	: Straw.		
Odor	: Mild.		
Odor threshold	: No data available		
Refractive index	: 1.426		
pH	: No data available		
Relative evaporation rate (butyl acetate=1)	: No data available		
Melting point	: No data available		
Freezing point	: <0 °C		
Boiling point	: 90 - 94 °C @ 6 mm Hg		
Flash point	: >65 °C		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: Combustible liquid		
Vapor pressure	: <1 mm Hg @ 25°C		
02/09/2016	EN (English US)	SDS ID: SIM6481.0	3/7

Relative vapor density at 20 °C	: >1
Relative density	: 0.95
Solubility	: Reacts with water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available
9.2. Other information	
No additional information available	
SECTION 40. Stability and reactivity	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable in sealed containers stored in the dark at the	0-5°C. Polymerization can occur when stored at elevated temperature.
10.3. Possibility of hazardous reactions	
Reacts with water and moisture in air, liberating h	nydroxyethylacrylate. Non-hazardous polymerization can occur.
10.4. Conditions to avoid	
Heat. Open flame. Sparks.	
10.5. Incompatible materials	
Moisture. Water.	
10.6. Hazardous decomposition products	
Organic acid vapors.	
SECTION 11: Toxicological informati	on
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Hydroquinone monomethyl ether (150-76-5)	
LD50 oral rat	1600 mg/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract.
Symptoms/injuries after skin contact	: May cause skin irritation. Skin sensitization and allergic reaction reactionhas been reported for related acrylate compounds,.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: No information available.
Reason for classification	: Expert judgment
	-
SECTION 12: Ecological information	
12.1. Toxicity	
Hydroguinono monomothyl othor (150 76 5)	

Hydroquinone monomethyl ether (150-76-5)	
LC50 fish 1	84.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	28.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
12.2. Persistence and degradability	
No additional information available	

12.3. Bioaccumulative potential	
Hydroquinone monomethyl ether (150-76-5)	
Log Pow	1.34
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Other adverse effects	: This substance may be hazardous to the environment.
Effect on ozone layer	: No additional information available
Effect on the global warming	: No known ecological damage caused by this product.
SECTION 13: Disposal considerations	5
13.1. Waste treatment methods	
Sewage disposal recommendations	: Do not dispose of waste into sewer.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
14.1. UN number	
DOT NA no.	NA1993
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: COMBUSTIBLE LIQUID, N.O.S.
	((2-ACRYLOXYETHOXY)TRIMETHYLSILANE)
	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
DOT Symbols	: D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical name
Packing group (DOT)	: III - Minor Danger
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
14.3. Additional information	
Other information	: No supplementary information available.
Special transport precautions	: This product is Combustible as defined by the US Department of Transportation (DOT). It is regulated for transport in the US in container > 119 gallons. The product is not regulated for transport by the IATA, ADR/RID, ADNR or the IMDG regulations.
Transport by sea	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel
Air transport	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
SECTION 15: Regulatory information	
15.1. US Federal regulations	
(2-ACRYLOXYETHOXY)TRIMETHYLSILANE (18269-99-3)
TSCA Exemption/Exclusion	CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r) is not permitted in the United States
Hydroquinone monomethyl ether (150-76-5)	
Listed on the United States TSCA (Toxic Substa	nces Control Act) inventory
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA
(2-Acryloxyethoxy)trimethylsilane (18269-99-	3)
Not listed on the United States TSCA (Toxic Sub	

(2-ACRYLOXYETHOXY)TRIMETHYLSILANE

Safety Data Sheet

15.2. International regulations

Hydroquinone monomethyl ether (150-76-5) Listed on the AICS (Australian Inventory of Chemical Substances) Listed on the Canadian DSL (Domestic Substances List) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIOC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

Listed on Turkish inventory of chemical

(2-Acryloxyethoxy)trimethylsilane (18269-99-3)

15.3. US State regulations

·····	
(2-ACRYLOXYETHOXY)TRIMETHYLSILANE(18269-9	9-3)
U.S California - Proposition 65 - Carcinogens List	No
U.S California - Proposition 65 - Developmental Toxicity	No
U.S California - Proposition 65 - Reproductive Toxicity - Female	No
U.S California - Proposition 65 - Reproductive Toxicity - Male	No

Hydroquinone monomethy	/l ether (150-76-5)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	
Other Organosilanes				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	
(2-Acryloxyethoxy)trimeth	ylsilane (18269-99-3)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	

SECTION 16: Other information

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

Full text of H-phrases::

H227	Combustible liquid
H302	Harmful if swallowed
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H320	Causes eye irritation

(2-ACRYLOXYETHOXY)TRIMETHYLSILANE

Safety Data Sheet

HMIS III Rating Health : 3 Serious Hazard - Major given

Flammability Physical

- : 3 Serious Hazard Major injury likely unless prompt action is taken and medical treatment is given
- : 2 Moderate Hazard
 - : 1 Slight Hazard

Prepared by safety and environmental affairs.

Date of issue: 02/08/2016 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2016 Gelest Inc. Morrisville, PA 19067

