

Safety Data Sheet SIA0610.2
Date of issue: 08/24/2017 Version: 1.0

### SECTION 1: Identification

### 1.1. Product identifier

Product name : 3-AMINOPROPYLTRIETHOXYSILANE, tech

Product code : SIA0610.2
Product form : Substance
Physical state : Liquid
Formula : C9H23NO3Si

Synonyms : GAPS; AMEO; A-1100; 3-(TRIETHOXYSILYL)PROPYLAMINE

Chemical family : ORGANOETHOXYSILANE

# 1.2. Recommended use of the chemical and restrictions on use

Recommended use : Chemical intermediate

For research and industrial use only

### 1.3. Details of the supplier of the safety data sheet

# **GELEST, INC.**

11 East Steel Road Morrisville, PA 19067

USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

### 1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

# SECTION 2: Hazard(s) identification

# 2.1. Classification of the substance or mixture

### **GHS-US** classification

Acute toxicity (oral) Category 4
Skin corrosion/irritation Category 1B
H314
Serious eye damage/eye irritation Category 1
H318
Specific target organ toxicity (single exposure) Category 3
H335

Full text of H statements : see section 16

# 2.2. Label elements

### GHS-US labeling

Hazard pictograms (GHS-US)





GHS07

GHS05

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage H335 - May cause respiratory irritation

Precautionary statements (GHS-US) : P280 - Wear protective gloves/protective clothing/eye protection/face protection

P260 - Do not breathe vapors

P264 - Wash hands thoroughly after handling

P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area P301+P312 - If swallowed: Call a doctor if you feel unwell

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a doctor

P330 - Rinse mouth

P363 - Wash contaminated clothing before reuse

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

Print date: 08/24/2017 EN (English US) SDS ID: **SIA0610.2** Page 1

# Safety Data Sheet

P405 - Store locked up

P501 - Dispose of contents/container to licensed waste disposal facility.

### Hazards not otherwise classified (HNOC)

Other hazards not contributing to the classification

The hydrolysis product of this compound is ethanol. Overexposure to ethanol by skin absorption, inhalation or ingestion may have a narcotic effect (headache, nausea, drowsiness). Ethanol is metabolized to acetaldehyde and acetic acid which in large quantities result in metabolic acidosis, CNS depression and death due to respiratory arrest. This product contains ethanol which is classified as a carcinogen by IARC in alcoholic beverages.

### **Unknown acute toxicity (GHS US)**

No data available

# **SECTION 3: Composition/Information on ingredients**

Substance type : Mono-constituent

3-AMINOPROPYLTRIETHOXYSILANE, tech Name

CAS No : 919-30-2

Name	Product identifier	%	GHS-US classification
3-Aminopropyltriethoxysilane	(CAS No) 919-30-2	97 - 100	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

### **Mixtures**

Not applicable

# **Description of first aid measures**

First-aid measures general

: Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.

First-aid measures after inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel

unwell, seek medical advice.

First-aid measures after skin contact

Wash with plenty of soap and water. Get immediate medical advice/attention.

First-aid measures after eye contact

Immediately flush eyes thoroughly with water for at least 15 minutes. Get immediate medical

advice/attention.

First-aid measures after ingestion Never give anything by mouth to an unconscious person. Get medical advice/attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms/effects

Causes severe skin burns and eye damage.

Symptoms/effects after inhalation

May cause respiratory irritation. Overexposure may cause: Coughing. Headache. Nausea.

Symptoms/effects after skin contact

: Causes burns. Primary irritation index: 6.50.

Symptoms/effects after eye contact

: Causes serious eye damage.

Symptoms/effects after ingestion

Harmful if swallowed. Swallowing a small quantity of this material will result in serious health

Chronic symptoms

: On contact with water this compound liberates ethanol which is known to have a chronic effect on the central nervous system.

## Indication of any immediate medical attention and special treatment needed

No additional information available

# **SECTION 5: Firefighting measures**

### **Extinguishing media**

Suitable extinguishing media : Water spray. Foam. Carbon dioxide. Dry chemical.

# Special hazards arising from the substance or mixture

Fire hazard

: Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.

# **Advice for firefighters**

Firefighting instructions Protection during firefighting : Use water spray to cool exposed surfaces. Exercise caution when fighting any chemical fire.

Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapor and mist.

# **SECTION 6: Accidental release measures**

### Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** : Evacuate unnecessary personnel.

Print date: 08/24/2017 EN (English US) SDS ID: SIA0610.2

# Safety Data Sheet

### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

## 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or

shovel spills into appropriate container for disposal.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid all eye and skin contact and do not breathe vapor and mist. Provide good ventilation in

process area to prevent accumulation of vapors.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed.

Incompatible materials : Acids. Alcohols. Moisture. Oxidizing agent. Peroxides. Water. Storage area : Store in a well-ventilated place. Store away from heat.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

Appropriate engineering controls : Provide local exhaust or general room ventilation.

Personal protective equipment : Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be

available in the immediate vicinity of any potential exposure.

Hand protection : Neoprene or nitrile rubber gloves.

Eye protection : Chemical goggles or face shield. Contact lenses should not be worn.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : NIOSH-certified combination organic vapor - amine gas (brown cartridge) respirator.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear liquid.
Molecular mass : 221.37 g/mol
Color : Straw.

Odor : Amine. Ammonia-like.
Odor threshold : No data available

Refractive index : 1.4225

pH : No data available

Relative evaporation rate (butyl acetate=1) : < 1

Melting point : No data available

Freezing point : < 0 °C

Boiling point : 122 - 123 °C @ 30 mm Hg

Flash point : 104 °C

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapor pressure : 10 mm Hg @ 100°C

Relative vapor density at 20 °C : > 1 
Relative density : 0.951 
VOC content : < 40 %

Print date: 08/24/2017 EN (English US) SDS ID: **SIA0610.2** 3/7

# Safety Data Sheet

Solubility Reacts with water. Log Pow : No data available Log Kow : No data available

: 1.6 cSt Viscosity, kinematic

Viscosity, dynamic : No data available Explosive properties : No data available Oxidizing properties : No data available : No data available **Explosion limits** 

### Other information

No additional information available

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### **Chemical stability** 10.2.

Stable when stored in sealed containers.

#### 10.3. Possibility of hazardous reactions

Reacts with water and moisture in air, liberating ethanol.

### **Conditions to avoid**

Heat. Sparks. Open flame.

# Incompatible materials

Acids. Alcohols. Moisture. Oxidizing agent. Peroxides. Water.

# **Hazardous decomposition products**

Ethanol. Organic acid vapors.

# **SECTION 11: Toxicological information**

# Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed

riodio toxicity	. Glai. Hamila ii Gwallewea.	
3-AMINOPROPYLTRIETHOXYSILANE, tech (919-30-2)		
ATE US (oral)	(oral) 1873.6842105263 mg/kg body weight	
3-Aminopropyltriethoxysilane (919-30-2)		
LD50 oral rat	1780 mg/kg	
ATE US (oral)	1780 mg/kg body weight	
Skin corrosion/irritation	: Causes severe skin burns and eye damage.	

Serious eye damage/irritation : Causes serious eye damage.

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity

None of the components in this product at concentrations >0.1% are listed by IARC, NTP,

OSHA or ACGIH as a carcinogen.

Reproductive toxicity : Not classified

Specific target organ toxicity - single exposure : May cause respiratory irritation.

Specific target organ toxicity - repeated

exposure

: Not classified

Aspiration hazard : Not classified

Symptoms/effects after inhalation : May cause respiratory irritation. Overexposure may cause: Coughing. Headache. Nausea.

Symptoms/effects after skin contact : Causes burns. Primary irritation index: 6.50.

Symptoms/effects after eye contact : Causes serious eye damage.

Symptoms/effects after ingestion : Harmful if swallowed. Swallowing a small quantity of this material will result in serious health

: On contact with water this compound liberates ethanol which is known to have a chronic effect Chronic symptoms

on the central nervous system.

Reason for classification : Expert judgment

Print date: 08/24/2017 SDS ID: SIA0610.2 EN (English US) 4/7

# Safety Data Sheet

# **SECTION 12: Ecological information**

### 12.1. Toxicity

No additional information available

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

Effect on ozone layer : No additional information available
Effect on the global warming : No known effects from this product.
GWPmix comment : No known effects from this product.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Product/Packaging disposal recommendations : May be incinerated. Dispose of contents/container to licensed waste disposal facility. Dispose

in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

### 14.1. UN number

UN-No.(DOT) : 3267 DOT NA no. UN3267

# 14.2. UN proper shipping name

Transport document description : UN3267 Corrosive liquid, basic, organic, n.o.s. (3-AMINOPROPYLTRIETHOXYSILANE), 8, III

Proper Shipping Name (DOT) : Corrosive liquid, basic, organic, n.o.s.

(3-AMINOPROPYLTRIETHOXYSILANE)

Class (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136

Packing group (DOT) : III - Minor Danger
Hazard labels (DOT) : 8 - Corrosive



DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
DOT Packaging Bulk (49 CFR 173.xxx) : 241
DOT Packaging Exceptions (49 CFR 173.xxx) : 154

DOT Symbols : G - Identifies PSN requiring a technical name

## 14.3. Additional information

Other information : No supplementary information available.

# Transport by sea

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters",52 - Stow "separated from" acids

## Air transport

DOT Quantity Limitations Passenger aircraft/rail : 5 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

# **SECTION 15: Regulatory information**

# 15.1. US Federal regulations

Print date: 08/24/2017 EN (English US) SDS ID: **SIA0610.2** 5/7

# Safety Data Sheet

### 3-Aminopropyltriethoxysilane (919-30-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

### CANADA

	3-Aminopropyltriethoxysilane (919-30-2) Listed on the Canadian DSL (Domestic Substances List)		
	WHMIS Classification	Class E - Corrosive Material	

### **EU-Regulations**

### 3-Aminopropyltriethoxysilane (919-30-2)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### **National regulations**

### 3-Aminopropyltriethoxysilane (919-30-2)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Listed on CICR (Turkish Inventory and Control of Chemicals)

### 15.3. US State regulations

No additional information available

# **SECTION 16: Other information**

### Full text of H-phrases::

H302	Harmful if swallowed	
H314	Causes severe skin burns and eye damage	
H318	Causes serious eye damage	
H335	May cause respiratory irritation	

Abbreviations and acronyms

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor.

# **HMIS III Rating**

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

given

Flammability : 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids,

solids and semi solids having a flash point above 200 F. (Class IIIB)

Physical : 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo

hazardous polymerization in the absence of inhibitors.

Prepared by safety and environmental affairs.

Date of issue: 08/24/2017 Version: 1.0

SDS US (GHS HazCom 2012) - Custom


According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Print date: 08/24/2017 EN (English US) SDS ID: **SIA0610.2** 6/7

Safety Data Sheet

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2017 Gelest Inc. Morrisville, PA 19067



Print date: 08/24/2017 EN (English US) SDS ID: **SIA0610.2** 7/7