

### 4,4'-BIS(DIMETHYLETHOXYSILYL)BIPHENYL

Safety Data Sheet SIB1082.0 Date of issue: 10/07/2016 Version: 1.0

SECTION 1: Identification	
1.1. Product identifier	
Product name	: 4,4'-BIS(DIMETHYLETHOXYSILYL)BIPHENYL
Product code	: SIB1082.0
Product form	: Substance
Physical state	: Liquid
Formula	: C20H30O2Si2
Chemical family	: ORGANOETHOXYSILANE
1.2. Recommended use of the chemical	and restrictions on use
Recommended use	: Chemical intermediate For research use only
1.3. Details of the supplier of the safety	data sheet
<b>GELEST, INC.</b> 11 East Steel Road Morrisville, PA 19067 <b>USA</b> T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 info@gelest.com - www.gelest.com	AM - 5:30 PM EST
1.4. Emergency telephone number	
Emergency number	: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or n	
GHS-US classification	
Serious eye damage/eye irritation Category 2A	H319
Full text of H statements : see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	
	GHS07
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H319 - Causes serious eye irritation
Precautionary statements (GHS-US)	<ul> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection</li> <li>P264 - Wash hands thoroughly after handling</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing</li> <li>P337 + P313 - If eye irritation persists: Get medical advice/attention</li> </ul>
2.3. Hazards not otherwise classified (H	NOC)
No additional information available	
2.4. Unknown acute toxicity (GHS US)	
No data available	
<b>SECTION 3: Composition/Informatic</b>	on on ingredients
3.1. Substance	
Substance type	: Mono-constituent
Name	: 4,4'-BIS(DIMETHYLETHOXYSILYL)BIPHENYL
CAS No	: 201603-69-2

Full text of hazard classes and H-statements	s : see section 16	
3.2. Mixture		
Not applicable		
4.1. Description of first aid measure	S	
First-aid measures general	: Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.	
First-aid measures after inhalation	<ul> <li>Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.</li> </ul>	
First-aid measures after skin contact	: Wash with plenty of soap and water. Get medical advice/attention.	
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses present and easy to do. Continue rinsing. Get medical advice/attention.	
First-aid measures after ingestion	: Never give anything by mouth to an unconscious person. Get medical advice/attention.	
4.2. Most important symptoms and	effects, both acute and delayed	
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract.	
Symptoms/injuries after skin contact	: May cause skin irritation.	
Symptoms/injuries after eye contact	: Causes serious eye irritation.	
Symptoms/injuries after ingestion	: No information available.	
Chronic symptoms	: On contact with water this compound liberates ethanol which is known to have a chronic efference on the central nervous system.	
	dical attention and special treatment needed	
No additional information available		
SECTION 5: Firefighting measure	es	
5.1. Extinguishing media		
Suitable extinguishing media	: Water spray. Water fog. Foam. Carbon dioxide. Dry chemical.	
Unsuitable extinguishing media	: Do not use straight streams.	
5.2. Special hazards arising from the	a substance or mixture	
Fire hazard	: Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.	
5.3. Advice for firefighters		
Firefighting instructions Protection during firefighting	<ul> <li>Exercise caution when fighting any chemical fire. Use water spray to cool exposed surfaces.</li> <li>Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapor and mist.</li> </ul>	
SECTION 6: Assidental relaces n		
SECTION 6: Accidental release n		
6.1. Personal precautions, protectiv	e equipment and emergency procedures	
6.1.1. For non-emergency personnel		
Protective equipment	: Wear protective equipment as described in Section 8.	
Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Prevent entry to sewers and public waters. I	Notify authorities if liquid enters sewers or public waters.	
6.3. Methods and material for conta	inment and cleaning up	
For containment	<ul> <li>Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.</li> </ul>	
Methods for cleaning up	: Clean up any spills as soon as possible, using an absorbent material to collect it.	
6.4. Reference to other sections		
See Heading 8. Exposure controls and pers	onal protection.	
SECTION 7: Handling and storag		
7.1. Precautions for safe handling		
Precautions for safe handling	: Avoid all eye and skin contact and do not breathe vapor and mist. Provide good ventilation in	
C C	process area to prevent accumulation of vapors.	
Hygiene measures	: Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.	

Storage conditions	: Keep container tightly closed.	
Incompatible materials	: Oxidizing agent.	
Storage area	: Store in a well-ventilated place. Store away from heat.	
SECTION 8: Exposure controls/per	sonal protection	
8.1. Control parameters		
No additional information available		
8.2. Exposure controls		
Appropriate engineering controls	: Provide local exhaust or general room ventilation.	
Personal protective equipment	: Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.	
Hand protection	: Neoprene or nitrile rubber gloves.	
Eye protection	: Chemical goggles. Contact lenses should not be worn.	
Skin and body protection	: Wear suitable protective clothing.	
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified organic vapor (black cartridge) respirator.	
SECTION 9: Physical and chemica	properties	
9.1. Information on basic physical and		
Physical state	: Liquid	
Appearance	: Clear liquid.	
Molecular mass	: 358.63 g/mol	
Color	: No data available	
Odor	: Very slight.	
Odor threshold	: No data available	
Refractive index	: 1.538	
рН	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Melting point	: < 0 °C	
Freezing point	: No data available	
Boiling point	: 168 - 170 °C @ 0.1 mm Hg	
Flash point	: >110 ℃	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
Vapor pressure	: < 0.01 mm Hg @ 25°C	
Relative vapor density at 20 °C	: >1	
Relative density	: 0.98	
VOC content	: <3%	
Solubility	: Reacts with water.	
Log Pow	: No data available	
Log Kow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
Explosion limits	: No data available	
9.2. Other information		
No additional information available		

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

10.2. Chemical stability	
Stable in sealed containers.	
10.3. Possibility of hazardous reactions	
Material decomposes slowly in contact with mois	st air or with water liberating ethanol. Hazardous polymerization will not occur.
10.4. Conditions to avoid	
Heat. Open flame. Sparks.	
10.5. Incompatible materials	
Oxidizing agent.	
10.6. Hazardous decomposition products	
Ethanol. Organic acid vapors. Silicon dioxide.	•
SECTION 11: Toxicological information	ion
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Not classified
Skin conosion/initiation Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Caronogenicity	None of the components in this product at concentrations >0.1% are listed by IARC, NTP,
	OSHA or ACGIH as a carcinogen
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Hydrolysis of this product liberates ethanol.
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract.
Symptoms/injuries after skin contact	: May cause skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: No information available.
Chronic symptoms	: On contact with water this compound liberates ethanol which is known to have a chronic effect
	on the central nervous system.
Reason for classification	: Expert judgment
SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Other adverse effects	: This substance may be hazardous to the environment.
Effect on ozone layer	: No additional information available
·	
Effect on the global warming	: No known effects from this product.
GWPmix comment	: No known effects from this product.
SECTION 13: Disposal consideratio	ne
SECTION 13: Disposal consideration	
13.1. Waste treatment methods	

Sewage disposal recommendations	: Do not dispose of waste into sewer.	

Waste disposal recommendations	: Incinerate. Dispose in a safe manner in accordance with local/national regulations.	
Ecology - waste materials	Avoid release to the environment.	
<b>SECTION 14: Transport information</b>		
14.1. UN number		
Not regulated for transport.		
14.2. UN proper shipping name		
Not applicable		
14.3. Additional information		
Other information	: No supplementary information available.	
Transport by sea		
No additional information available		
Air transport		
No additional information available		
SECTION 15: Regulatory informatic	n	
15.1. US Federal regulations		
4,4'-BIS(DIMETHYLETHOXYSILYL)BIPHEN		
TSCA Exemption/Exclusion	CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r) is not permitted in the United States	
4,4'-Bis(dimethylethoxysilyl)biphenyl (2016	202 60 3)	
Not listed on the United States TSCA (Toxic S		
15.2. International regulations		
CANADA No additional information available		
EU-Regulations No additional information available		
National regulations No additional information available		
15.3. US State regulations		
No additional information available		
SECTION 16: Other information		
Full text of H-phrases::		
H319	Causes serious eye irritation	
Abbreviations and acronyms	: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling.	
HMIS III Rating		
Health	: 2 Moderate Hazard - Temporary or minor injury may occur	
Flammability	: 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)	
Physical	<ul> <li>1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.</li> </ul>	
Print date: 10/07/2016	EN (English US) SDS ID: SIB1082.0 5/6	

### 4,4'-BIS(DIMETHYLETHOXYSILYL)BIPHENYL

Safety Data Sheet

### Prepared by safety and environmental affairs.

Date of issue: 10/07/2016 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2016 Gelest Inc. Morrisville, PA 19067

