

1,2-BIS(TRIETHOXYSILYL)ETHANE

Safety Data Sheet SIB1817.0 Date of issue: 03/11/2014 Revision date: 09/28/2015

Version: 2.3

SECTION 1: Identification	
1.1. Product identifier	
Product name	: 1,2-BIS(TRIETHOXYSILYL)ETHANE
Product code	: SIB1817.0
Product form	: Substance
Physical state	: Liquid
Formula	: C14H34O6Si2
Synonyms	: ;BSE
Cynollynia	HEXAETHOXYDISILETHYLENE
	4,4,7,7-TETRAETHOXY-3,8-DIOXA-4,7-DISILADECANE
Chemical family	: ORGANOETHOXYSILANE
1.2. Recommended use of the chemical	
Recommended use	: Chemical intermediate For research and industrial use only
1.3. Details of the supplier of the safety	data sheet
GELEST, INC.	
11 East Steel Road	
Morrisville, PA 19067 USA	
T 215-547-1015 - F 215-547-2484 - (M-F): 8:00	AM - 5:30 PM EST
info@gelest.com - www.gelest.com	
1.4. Emergency telephone number	
Emergency number	: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or r	
GHS-US classification	
Acute toxicity (oral) Category 3 Acute toxicity (dermal) Category 4	H301 H312
Serious eye damage/eye irritation Category 2B	H320
Full text of H statements : see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	
	GHS06
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H301 - Toxic if swallowed
	H312 - Harmful in contact with skin H320 - Causes eye irritation
Precautionary statements (GHS-US)	: P280 - Wear protective gloves/protective clothing/eye protection/face protection
	P264 - Wash hands thoroughly after handling
	P270 - Do not eat, drink or smoke when using this product
	P312 - Call a doctor if you feel unwell P330 - Rinse mouth
	P301 + P310 - If swallowed: Immediately call a doctor
	P302 + P352 - If on skin: Wash with plenty of water
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing P337 + P313 - If eye irritation persists: Get medical advice/attention
	P362 + P364 - Take off contaminated clothing and wash it before reuse
	P405 - Store locked up
	P321 - Specific treatment (see first aid instructions on this label)
	P501 - Dispose of contents/container to licensed waste disposal facility

2.3. Hazards not otherwise classified	(HNOC)		
No additional information available			
2.4. Unknown acute toxicity (GHS US)			
No data available			
SECTION 3: Composition/Informat	ion on ingredients		
3.1. Substance			
Substance type	: Multi-constituent		
Name	: 1,2-BIS(TRIETHOXYSIL	YL)ETHANE	
CAS No	: 16068-37-4		
Name	Product identifie	r %	GHS-US classification
1,2-Bis(triethoxysilyl)ethane	(CAS No) 16068-37-4	95 - 10	00 Acute Tox. 3 (Oral), H301 Acute Tox. 4 (Dermal), H312 Eye Irrit. 2B, H320
1,1-Bis(triethoxysilyl)ethane	(CAS No) 16068-36-3	0 - 5	Eye Irrit. 2B, H320
1,2-Bis(triethoxysilyl)ethylene	(CAS No) 87061-56-1	0 - 5	Eye Irrit. 2A, H319
Full text of hazard classes and H-statements :	see section 16		
3.2. Mixture			
Not applicable			
4.1. Description of first aid measures			
First-aid measures general		ely (show the label where po	f accident or if you feel unwell, seek ossible). If possible show this sheet; if not
First-aid measures after inhalation	: Remove victim to fresh a unwell, seek medical adv		ion comfortable for breathing. If you feel
First-aid measures after skin contact	: Wash with plenty of soap	and water. Get medical adv	vice/attention.
First-aid measures after eye contact		oroughly with water for at le Continue rinsing. Get medica	east 15 minutes. Remove contact lenses, if al advice/attention.
First-aid measures after ingestion	: Never give anything by n doctor/physician if you fe		son. Call a POISON CENTER or
4.2. Most important symptoms and eff	ects, both acute and delayed		
Symptoms/injuries after inhalation	: May cause irritation to the	e respiratory tract.	
Symptoms/injuries after skin contact		kin. May cause skin irritation	
Symptoms/injuries after eye contact	: Causes eye irritation.		
Symptoms/injuries after ingestion	: Toxic if swallowed. Swall hazard.	owing a small quantity of thi	s material will result in serious health
Chronic symptoms	: On contact with water thi on the central nervous sy		ol which is known to have a chronic effect
4.3. Indication of any immediate medi	cal attention and special treat	ment needed	
No additional information available			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Water fog.	Alcohol-resistant foam. Carb	on dioxide. Dry chemical.
Unsuitable extinguishing media	: Do not use straight stream	ns.	
5.2. Special hazards arising from the	substance or mixture		
Fire hazard		1 2 1	when material is exposed to elevated
5.3. Advice for firefighters			
Firefighting instructions	: Exercise caution when fig containers.	hting any chemical fire. Use	e water spray or fog for cooling exposed
Protection during firefighting		nout proper protective equip ntact and do not breathe va	ment, including respiratory protection. oor and mist.
SECTION 6: Accidental release me	asures		
6.1. Personal precautions, protective	equipment and emergency pr	ocedures	
6.1.1. For non-emergency personnel			
Protective equipment	: Wear protective equipme	nt as described in Section 8	
Emergency procedures	: Evacuate unnecessary p	ersonnel.	

6.1.2. For emergency responders		
Protective equipment :	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		
Prevent entry to sewers and public waters. Notify a	uthorities if liquid enters sewers or public waters.	
 Methods and material for containment and cleaning up or containment Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. 		
Iethods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it.		
6.4. Reference to other sections		
See Heading 8. Exposure controls and personal pr	otection.	
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling :	Avoid all eye and skin contact and do not breathe vapor and mist. Provide good ventilation in	
	process area to prevent accumulation of vapors.	
Hygiene measures :	Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.	
7.2. Conditions for safe storage, including	any incompatibilities	
	Keep container tightly closed.	
Incompatible materials :	Oxidizing agent.	
Storage area	Store in a well-ventilated place. Store away from heat.	
SECTION 8: Exposure controls/persor	hal protection	
8.1. Control parameters		
1,2-Bis(triethoxysilyl)ethane (16068-37-4)		
OSHA OSHA PEL (TWA	A) (ppm) 10 ppm (by analogy with tetraethoxysilane [78-10-4] a maximum exposure of 10ppm is recommended for this product)	
8.2. Exposure controls		
	Handle in an enclosing hood with exhaust ventilation.	
Personal protective equipment :	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Avoid all unnecessary exposure.	
Hand protection :	Neoprene or nitrile rubber gloves.	
Eye protection :	Chemical goggles. Contact lenses should not be worn.	
Skin and body protection :	Wear suitable protective clothing.	
Respiratory protection :	Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified organic vapor (black cartridge) respirator.	
SECTION 9: Physical and chemical pro	operties	
9.1. Information on basic physical and che	emical properties	
Physical state :	Liquid	
Appearance :	Clear liquid.	
Molecular mass	354.59 g/mol	
Color :	No data available	
Odor :	Slight.	
dor threshold : No data available		
efractive index : 1.4052		
I : No data available elative evaporation rate (butyl acetate=1) : No data available		
Melting point	-33 °C	
Freezing point :	No data available	
Boiling point	96 °C @ 0.3 mm Hg	
Flash point :	107 °C	
Auto-ignition temperature	No data available	

Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: 10 mm Hg @ 150°C
Relative vapor density at 20 °C	: >1
Relative density	: 0.957
VOC content	: < 5 %
Solubility	: Reacts with water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available

9.2. **Other information**

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No add	litional information available
10.2.	Chemical stability
Stable	in sealed containers.
10.3.	Possibility of hazardous reactions
Materia	al decomposes slowly in contact with moist air or with water liberating ethanol. Hazardous polymerization will not occur.
10.4.	Conditions to avoid
Heat. S	Sparks. Open flame.
10.5.	Incompatible materials
Oxidizi	ng agent.
10.6	Hazardous decomposition products

10.6. Hazardous decomposition products

Ethanol. Organic acid vapors. Silicon dioxide.

SECTION 11: Toxicological informat	tion
11.1. Information on toxicological effects	
Acute toxicity	: Oral: Toxic if swallowed. Dermal: Harmful in contact with skin.
1,2-Bis(triethoxysilyl)ethane (16068-37-4)	
LD50 oral rat	161 mg/kg
LD50 dermal rabbit	1971 mg/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes eye irritation.
	Eye Irritation - rabbit: mild irritation
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
	This material was not mutagenic in an Ames bacterial assay
Carcinogenicity	: Not classified
	None of the components in this product at concentrations >0.1% are listed by IARC, NTP, OSHA or ACGIH as a carcinogen
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	This material slowly generates ethanol on contact with water and moisture in living tissues. Material generates ethanol on contact with water or moisture in skin, eyes and mucous membranes and has an irritating, dehydrating effect on overexposed tissue.

: May cause irritation to the respiratory tract.

Symptoms/injuries after inhalation

Print date: 11/08/2016	EN (English US)	SDS ID: SIB1817.0	5/7
Transport by sea DOT Vessel Stowage Location	: A - The material may be stow passenger vessel	d "on deck" or "under deck" on a cargo vessel and on a	
Other information	: No supplementary information	available.	
Emergency Response Guide (ERG) Number	: 153		
14.3. Additional information			
DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Packaging Exceptions (49 CFR 173.xxx) DOT Symbols	: 203 : 241 : 153 : G - Identifies PSN requiring a	echnical name	
Class (DOT) Packing group (DOT) Hazard labels (DOT)	 (1,2-BIS(TRIETHOXYSILYL)E 6.1 - Class 6.1 - Poisonous m III - Minor Danger 6.1 - Poison 		
14.2.UN proper shipping nameTransport document descriptionProper Shipping Name (DOT)	: UN2810 Toxic, liquids, organi : Toxic, liquids, organic, n.o.s.	, n.o.s. (1,2-BIS(TRIETHOXYSILYL)ETHANE), 6.1, III	
14.1.UN numberUN-No.(DOT)DOT NA no.	: 2810 UN2810		
SECTION 14: Transport information			
Ecology - waste materials	contents/container to licensed : Avoid release to the environm	waste disposal facility.	
Sewage disposal recommendations Waste disposal recommendations	: Do not dispose of waste into s : Incinerate. Dispose in a safe r	ewer. anner in accordance with local/national regulations. Dispo	ose of
13.1. Waste treatment methods			
SECTION 13: Disposal consideration	ıs		
GWPmix comment	: No known effects from this pro		
Effect on the global warming	: No known effects from this pro		
Other adverse effects Effect on ozone layer	: This substance may be hazar : No additional information avai		
No additional information available 12.5. Other adverse effects			
12.4. Mobility in soil			
12.3. Bioaccumulative potential No additional information available			
No additional information available			
12.2. Persistence and degradability			
12.1. Toxicity No additional information available			
SECTION 12: Ecological information			
Reason for classification	: Expert judgment		
Chronic symptoms	hazard. : On contact with water this cor on the central nervous system	pound liberates ethanol which is known to have a chronic	effect
Symptoms/injuries after eye contact Symptoms/injuries after ingestion		a small quantity of this material will result in serious healt	'n
Symptoms/injuries after skin contact	: Harmful in contact with skin. N	ay cause skin irritation.	

1,2-BIS(TRIETHOXYSILYL)ETHANE

Safety Data Sheet

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters" Air transport DOT Quantity Limitations Passenger aircraft/rail : 60 L (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 : 220 L CFR 175.75) **SECTION 15: Regulatory information** 15.1. US Federal regulations 1,2-Bis(triethoxysilyl)ethane (16068-37-4) Listed on the United States TSCA (Toxic Substances Control Act) inventory EPA TSCA Regulatory Flag S - S - indicates a substance that is identified in a proposed or final Significant New Uses Rule 1,1-Bis(triethoxysilyl)ethane (16068-36-3) Not listed on the United States TSCA (Toxic Substances Control Act) inventory 1,2-Bis(triethoxysilyl)ethylene (87061-56-1) Not listed on the United States TSCA (Toxic Substances Control Act) inventory 15.2. International regulations **CANADA** 1,2-Bis(triethoxysilyl)ethane (16068-37-4) Listed on the Canadian NDSL (Non-Domestic Substances List) **EU-Regulations** 1,2-Bis(triethoxysilyl)ethane (16068-37-4) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) **National regulations** 1,2-Bis(triethoxysilyl)ethane (16068-37-4) Listed on the AICS (Australian Inventory of Chemical Substances) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the Japanese ISHL (Industrial Safety and Health Law) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

1,1-Bis(triethoxysilyl)ethane (16068-36-3)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

15.3. US State regulations

No additional information available

SECTION 16: Other information

Full tex	t of H-phrases::	
	H301	Toxic if swallowed
	H312	Harmful in contact with skin
	H319	Causes serious eye irritation
	H320	Causes eye irritation

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling.

1,2-BIS(TRIETHOXYSILYL)ETHANE

Safety Data Sheet

HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	: 1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.

Prepared by safety and environmental affairs.

Date of issue: 03/11/2014 Revision date: 09/28/2015 Version: 2.3

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2016 Gelest Inc. Morrisville, PA 19067