

Safety Data Sheet SIB1852.7
Date of issue: 08/19/2016 Version: 1.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance
Physical state : Liquid

Substance name : N,N-BIS(TRIMETHYLSILYL)ALLYLAMINE

Product code : SIB1852.7 Formula : C9H23NSi2

Synonyms : BIS(TRIMETHYLSILYL)AMINE
Chemical family : ORGANOAMINOSILANE

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Chemical intermediate

For research use only

#### 1.3. Details of the supplier of the safety data sheet

#### **GELEST, INC.**

11 East Steel Road Morrisville, PA 19067

USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### **GHS-US** classification

Flam. Liq. 3 H226 Skin Corr. 1B H314 Eye Dam. 1 H318 STOT SE 3 H335

Full text of H statements : see section 16

#### 2.2. Label elements

### **GHS-US labeling**

Hazard pictograms (GHS-US)







02 GHS05

GHS07

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H226 - Flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

H318 - Causes serious eye damage
H335 - May cause respiratory irritation

Precautionary statements (GHS-US) : P280 - Wear protective gloves/protective clothing/eye protection/face protection

P210 - Keep away from heat, open flames, sparks. - No smoking P240 - Ground/Bond container and receiving equipment

P241 - Use explosion-proof electrical equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P260 - Do not breathe vapors

P264 - Wash hands thoroughly after handling P271 - Use only outdoors or in a well-ventilated area

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

 $P303 + P361 + P353 - If on skin (or hair): take off immediately all contaminated clothing. \\ rinse$ 

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a doctor

08/19/2016 EN (English US) SDS ID: **SIB1852.7** Page 1

## Safety Data Sheet

P321 - Specific treatment (see first aid instructions on this label)

P363 - Wash contaminated clothing before reuse

P370+P378 - In case of fire: Use water spray, foam, carbon dioxide, dry chemical to extinguish

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P403+P235 - Keep in a cool place

P405 - Store locked up

P501 - Dispose of contents/container to licensed waste disposal facility

#### Other hazards

No additional information available

#### **Unknown acute toxicity (GHS US)**

No data available

### SECTION 3: Composition/Information on ingredients

#### **Substance**

: Multi-constituent Substance type

: N,N-BIS(TRIMETHYLSILYL)ALLYLAMINE Name

CAS No : 7688-51-9 EC no : 231-699-2

Name	Product identifier	%	GHS-US classification
N,N-Bis(trimethylsilyl)allylamine	(CAS No) 7688-51-9	95 - 100	Flam. Liq. 3, H226 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Allylaminotrimethylsilane	(CAS No) 10519-97-8	0 - 5	Flam. Liq. 2, H225 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Allylamine	(CAS No) 107-11-9	0 - 1	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 1 (Dermal), H310

#### **Mixture** 3.2.

Not applicable

## SECTION 4: First aid measures

#### 4.1. **Description of first aid measures**

Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek First-aid measures general

medical advice immediately (show the label where possible). If possible show this sheet; if not

available show packaging or label.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel First-aid measures after inhalation

unwell, seek medical advice.

First-aid measures after skin contact : Wash with plenty of soap and water. Get immediate medical advice/attention.

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get immediate medical advice/attention.

: Never give anything by mouth to an unconscious person. Get medical advice/attention. First-aid measures after ingestion

## Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after inhalation : May cause respiratory irritation. Overexposure may cause: Coughing. Headache. Nausea.

Lung damage.

Symptoms/injuries after skin contact : Causes (severe) skin burns. May be harmful in contact with skin.

Symptoms/injuries after eye contact : Causes serious eye damage. Symptoms/injuries after ingestion : May be harmful if swallowed.

#### Indication of any immediate medical attention and special treatment needed

No additional information available

#### SECTION 5: Firefighting measures

#### **Extinguishing media**

Suitable extinguishing media : Water spray. Foam. Carbon dioxide. Dry chemical.

: Do not use straight streams. Unsuitable extinguishing media

#### Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapor. Irritating fumes and organic acid vapors may develop when

material is exposed to elevated temperatures or open flame.

Explosion hazard : May form flammable/explosive vapor-air mixture.

SDS ID: SIB1852.7 08/19/2016 EN (English US) 2/8

### Safety Data Sheet

#### 5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray to cool exposed surfaces.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Avoid all eye and skin contact and do not breathe vapor and mist.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Eliminate ignition sources. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Use only non-

sparking tools.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

#### **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable. Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

near spansoper names not surfaces. - No smoking.

Precautions for safe handling : Avoid all eye and skin contact and do not breathe vapor and mist. Ground/bond container and receiving equipment. Take precautionary measures against static discharge. Use only outdoors

or in a well-ventilated area. Use only non-sparking tools.

 Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof

electrical equipment.

Storage conditions : Keep container tightly closed. Keep in a cool place. Store locked up.

Incompatible materials : Moisture. Oxidizing agent. Peroxides. Water.

Storage area : Store in a well-ventilated place. Store away from heat.

## 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

Allylaminotrimethylsilane (10519-97-8)		
USA OSHA	OSHA PEL (TWA) (ppm)	10 ppm Methylamine

## 8.2. Exposure controls

Appropriate engineering controls : Provide local exhaust or general room ventilation.

Personal protective equipment : Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be

available in the immediate vicinity of any potential exposure.

Hand protection : Neoprene or nitrile rubber gloves.

Eye protection : Chemical goggles or face shield. Contact lenses should not be worn.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended. NIOSH-certified combination organic vapor - amine gas (brown cartridge)

respirator.

08/19/2016 EN (English US) SDS ID: **SIB1852.7** 3/8

## Safety Data Sheet

### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid.
Molecular mass : 201.46 g/mol
Color : Straw to amber.
Odor : Acrid. Amine.
Odor threshold : No data available

Refractive index : 1.44

pH : No data available Relative evaporation rate (butyl acetate=1) : No data available Melting point : No data available

Freezing point : < 0 °C

Boiling point : 72 °C @ 15 mm Hg

Flash point : 43 °C

Auto-ignition temperature : No data available
Decomposition temperature : No data available

Flammability (solid, gas) : Flammable liquid and vapor

Vapor pressure : No data available

Relative vapor density at 20  $^{\circ}$ C : > 1 Relative density : 0.817 VOC content : 100  $^{\circ}$ 

Solubility : Reacts with water. Log Pow No data available Log Kow No data available Viscosity, kinematic No data available Viscosity, dynamic No data available Explosive properties No data available Oxidizing properties No data available **Explosion limits** No data available

#### 9.2. Other information

No additional information available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable in sealed containers stored in the dark.

#### 10.3. Possibility of hazardous reactions

Non-hazardous polymerization can occur at elevated temperature. Reacts with water and moisture in air liberating allylamine.

### 10.4. Conditions to avoid

Heat. Open flame. Sparks.

## 10.5. Incompatible materials

Moisture. Oxidizing agent. Peroxides. Water.

#### 10.6. Hazardous decomposition products

Allylamine. Organic acid vapors.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Allylamine (107-11-9)		
LD50 oral rat	102 mg/kg	
LD50 oral mouse	57 mg/kg	
LD50 dermal rabbit	35 mg/kg	
LC50 inhalation rat (ppm)	177 ppm (Exposure time: 8 h)	
ATE US (oral)	102.000 mg/kg body weight	

08/19/2016 EN (English US) SDS ID: **SIB1852.7** 4/8

## Safety Data Sheet

Allylamine (107-11-9)	
ATE US (dermal)	35.000 mg/kg body weight
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: This material generates allylamine on hydrolysis, a severe irritant. Allylamine is classified by the EPA as an extremely hazardous substance.
Symptoms/injuries after inhalation	: May cause respiratory irritation. Overexposure may cause: Coughing. Headache. Nausea. Lung damage.
Symptoms/injuries after skin contact	: Causes (severe) skin burns. May be harmful in contact with skin.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: May be harmful if swallowed.
Reason for classification	: Expert judgment

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

No additional information available

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

Allylamine (107-11-9)		
Log Pow	0.15	

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

Effect on ozone layer : No additional information available Effect on the global warming : No known effects from this product.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Waste disposal recommendations : May be incinerated. Dispose in a safe manner in accordance with local/national regulations.

Dispose of contents/container to licensed waste disposal facility.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment.

## **SECTION 14: Transport information**

#### 14.1. UN number

UN-No.(DOT) : 2924 DOT NA no. UN2924

## 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Flammable liquids, corrosive, n.o.s.

(N,N-BIS(TRIMETHYLSILYL)ALLYLAMINE)

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

08/19/2016 EN (English US) SDS ID: **SIB1852.7** 5/8

## Safety Data Sheet

Hazard labels (DOT) : 3 - Flammable liquid

8 - Corrosive



DOT Symbols : G - Identifies PSN requiring a technical name

Packing group (DOT) : III - Minor Danger

DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
DOT Packaging Bulk (49 CFR 173.xxx) : 242

14.3. Additional information

Emergency Response Guide (ERG) Number : 132

Other information : No supplementary information available.

Transport by sea

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 5 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 60 L

CFR 175.75)

## **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

TSCA Exemption/Exclusion	CAUTION: This material is supplied for research and development purposes subject to the	
	R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the	
	exemption, including supervision by a "technically qualified individual" as defined by 40 CFR	
	720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r)	
	is not permitted in the United States	

#### Allylaminotrimethylsilane (10519-97-8)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

#### N,N-Bis(trimethylsilyl)allylamine (7688-51-9)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

### Allylamine (107-11-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on the United States SARA Section 302

Subject to reporting requirements of United States SARA Section 313

SARA Section 302 Threshold Planning
Quantity (TPQ)

SARA Section 313 - Emission Reporting

1.0 %

#### 15.2. International regulations

#### Allylaminotrimethylsilane (10519-97-8)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

## N,N-Bis(trimethylsilyl)allylamine (7688-51-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

08/19/2016 EN (English US) SDS ID: **SIB1852.7** 6/8

## Safety Data Sheet

#### Allylamine (107-11-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Japanese Poisonous and Deleterious Substances Control Law

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Listed on the Canadian IDL (Ingredient Disclosure List)

N.N-BIS(TRIMETHYLSILYL)ALLYLAMINE(7688-51-9)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### 15.3. US State regulations

N,N-DIS(TRIMETHTESILTE	.)ALL   LAWINE(1000-31-3)			
U.S California - Propositio	n 65 - Carcinogens List	No		
U.S California - Proposition 65 - Developmental Toxicity		No		
U.S California - Proposition 65 - Reproductive Toxicity - Female		No		
U.S California - Proposition 65 - Reproductive Toxicity - Male		No		
Allylaminotrimethylsilane (10519-97-8)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	
N,N-Bis(trimethylsilyl)allylamine (7688-51-9)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	
Allylamine (107-11-9)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)

No

## Allylamine (107-11-9)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List

No

- U.S. Pennsylvania RTK (Right to Know) Environmental Hazard List
- U.S. Pennsylvania RTK (Right to Know) List

#### **SECTION 16: Other information**

Abbreviations and acronyms

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

No

#### Full text of H-phrases::

H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H301	Toxic if swallowed
H310	Fatal in contact with skin
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

08/19/2016 EN (English US) SDS ID: **SIB1852.7** 7/8

Safety Data Sheet

H335 May cause respiratory irritation

#### **HMIS III Rating**

Health : 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or

repeated overexposures

Flammability : 3 Serious Hazard
Physical : 1 Slight Hazard

Prepared by safety and environmental affairs.

Date of issue: 08/19/2016 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2016 Gelest Inc. Morrisville, PA 19067



08/19/2016 EN (English US) SDS ID: **SIB1852.7** 8/8