

### (3-GLYCIDOXYPROPYL)TRIETHOXYSILANE

Safety Data Sheet SIG5839.0 Date of issue: 01/06/2015 Version: 1.0

SECTION 1: Identification of the sub	ostance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Substance
Physical state	: Liquid
Substance name	: (3-GLYCIDOXYPROPYL)TRIETHOXYSILANE
Product code	: SIG5839.0
Formula	: C12H26O5Si
Synonyms	: SILANE, TRIETHOXY[3-(OXIRANYLMETHOXY)PROPYL]-; OXIRANE, 2-[[3-
	(TRIETHOXYSILYL)PROPOXY]METHYL]-; TRIÉTHOXY[3- (OXIRANYLMETHOXY)PROPYL]SILANE; 3-(2,3- EPOXYPROPOXYPROPYL)TRIÉTHOXYSILANE
Chemical family	: ORGANOETHOXYSILANE
1.2. Relevant identified uses of the subs	stance or mixture and uses advised against
Use of the substance/mixture	: Chemical intermediate For research and industrial use only
1.3. Details of the supplier of the safety	data sheet
GELEST, INC. 11 East Steel Road	
Morrisville, PA 19067 USA	
T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 info@gelest.com - www.gelest.com	AM - 5:30 PM EST
1.4. Emergency telephone number	
Emergency number	: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)
<b>SECTION 2: Hazards identification</b>	
2.1. Classification of the substance or n	nixture
Classification (GHS-US)	
Eye Irrit. 2A H319	
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	
	· ·
	GHS07
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H319 - Causes serious eye irritation
Precautionary statements (GHS-US)	<ul> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection P264 - Wash hands thoroughly after handling</li> </ul>
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
	P337+P313 - If eye irritation persists: Get medical advice/attention
2.3. Other hazards	
Other hazards not contributing to the	: This compound liberates ethanol on contact with moisture. This product contains ethanol which
classification	is classified as a carcinogen by IARC in alcoholic beverages.
2.4. Unknown acute toxicity (GHS-US)	
No data available	
SECTION 3: Composition/informatic	on on ingredients
3.1. Substance	
Substance type	: Mono-constituent
Name CAS No	: (3-GLYCIDOXYPROPYL)TRIETHOXYSILANE : 2602-34-8

EC no	: 220-011-6		
Name	Product identifier	%	Classification (GHS-US)
(3-Glycidoxypropyl)triethoxysilane	(CAS No) 2602-34-8	> 95	Eye Irrit. 2A, H319
Ethanol	(CAS No) 64-17-5		Flam. Liq. 2, H225 Carc. 1A, H350 STOT SE 3, H335
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general	: Remove contaminated clothing and shoes medical advice immediately (show the labe available show packaging or label.		
First-aid measures after inhalation	: Remove victim to fresh air and keep at res unwell, seek medical advice.	t in a position com	fortable for breathing. If you fee
First-aid measures after skin contact	: Wash with plenty of soap and water.		
First-aid measures after eye contact	: Remove contact lenses, if present and eas thoroughly with water for at least 15 minute		
First-aid measures after ingestion	: Never give anything by mouth to an uncon	scious person. Ge	et medical advice/attention.
4.2. Most important symptoms and effe	ects, both acute and delayed		
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract Nausea.	. Overexposure m	ay cause: Coughing. Headache
Symptoms/injuries after skin contact	: May cause skin irritation.		
Symptoms/injuries after eye contact	: Causes serious eye irritation.		
Symptoms/injuries after ingestion	: May be harmful if swallowed.		
4.3. Indication of any immediate medic No additional information available	al attention and special treatment needed		
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Foam. Carbon dioxide. Dry c	hemical.	
5.2. Special hazards arising from the s	ubstance or mixture		
Fire hazard	: Irritating fumes and organic acid vapors ma	ay develop when i	material is exposed to elevated
	temperatures or open flame.		
Reactivity	: Can react exothermically with amines.		
5.3. Advice for firefighters			
Firefighting instructions Protection during firefighting	<ul> <li>Use water spray to cool exposed surfaces.</li> <li>Do not enter fire area without proper prote Avoid all eye and skin contact and do not b</li> </ul>	ctive equipment, i	ncluding respiratory protection.
SECTION 6: Accidental release me	asures		
6.1. Personal precautions, protective e	equipment and emergency procedures		
6.1.1. For non-emergency personnel Emergency procedures	: Evacuate unnecessary personnel.		
6.1.2. For emergency responders Protective equipment	: Equip cleanup crew with proper protection		
6.2. Environmental precautions Prevent entry to sewers and public waters. Not	ify authorities if liquid enters sewers or public wa	aters.	
6.3. Methods and material for containn			
Methods for cleaning up	<ul> <li>Clean up any spills as soon as possible, us shovel spills into appropriate container for</li> </ul>		material to collect it. Sweep or
6.4. Reference to other sections			
See Heading 8. Exposure controls and persona	al protection.		
SECTION 7: Handling and storage			
element r. mananing and storage			
7.1. Precautions for safe handling			
	: Provide local exhaust or general room ven breathe vapor and mist.	tilation. Avoid all e	eye and skin contact and do not

Hygiene measures		posed areas with mild soap and water before eating, drinking or gwork. Wash contaminated clothing before reuse.
7.2. Conditions for safe sto	prage, including any incompatibilities	
Storage conditions	: Keep container tightly clos	ed.
Incompatible materials	: Moisture. Water. Amines.	
Storage area	: Store in a well-ventilated p	lace. Store away from heat.
7.3. Specific end use(s)		
No additional information available	)	
SECTION 8: Exposure co	ntrols/personal protection	
8.1. Control parameters		
Ethanol (64-17-5)		
USA ACGIH	ACGIH STEL (ppm)	1000 ppm
USA NIOSH I	NIOSH REL (TWA) (mg/m <sup>3</sup> )	1900 mg/m <sup>3</sup>
USA NIOSH I	NIOSH REL (TWA) (ppm)	1000 ppm
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	1900 mg/m <sup>3</sup>
	OSHA PEL (TWA) (ppm)	1000 ppm
	JS IDLH (ppm)	3300 ppm (10% LEL)
8.2. Exposure controls		
Appropriate engineering controls	: Provide local exhaust or ge	eneral room ventilation.
Personal protective equipment		osure. Emergency eye wash fountains and safety showers should
Hand protection Eye protection Skin and body protection Respiratory protection	: Wear suitable protective cl	t lenses should not be worn.
		apor (black cannuge) respirator.
SECTION 9: Physical and		
	hysical and chemical properties	
Physical state	: Liquid	
Appearance	: Clear liquid.	
Nolecular mass	: 278.42 g/mol	
Color	: Straw.	
Odor Odor threshold	: Mild.	
Odor threshold	: No data available	
Refractive index	: 1.425	
oH Relative eveneration rate (butul as	: No data available	
Relative evaporation rate (butyl ac	,	
Melting point	: No data available	
Freezing point	: <0 °C	
Boiling point	: 124 °C @ 3 mm Hg	
Flash point	: 144 °C	
Auto-ignition temperature	: 225 °C	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: No data available	
/apor pressure	: <1 mm Hg	
Relative vapor density at 20 °C	: >1	
Relative density	: 1	
Solubility	: Reacts with water.	
Log Pow Log Kow	: No data available	
	: No data available	
Viscosity, kinematic	: 3 cSt	

Viscosity, dynamic

Explosive properties

Oxidizing properties

Explosive limits	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
Can react exothermically with amines.	
10.2. Chemical stability	
Stable in sealed containers.	
10.3. Possibility of hazardous reactions	
Reacts with water and moisture in air, liberating e	thanol.
10.4. Conditions to avoid	
Heat. Open flame. Sparks.	
10.5. Incompatible materials	
Moisture. Water. Amines.	
10.6. Hazardous decomposition products	
Ethanol. Organic acid vapors.	
SECTION 11: Toxicological informati	on
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Ethanol (64-17-5)	
LC50 inhalation rat (mg/l)	124.7 mg/l/4h
(3-Glycidoxypropyl)triethoxysilane (2602-34-	
LD50 oral rat	> 2000 mg/kg
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity Carcinogenicity	: Not classified : Not classified.
Ethanol (64-17-5) IARC group	1 - Carcinogenic to humans
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract. Overexposure may cause: Coughing. Headache.
	Nausea.
Symptoms/injuries after skin contact	: May cause skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion Reason for classification	: May be harmful if swallowed.
Reason for classification	: Expert judgment
<b>SECTION 12: Ecological information</b>	
12.1. Toxicity	
Ethanol (64-17-5)	
LC50 fish 1	12.0 - 16.0 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	9268 - 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 2	2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
12.2.         Persistence and degradability           No additional information available	
12.3. Bioaccumulative potential	
Ethanol (64-17-5)	
Log Pow	-0.32
01/06/2015	EN (English US) SDS ID: <b>SIG5839.0</b> 4/7

12.4. Mobility in soil		
No additional information available		
12.5. Other adverse effects		
	This substance may be hazardous to the environment.	
	No additional information available	
-	No known ecological damage caused by this product.	
SECTION 13: Disposal considerations		
13.1. Waste treatment methods	March - inside and all Discours in a set of a second second second its basel (as the set of second sites a	
Waste disposal recommendations :	May be incinerated. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.	
Ecology - waste materials :	Avoid release to the environment.	
SECTION 14: Transport information		
14.1. UN number		
Not regulated for transport.		
14.2. UN proper shipping name		
Not applicable		
14.3. Additional information		
Other information :	No supplementary information available.	
Transport by sea		
No additional information available		
Air transport		
No additional information available		
SECTION 15: Regulatory information		
15.1. US Federal regulations		
Ethanol (64-17-5)		
Listed on the United States TSCA (Toxic Substance (3-Glycidoxypropyl)triethoxysilane (2602-34-8)	es Control Act) inventory	
Listed on the United States TSCA (Toxic Substance	es Control Act) inventory	
	S - S - indicates a substance that is identified in a proposed or final Significant New Uses	
	Rule.	
15.2. International regulations		
Ethanol (64-17-5)		
Listed on IARC (International Agency for Research	on Cancer)	
Listed on the AICS (Australian Inventory of Chemic		
Listed on the Canadian DSL (Domestic Sustances		
Listed on IECSC (Inventory of Existing Chemical S	ubstances Produced or Imported in China) ventory of Existing Commercial Chemical Substances)	
Listed on the Japanese ENCS (Existing & New Ch		
Listed on the Korean ECL (Existing Chemicals List		
Listed on NZIoC (New Zealand Inventory of Chemic		
Listed on PICCS (Philippines Inventory of Chemica Listed on the Canadian IDL (Ingredient Disclosure		
(3-Glycidoxypropyl)triethoxysilane (2602-34-8)		
Listed on the AICS (Australian Inventory of Chemic		
Listed on the Canadian NDSL (Non-Domestic Sub		
Listed on IECSC (Inventory of Existing Chemical S Listed on the EEC inventory EINECS (European Ir		
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory		
Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)		
15.3. US State regulations		
(3-GLYCIDOXYPROPYL)TRIETHOXYSILANE(260	2-34-8)	
U.S California - Proposition 65 - Carcinogens List	No	

Toxicity

U.S. - California - Proposition 65 - Developmental

U.S. - California - Proposition 65 - Reproductive

No

### (3-GLYCIDOXYPROPYL)TRIETHOXYSILANE

Safety Data Sheet

(3-GLYCIDOXYPROPYL)TRIETHOXYSILANE(2602-34-8)				
Toxicity - Female				
U.S California - Proposition 65 - Reproductive Toxicity - Male		No		
Ethanol (64-17-5)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
Yes	Yes	No	No	
(3-Glycidoxypropyl)trietho	xysilane (2602-34-8)			<b>I</b>
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
No	No	No	No	
No         No         No           Ethanol (64-17-5)           U.S Connecticut - Hazardous Air Pollutants - HLVs (30 min)           U.S Connecticut - Hazardous Air Pollutants - Acceptable Ambient Concentrations           U.S Lidaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations           U.S Lidaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs)           U.S Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs)           U.S Maine - Chemicals of High Concern           U.S Massachusetts - Allowable Threshold Concentrations (ATCs)           U.S Massachusetts - Oli & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 1           U.S Massachusetts - Oli & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 1           U.S Massachusetts - Oli & Hazardous Material List - Soil Reportable Concentration - Reporting Category 1           U.S Massachusetts - Oli & Hazardous Material List - Soil Reportable Concentration - Reporting Category 1           U.S Massachusetts - Night To Know List           U.S Massachusetts - Threshold Effects Exposure Limits (TELs)           U.S Minnesota - Hazardous Substance List           U.S New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour           U.S New Hampshire - Regulated Toxic Air Pollutants - Huxels           U.S New Hampshire - Regulated Toxic Air Pollutants - Mabient Air				

### **SECTION 16: Other information**

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

Full text of H-phrases::

H225	Highly flammable liquid and vapor
STOT SI	
Flam. Lic	
Eye Irrit.	A Serious eye damage/eye irritation Category 2A
Carc. 1A	Carcinogenicity Category 1A

### (3-GLYCIDOXYPROPYL)TRIETHOXYSILANE

Safety Data Sheet

H319	)	Causes serious eye irritation
H335	5	May cause respiratory irritation
H350	)	May cause cancer

#### HMIS III Rating

Health	:	3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	:	1 Slight Hazard
Physical	:	1 Slight Hazard

Prepared by safety and environmental affairs.

Date of issue: 01/06/2015 Version: 1.0

#### SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2014 Gelest Inc. Morrisville, PA 19067

