

1,1,3,3-TETRACYCLOPENTYLDICHLORODISILOXANE

Safety Data Sheet SIT7087.0 Date of issue: 03/16/2016 Version: 1.0

SECTION 1: Identification of the su	ubstance/mixture and of the company/undertaking		
1.1. Product identifier			
Product form	: Substance		
Physical state	: Liquid		
Substance name	: 1,1,3,3-TETRACYCLOPENTYLDICHLORODISILOXANE		
Product code	: SIT7087.0		
Formula	: C20H36Cl2OSi2 : DICHLOROTETRACYCLOPENTYLDISILOXANE		
Synonyms			
Chemical family	: ORGANOCHLOROSILANE		
1.2. Relevant identified uses of the su	ibstance or mixture and uses advised against		
Use of the substance/mixture	: Chemical intermediate For research use only		
1.3. Details of the supplier of the safe	ty data sheet		
GELEST, INC.			
11 East Steel Road Morrisville, PA 19067			
USA			
T 215-547-1015 - F 215-547-2484 - (M-F): 8:0 info@gelest.com - www.gelest.com)0 AM - 5:30 PM EST		
1.4. Emergency telephone number			
Emergency number	: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)		
SECTION 2: Hazards identification			
2.1. Classification of the substance of			
GHS-US classification			
Skin Corr. 1B H314			
Eye Dam. 1 H318			
Full text of H statements : see section 16			
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)			
	GHS05		
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	: H314 - Causes severe skin burns and eye damage		
Precautionary statements (GHS-US)	: P280 - Wear protective gloves/protective clothing/eye protection/face protection		
	P260 - Do not breathe vapors		
	P264 - Wash hands thoroughly after handling P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting		
	P303+P350+P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse		
	skin with water/shower		
	P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing		
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing		
	P310 - Immediately call a doctor		
	P321 - Specific treatment (see first aid instructions on this label)		
	P363 - Wash contaminated clothing before reuse		
	P405 - Store locked up P501 - Dispose of contents/container to licensed waste disposal facility		
2.3. Other hazards			
Other hazards not contributing to the classification	: Hydrogen chloride may be formed by reaction with water and moisture in air. The US OSHA PEL (TWA) for hydrogen chloride is 5 ppm.		
2.4. Unknown acute toxicity (GHS US)			
No data available			

3.1. Substance			
Substance type	: Mono-constituent		
Name	: 1,1,3,3-TETRACYCLOPENTYLDICHLORODISILOXANE		
CAS No	: 865811-56-9		
Name	Product identifier	%	GHS-US classification
1,1,3,3-Tetracyclopentyldichlorodisiloxane	(CAS No) 865811-56-9	95 -	Skin Corr. 1B, H314
		100	Eye Dam. 1, H318

Not applicable

SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general	: Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.			
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.			
First-aid measures after skin contact	: Wash with plenty of soap and water. Get immediate medical advice/attention.			
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.			
First-aid measures after ingestion	: Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.			
4.2. Most important symptoms and effe	ects, both acute and delayed			
Symptoms/injuries	: Causes severe skin burns and eye damage.			
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract.			
Symptoms/injuries after skin contact	: Causes (severe) skin burns.			
Symptoms/injuries after eye contact	: Causes serious eye damage.			
Symptoms/injuries after ingestion	: May be harmful if swallowed.			
4.3. Indication of any immediate medic	al attention and special treatment needed			
No additional information available				
SECTION 5: Firefighting measures				
5.1. Extinguishing media				
Suitable extinguishing media	: Water spray. Foam. Carbon dioxide. Dry chemical.			
Unsuitable extinguishing media	: Water.			
5.2. Special hazards arising from the s	ubstance or mixture			
Fire hazard	: Irritating fumes of hydrogen chloride and organic acid vapors may develop when material is exposed to water or open flame.			
5.3. Advice for firefighters				
Firefighting instructions	: Exercise caution when fighting any chemical fire. Use water spray to cool exposed surfaces.			
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapor and mist.			
SECTION 6: Accidental release me	asures			

6.1.	Personal precautions, protective equipment and emergency procedures			
0.11	r cristinal produtions, protoculve equipment and emergency procedures			
6.1.1.	For non-emergency personnel			
Protectiv	e equipment	: Wear protective equipment as described in Section 8.		
Emergen	cy procedures	: Evacuate unnecessary personnel.		
6.1.2.	For emergency responders			
Protectiv	e equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".		
6.2.	Environmental precautions			
Drovont /	antry to cowere and public waters	Notify outborition if liquid optors powers or public waters		

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3.	Methods and material for containment and cleaning up		
For cont	ainment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.	

	: Clean up any spills as soon as p shovel spills into appropriate co	ossible, using an absorbent material to collect it. Sweep or tainer for disposal.		
6.4. Reference to other sections				
See Heading 8. Exposure controls and person	nal protection.			
SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Precautions for safe handling		nd do not breathe vapor and mist. Provide good ventilation in		
h		process area to prevent accumulation of vapors.		
Hygiene measures		ore reuse. Wash hands and other exposed areas with mild inking or smoking and when leaving work.		
7.2. Conditions for safe storage, inclu	ding any incompatibilities			
Storage conditions	: Keep container tightly closed. S	ore locked up.		
ncompatible materials	: Acids. Alcohols. Oxidizing agent			
Storage area	: Store in a well-ventilated place.	Store away from heat.		
7.3. Specific end use(s)				
No additional information available				
SECTION 8: Exposure controls/pe	rsonal protection			
3.1. Control parameters				
No additional information available				
3.2. Exposure controls				
Appropriate engineering controls	: Provide local exhaust or genera	room ventilation.		
Personal protective equipment	: Avoid all unnecessary exposure available in the immediate vicini	Emergency eye wash fountains and safety showers should y of any potential exposure.		
Hand protection	: Neoprene or nitrile rubber glove			
Eye protection		. Contact lenses should not be worn.		
Skin and body protection	: Wear suitable protective clothing			
Respiratory protection		 Wear suitable protective clothing. Where exposure through inhalation may occur from use, respiratory protection equipment is 		
	recommended. NIOSH-certified	combination organic vapor/acid gas (yellow cartridge)		
	respirator.			
SECTION 9: Physical and chemica	l properties			
0.1. Information on basic physical and	d chemical properties			
Physical state	: Liquid			
Appearance	: Clear liquid.			
Molecular mass	: 419.58 g/mol			
Color	: Straw.			
Ddor	: Acrid. Similar to hydrogen chlori	le.		
Ddor threshold	: No data available			
Refractive index	: 1.5098			
	: No data available			
Relative evaporation rate (butyl acetate=1)	: No data available			
Melting point	: No data available : < 0 °C			
Freezing point				
Boiling point	: 220 °C @ 1 mm Hg : > 110 °C			
Flash point	: No data available			
Auto-ignition temperature Decomposition temperature	: No data available			
Flammability (solid, gas)	: No data available			
/apor pressure	: < 0.1 mm Hg @ 25°C			
Relative vapor density at 20 °C	: < 0.1 min ⊣g @ 25 C : > 1			
Relative density at 20 °C	: 1.087			
Solubility	: Insoluble in water. Reacts with v	vater.		
Log Pow	: No data available			
Log Kow	: No data available			
/iscosity, kinematic	: No data available			
/iscosity, dynamic	: No data available			

Englacity and entities	. No dete suchtste
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable in sealed containers stored under a dry ine	ert atmosphere.
10.3. Possibility of hazardous reactions	
Reacts with water and moisture in air, liberating h	ıydrogen chloride.
10.4. Conditions to avoid	
Heat. Open flame. Sparks.	
10.5. Incompatible materials	
Acids. Alcohols. Oxidizing agent.	
10.6. Hazardous decomposition products	
Hydrogen chloride. Organic acid vapors.	
	00
SECTION 11: Toxicological informati	
11.1. Information on toxicological effects	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation Respiratory or skin sensitization	Causes serious eye damage. Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract.
Symptoms/injuries after skin contact	: Causes (severe) skin burns.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: May be harmful if swallowed.
Reason for classification	: Expert judgment
SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Other adverse effects	: This substance may be hazardous to the environment.
Effect on ozone layer	: No additional information available
Effect on the global warming	: No known ecological damage caused by this product.

SECTION 13: Disposal consideration	S			
13.1. Waste treatment methods				
Sewage disposal recommendations	: Do not dispose of waste into sewer.			
Waste disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. Dispose of			
	contents/container to licensed waste disposal facility.			
Ecology - waste materials	: Avoid release to the environment.			
SECTION 14: Transport information				
14.1. UN number				
UN-No.(DOT)	: 2987			
DOT NA no.	UN2987			
14.2. UN proper shipping name				
Proper Shipping Name (DOT)	: Chlorosilanes, corrosive, n.o.s.			
	(1,1,3,3-TETRACYCLOPENTYLDICHLORODISILOXANE)			
Class (DOT)	8 - Class 8 - Corrosive material 49 CFR 173.136			
Hazard labels (DOT)	: 8 - Corrosive			
	8			
Packing group (DOT)	: II - Medium Danger			
DOT Packaging Exceptions (49 CFR 173.xxx)	: None			
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 206			
DOT Packaging Bulk (49 CFR 173.xxx)	: 242			
14.3. Additional information				
Emergency Response Guide (ERG) Number	: 156			
Other information	: No supplementary information available.			
Transport by sea				
DOT Vessel Stowage Location	: C - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel			
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"			
Air transport				
DOT Quantity Limitations Passenger aircraft/rail	: Forbidden			
(49 CFR 173.27)				
DOT Quantity Limitations Cargo aircraft only (49	: 30 L			
CFR 175.75)				
SECTION 15: Regulatory information				
15.1. US Federal regulations				
1,1,3,3-TETRACYCLOPENTYLDICHLORODIS	ILOXANE (865811-56-9)			
TSCA Exemption/Exclusion	CAUTION: This material is supplied for research and development purposes subject to the			
	R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the			
	exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r)			
	is not permitted in the United States			
1,1,3,3-Tetracyclopentyldichlorodisiloxane (865811-56-9)				
Not listed on the United States TSCA (Toxic Su				
15.2. International regulations				
No additional information available				
15.3. US State regulations				
	OY ANE/965911.56.0)			
1,1,3,3-TETRACYCLOPENTYLDICHLORODISILOXANE(865811-56-9) U.S California - Proposition 65 - Carcinogens List No				

1,1,3,3-TETRACYCLOPENTYLDICHLORODISILOXANE

Safety Data Sheet

1,1,3,3-TETRACYCLOPENTYLDICHLORODISILOXANE(865811-56-9)				
U.S California - Proposition 65 - Reproductive Toxicity - Male		No		
1,1,3,3-Tetracyclopentyldichlorodisiloxane (865811-56-9)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	

SECTION 16: Other information				
Con milli thre Hea Pro Reg Euro	Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.			
Full text of H-phrases::				
H314		Causes severe skin burns and eye damage		
H318		Causes serious eye damage		
HMIS III Rating Health : 3 Se	erious Hazard - Mai	or injury likely unless prompt action is taken and medical treatment is		
give		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
Flammability : 1 SI	ight Hazard			
Physical : 1 SI	ight Hazard			
Prepared by safety and environmental affairs.				
Date of issue: 03/16/2016 Version: 1.0				
SDS US (GHS HazCom 2012) - Custom				

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2016 Gelest Inc. Morrisville, PA 19067