

**TETRAFLUOROSILANE**

Safety Data Sheet SIT7120.0

Date of issue: 05/06/2016

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form	: Substance
Physical state	: Gas
Substance name	: TETRAFLUOROSILANE
Product code	: SIT7120.0
Formula	: HF ₄ Si
Synonyms	: SILICON TETRAFLUORIDE; SILICON FLUORIDE
Chemical family	: SILICON COMPOUND

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture	: Chemical intermediate For research and industrial use only
------------------------------	---

1.3. Details of the supplier of the safety data sheet**GELEST, INC.**

11 East Steel Road
Morrisville, PA 19067
USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com
1.4. Emergency telephone number

Emergency number	: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)
------------------	---

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****GHS-US classification**

Liquefied gas	H280
Acute Tox. 2 (Inhalation:gas)	H330
Skin Corr. 1B	H314
Eye Dam. 1	H318
STOT SE 3	H335

Full text of H statements : see section 16

2.2. Label elements**GHS-US labeling**

Hazard pictograms (GHS-US)



GHS04

GHS05

GHS06

GHS07

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) :

- H280 - Contains gas under pressure; may explode if heated
- H314 - Causes severe skin burns and eye damage
- H330 - Fatal if inhaled
- H335 - May cause respiratory irritation

Precautionary statements (GHS-US) :

- P280 - Wear protective gloves/protective clothing/eye protection/face protection
- P284 - In case of inadequate ventilation wear respiratory protection
- P310 - Immediately call a doctor
- P260 - Do not breathe gas
- P264 - Wash hands thoroughly after handling
- P271 - Use only outdoors or in a well-ventilated area
- P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting
- P303+P361+P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse skin with water/shower
- P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P312 - Call a doctor if you feel unwell
- P320 - Specific treatment is urgent (see first aid instructions on this label)
- P363 - Wash contaminated clothing before reuse

TETRAFLUOROSILANE

Safety Data Sheet

P403+P233 - Store in a well-ventilated place. Keep container tightly closed
P405 - Store locked up
P410+P403 - Protect from sunlight. Store in a well-ventilated place
P501 - Dispose of contents/container to licensed waste disposal facility

2.3. Other hazards

Other hazards not contributing to the classification : Hydrogen fluoride may be formed by reaction with water and moisture in air. The US OSHA PEL (TWA) for hydrogen fluoride is 3 ppm.

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/Information on ingredients

3.1. Substance

Substance type : Mono-constituent
Name : TETRAFLUOROSILANE
CAS No : 7783-61-1
EC no : 232-015-5

Name	Product identifier	%	GHS-US classification
Tetrafluorosilane	(CAS No) 7783-61-1	95 - 100	Liquefied gas, H280 Acute Tox. 2 (Inhalation), H330 Acute Tox. 3 (Inhalation:gas), H331 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Flush with water, then wash with saturated solution of sodium carbonate or 3% aqueous ammonia. Get immediate medical advice/attention.

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after inhalation : Fatal if inhaled. May cause respiratory irritation. Danger of serious damage to health by prolonged exposure through inhalation.

Symptoms/injuries after skin contact : Causes (severe) skin burns.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : May be harmful if swallowed.

Symptoms/injuries upon intravenous administration : For ingestion, calcium gluconate intravenously and calcium lactate orally may be considered.

Chronic symptoms : Hydrofluoric acid, the hydrolysis product has demonstrated mutagenicity and teratogenicity in laboratory bioassay.

4.3. Indication of any immediate medical attention and special treatment needed

NOTE TO PHYSICIAN: This product reacts with water and human tissues to form hydrofluoric acid. Massage a paste of 20% magnesium oxide in glycerol onto the burned areas. Inject 2-5 cc of 10% calcium gluconate beneath and around the burned areas. Gastric lavage, if swallowed, using 5% calcium chloride followed by saline catharsis.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media : Water.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Contains gas under pressure; may explode if heated. Irritating fumes, hydrogen fluoride and organic acid vapors may develop when material is exposed to moist air.

TETRAFLUOROSILANE

Safety Data Sheet

5.3. Advice for firefighters

Firefighting instructions	: Exercise caution when fighting any chemical fire.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Avoid contact with skin and eyes. Do not breathe gas.
Other information	: TERAFLUOROSILANE is not combustible.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment	: Wear protective equipment as described in Section 8.
Emergency procedures	: Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	--

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	: Clean up any spills as soon as possible, using an absorbent material to collect it.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Avoid contact with skin and eyes. Do not breathe gas. Use only outdoors or in a well-ventilated area.
Hygiene measures	: Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Keep container tightly closed. Store locked up. Store in cylinders. Protect from sunlight. Store in a well-ventilated place.
Incompatible materials	: Moisture. Water.
Storage area	: Store in a well-ventilated place. Store away from heat.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls	: Provide local exhaust or general room ventilation.
Personal protective equipment	: Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Neoprene or nitrile rubber gloves.
Eye protection	: Chemical goggles or face shield. Contact lenses should not be worn.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Gas
Appearance	: Colorless gas. Fumes in moist air.
Molecular mass	: 104.08 g/mol
Color	: No data available

TETRAFLUOROSILANE

Safety Data Sheet

Odor	: Pungent suffocating odor.
Odor threshold	: No data available
Refractive index	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: -90 °C
Boiling point	: 95.7 °C
Flash point	: not flammable
Critical temperature	: -14.15 °C
Auto-ignition temperature	: not combustible
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: 515 mm Hg @ -100°C
Critical pressure	: 37.3 atm
Relative vapor density at 20 °C	: 3.63
Relative density	: 1.66
VOC content	: 100 %
Solubility	: Reacts vigorously with water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available

9.2. Other information

Gas group : Liquefied gas

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable in sealed plastic containers.

10.3. Possibility of hazardous reactions

Reacts with water and moisture in air liberating hydrogen fluoride.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Moisture. Water.

10.6. Hazardous decomposition products

Hydrogen fluoride.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Inhalation:gas: Fatal if inhaled.

TETRAFLUOROSILANE (7783-61-1)	
ATE US (gases)	100.000 ppmV/4h
Tetrafluorosilane (7783-61-1)	
LC50 inhalation rat (ppm)	2272 ppm/4h 3 days: Sense organs and special senses (nose, eye, ear, and taste): eye: lacrimation; lungs, thorax, or respiration: acute pulmonary edema; lungs, thorax, or respiration: dyspnea
ATE US (gases)	2272.000 ppmV/4h
ATE US (vapors)	0.500 mg/l/4h
ATE US (dust, mist)	0.050 mg/l/4h

Skin corrosion/irritation : Causes severe skin burns and eye damage.

TETRAFLUOROSILANE

Safety Data Sheet

Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: On contact with water and human tissue this compound liberates hydrogen fluoride (hydrofluoric acid).
Symptoms/injuries after inhalation	: Fatal if inhaled. May cause respiratory irritation. Danger of serious damage to health by prolonged exposure through inhalation.
Symptoms/injuries after skin contact	: Causes (severe) skin burns.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: May be harmful if swallowed.
Symptoms/injuries upon intravenous administration	: For ingestion, calcium gluconate intravenously and calcium lactate orally may be considered.
Chronic symptoms	: Hydrofluoric acid, the hydrolysis product has demonstrated mutagenicity and teratogenicity in laboratory bioassay.
Reason for classification	: Expert judgment

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other adverse effects	: This substance may be hazardous to the environment.
Effect on ozone layer	: No additional information available
Effect on the global warming	: No known ecological damage caused by this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Sewage disposal recommendations	: Do not dispose of waste into sewer.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

UN-No.(DOT)	: 1859
DOT NA no.	UN1859

14.2. UN proper shipping name

Proper Shipping Name (DOT)	: Silicon tetrafluoride
Class (DOT)	: 2.3 - Class 2.3 - Poisonous gas 49 CFR 173.115
Hazard labels (DOT)	: 2.3 - Poison gas 8 - Corrosive



DOT Packaging Exceptions (49 CFR 173.xxx)	: None
---	--------

TETRAFLUOROSILANE

Safety Data Sheet

DOT Packaging Non Bulk (49 CFR 173.xxx) : 302
DOT Packaging Bulk (49 CFR 173.xxx) : None

14.3. Additional information

Emergency Response Guide (ERG) Number : 125
Other information : No supplementary information available.

Transport by sea

DOT Vessel Stowage Location : D - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers or one passenger per each 3 m of overall vessel length, but the material is prohibited on passenger vessels in which the limiting number of passengers is exceeded
DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

Air transport

DOT Quantity Limitations Passenger aircraft/rail : Forbidden
(49 CFR 173.27)
DOT Quantity Limitations Cargo aircraft only (49 : Forbidden
CFR 175.75)

SECTION 15: Regulatory information

15.1. US Federal regulations

Tetrafluorosilane (7783-61-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

Tetrafluorosilane (7783-61-1)

Listed on the AICS (Australian Inventory of Chemical Substances)
Listed on the Canadian DSL (Domestic Substances List)
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)
Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on the Korean ECL (Existing Chemicals List)
Listed on NZIoC (New Zealand Inventory of Chemicals)
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)
Listed on the Canadian IDL (Ingredient Disclosure List)
Listed on INSQ (Mexican national Inventory of Chemical Substances)

15.3. US State regulations

TETRAFLUOROSILANE(7783-61-1)

U.S. - California - Proposition 65 - Carcinogens List	No
U.S. - California - Proposition 65 - Developmental Toxicity	No
U.S. - California - Proposition 65 - Reproductive Toxicity - Female	No
U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No

Tetrafluorosilane (7783-61-1)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	

Tetrafluorosilane (7783-61-1)

U.S. - New Jersey - Right to Know Hazardous Substance List

TETRAFLUOROSILANE

Safety Data Sheet

SECTION 16: Other information

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemical Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

Full text of H-phrases::

H280	Contains gas under pressure; may explode if heated
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H330	Fatal if inhaled
H331	Toxic if inhaled
H335	May cause respiratory irritation

HMIS III Rating

Health : 4 Severe Hazard - Life-threatening, major or permanent damage may result from single or repeated overexposures
Flammability : 0 Minimal Hazard
Physical : 2 Moderate Hazard

Prepared by safety and environmental affairs.

Date of issue: 05/06/2016 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2016 Gelest Inc. Morrisville, PA 19067