

Safety Data Sheet SIT7906.6 Date of issue: 09/29/2016 Version: 1.0

**SECTION 1: Identification** 1.1. **Product identifier** Product name : THEXYLTRICHLOROSILANE SIT7906.6 Product code Product form : Substance Physical state : Liquid Formula : C6H13Cl3Si 1,1,2-TRIMETHYLPROPYLTRICHLOROSILANE Synonyms : ORGANOCHLOROSILANE Chemical family 1.2. Recommended use of the chemical and restrictions on use : Chemical intermediate Recommended use For research use only 1.3. Details of the supplier of the safety data sheet GELEST, INC. 11 East Steel Road Morrisville, PA 19067 USA T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST info@gelest.com - www.gelest.com 1.4. **Emergency telephone number** : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International) Emergency number SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mixture **GHS-US classification** Flammable liquids Category 4 H227 Skin corrosion/irritation Category 1B H314 Serious eye damage/eye irritation Category 1 H318 Full text of H statements : see section 16 Label elements 2.2. **GHS-US** labeling Hazard pictograms (GHS-US) GHS05 Signal word (GHS-US) : Danger Hazard statements (GHS-US) H227 - Combustible liquid H314 - Causes severe skin burns and eve damage H318 - Causes serious eye damage Precautionary statements (GHS-US) : P280 - Wear protective gloves/protective clothing/eye protection/face protection P210 - Keep away from heat, open flames, sparks. - No smoking P260 - Do not breathe vapors P264 - Wash hands thoroughly after handling P301 + P330 + P331 - If swallowed: rinse mouth. Do NOT induce vomiting P303 + P361 + P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse skin with water/shower P304 + P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a doctor P363 - Wash contaminated clothing before reuse P370 + P378 - In case of fire: Use water spray, foam, carbon dioxide, dry chemical to extinguish P403 + P235 - Keep in a cool place P405 - Store locked up P321 - Specific treatment (see first aid instructions on this label) P501 - Dispose of contents/container to licensed waste disposal facility

Safety Data Sheet

Other hazards not contributing to the classification	: Hydrogen chloride may be formed by PEL (TWA) for hydrogen chloride is 5		d moisture in air. The US OSHA	
2.4. Unknown acute toxicity (GHS US		ррш. 		
No data available				
SECTION 3: Composition/Informa	tion on ingredients			
3.1. Substance				
Substance type	: Mono-constituent			
Name	: THEXYLTRICHLOROSILANE			
CAS No	: 18151-53-6		L	
Name	Product identifier	%	GHS-US classification	
Thexyltrichlorosilane	(CAS No) 18151-53-6	95 - 100	Flam. Liq. 4, H227 Skin Corr. 1B, H314 Eye Dam. 1, H318	
Full text of hazard classes and H-statements	: see section 16			
3.2. Mixture				
Not applicable				
4.1. Description of first aid measures				
First-aid measures general	: Remove contaminated clothing and sl medical advice immediately (show the available show packaging or label.			
First-aid measures after inhalation	: Remove victim to fresh air and keep a unwell, seek medical advice.	t rest in a position con	nfortable for breathing. If you feel	
First-aid measures after skin contact	: Wash with plenty of soap and water.	Get immediate medica	l advice/attention.	
First-aid measures after eye contact	: Immediately flush eyes thoroughly wit present and easy to do. Continue rins	ing. Get immediate me	edical advice/attention.	
First-aid measures after ingestion	: Never give anything by mouth to an unfeel unwell.	nconscious person. G	et medical advice/attention if you	
4.2. Most important symptoms and effective statements and effective sta	ffects, both acute and delayed			
Symptoms/injuries	: Causes severe skin burns and eye da	mage.		
Symptoms/injuries after inhalation	: May cause irritation to the respiratory	tract.		
Symptoms/injuries after skin contact	: Causes (severe) skin burns.			
Symptoms/injuries after eye contact	: Causes serious eye damage.			
Symptoms/injuries after ingestion	: May be harmful if swallowed.			
4.3. Indication of any immediate med	ical attention and special treatment neede	d		
No additional information available				
SECTION 5: Firefighting measures	6			
5.1. Extinguishing media				
Suitable extinguishing media	: Water spray. Foam. Carbon dioxide.	Dry chemical.		
Unsuitable extinguishing media	: Water.			
5.2. Special hazards arising from the	substance or mixture			
Fire hazard	: Combustible liquid. Irritating fumes of when material is exposed to water or	, ,	d organic acid vapors may develop	
5.3. Advice for firefighters				
Firefighting instructions	: Exercise caution when fighting any ch	emical fire. Use water	spray to cool exposed surfaces.	
Protection during firefighting	: Do not enter fire area without proper p Avoid all eye and skin contact and do			
SECTION 6: Accidental release mo	easures			
	equipment and emergency procedures			
6.1.1. For non-emergency personnel				
Protective equipment	: Wear protective equipment as describ	ed in Section 8.		
Emergency procedures	: Evacuate unnecessary personnel.			
6.1.2. For emergency responders				
Protective equipment	<ul> <li>Do not attempt to take action without a proper protection. For further informat protection".</li> </ul>			

Safety Data Sheet

6.2. Environmental precautions		
	tify authorities if liquid enters sewers or public waters.	
6.3. Methods and material for contain		
For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or	
	streams.	
Methods for cleaning up	: Clean up any spills as soon as possible, using an absorbent material to collect it. Use only nor sparking tools.	
6.4. Reference to other sections		
See Heading 8. Exposure controls and person	al protection.	
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Additional hazards when processed	: Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Precautions for safe handling	: Avoid all eye and skin contact and do not breathe vapor and mist. Ground/bond container and receiving equipment. Provide good ventilation in process area to prevent accumulation of vapors. Use only non-sparking tools.	
Hygiene measures	: Wash contaminated clothing before reuse. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.	
7.2. Conditions for safe storage, inclu	ding any incompatibilities	
Storage conditions	: Keep container tightly closed. Keep in a cool place. Store locked up.	
Incompatible materials	: Acids. Alcohols. Oxidizing agent.	
Storage area	: Store in a well-ventilated place. Store away from heat.	
SECTION 8: Exposure controls/pe	rsonal protection	
8.1. Control parameters		
No additional information available		
8.2. Exposure controls		
Appropriate engineering controls	: Provide local exhaust or general room ventilation.	
Personal protective equipment	: Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should b available in the immediate vicinity of any potential exposure.	
Hand protection	: Neoprene or nitrile rubber gloves.	
Eye protection	: Chemical goggles or face shield. Contact lenses should not be worn.	
Skin and body protection	: Wear suitable protective clothing.	
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.	
<b>SECTION 9: Physical and chemica</b>	I properties	
9.1. Information on basic physical and	d chemical properties	
Physical state	: Liquid	
Appearance	: Clear liquid.	
Molecular mass	: 219.61 g/mol	
Color	: Straw.	
Odor	: Acrid. Similar to hydrogen chloride.	
Odor threshold	: No data available	
Refractive index	: No data available	
pH	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: <0 °C	
Boiling point	: 70 - 72 °C @ 15 mm Hg	
Flash point	: 74 °C	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)		
Vapor pressure	: < 5 mm Hg @ 25°C	

Print date: 09/29/2016

Relative vapor density at 20 °C

: >1

Safety Data Sheet

Relative density	: No data available
Solubility	: Insoluble in water. Reacts with water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity No additional information available	
10.2. Chemical stability	
Stable in sealed containers stored under a dry in	iert atmosphere.
10.3. Possibility of hazardous reactions	
Reacts with water and moisture in air, liberating formation of pyrophoric byproducts.	hydrogen chloride. Lithium aluminum hydride reduction of thexyltrichlorosilane leads to the
10.4. Conditions to avoid	
Heat. Open flame. Sparks.	
10.5. Incompatible materials	
Acids. Alcohols. Oxidizing agent.	
10.6. Hazardous decomposition products	
Hydrogen chloride. Organic acid vapors.	
SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
	None of the components in this product at concentrations >0.1% are listed by IARC, NTP, OSHA or ACGIH as a carcinogen
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract.
Symptoms/injuries after skin contact	: Causes (severe) skin burns.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: May be harmful if swallowed.
Reason for classification	: Expert judgment
SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	

Safety Data Sheet

#### 12.4. **Mobility in soil** No additional information available 12.5. Other adverse effects Other adverse effects : This substance may be hazardous to the environment. : No additional information available Effect on ozone layer Effect on the global warming : No known effects from this product. **GWPmix comment** : No known effects from this product. SECTION 13: Disposal considerations Waste treatment methods 13.1. Sewage disposal recommendations : Do not dispose of waste into sewer. Dispose in a safe manner in accordance with local/national regulations. Dispose of Waste disposal recommendations contents/container to licensed waste disposal facility. Ecology - waste materials : Avoid release to the environment. **SECTION 14: Transport information UN number** 14.1. UN-No.(DOT) : 2987 DOT NA no. UN2987 UN proper shipping name 14.2. : UN2987 Chlorosilanes, corrosive, n.o.s. (THEXYLTRICHLOROSILANE), 8, II Transport document description Proper Shipping Name (DOT) : Chlorosilanes, corrosive, n.o.s. (THEXYLTRICHLOROSILANE) Class (DOT) 8 - Class 8 - Corrosive material 49 CFR 173.136 Packing group (DOT) II - Medium Danger Hazard labels (DOT) 8 - Corrosive DOT Packaging Non Bulk (49 CFR 173.xxx) : 206 DOT Packaging Bulk (49 CFR 173.xxx) : 242 DOT Packaging Exceptions (49 CFR 173.xxx) : None 14.3. Additional information Emergency Response Guide (ERG) Number : 156 Other information : No supplementary information available. Transport by sea DOT Vessel Stowage Location : C - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel DOT Vessel Stowage Other : 40 - Stow "clear of living quarters" Air transport DOT Quantity Limitations Passenger aircraft/rail : Forbidden (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 : 30 L CFR 175.75) **SECTION 15: Regulatory information** 15.1. US Federal regulations **THEXYLTRICHLOROSILANE (18151-53-6)** TSCA Exemption/Exclusion CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and

not permitted in the United States

must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r) is

Safety Data Sheet

#### Thexyltrichlorosilane (18151-53-6)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA No additional information available

EU-Regulations No additional information available

National regulations No additional information available

**15.3. US State regulations** No additional information available

### **SECTION 16: Other information**

Full text of H-phrases::

[	H227	Combustible liquid
	H314	Causes severe skin burns and eye damage
	H318	Causes serious eye damage

Abbreviations and acronyms		Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling.
HMIS III Rating		
Health		3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	_	2 Moderate Hazard - Materials which must be moderately heated or exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F. (Classes II & IIIA)
Physical		1 Slight Hazard - Materials that are normally stable but can become unstable (self-react) at high temperatures and pressures. Materials may react non-violently with water or undergo hazardous polymerization in the absence of inhibitors.
Prepared by safety and environmental affairs.		

Date of issue: 09/29/2016 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2016 Gelest Inc. Morrisville, PA 19067