

Safety Data Sheet SND3255 Date of issue: 08/14/2017 Version: 1.0

1.1. Product identifier	
Product name	: DI-n-BUTYLDIFLUOROTIN
Product code	: SND3255
Product form	: Substance
Physical state	: Solid
Formula	: C8H18Cl2Sn
Synonyms	: DIBUTYLTINDIFLUORIDE
	DIBUTYLDIFLUOROSTANNANE
Chemical family	: ORGANOTIN
1.2. Recommended use of the chen	nical and restrictions on use
Recommended use	: Chemical intermediate For research and industrial use only
1.3. Details of the supplier of the sa	afety data sheet
GELEST, INC. 11 East Steel Road Morrisville, PA 19067 USA T 215-547-1015 - F 215-547-2484 - (M-F): F info@gelest.com	8:00 AM - 5:30 PM EST
1.4. Emergency telephone number	
Emergency number	: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)
SECTION 2: Hazard(s) identificat	tion
2.1. Classification of the substance	
GHS-US classification	
	H311
Acute toxicity (inhalation:dust,mist) Categor Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu	ry 3 H331 H315 y 2 H319
Acute toxicity (inhalation:dust,mist) Categor Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu	ry 3 H331 H315 y 2 H319
Acute toxicity (inhalation:dust,mist) Categor Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Full text of H statements : see section 16	ry 3 H331 H315 y 2 H319
Acute toxicity (inhalation:dust,mist) Categor Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Full text of H statements : see section 16 2.2. Label elements	ry 3 H331 H315 y 2 H319
Acute toxicity (inhalation:dust,mist) Categor Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Full text of H statements : see section 16 2.2. Label elements GHS-US labeling	ry 3 H31 H315 /2 H319 Jre) Category 3 H335
GHS-US labeling Hazard pictograms (GHS-US)	ry 3 H31 H315 /2 H319 Jre) Category 3 H335
Acute toxicity (inhalation:dust,mist) Categor Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Full text of H statements : see section 16 2.2. Label elements GHS-US labeling	ry 3 H31 H315 /2 H319 Jre) Category 3 H335
Acute toxicity (inhalation:dust,mist) Categor Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category Specific target organ toxicity (single exposu Full text of H statements : see section 16 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US)	ry 3 H31 H315 /2 H319 ure) Category 3 H335

Safety Data Sheet

	P312 - Call a POISON CENTER if y P321 - Specific treatment (see first a P361+P364 - Take off immediately a P362+P364 - Take off contaminated P403+P233 - Store in a well-ventilat P405 - Store locked up P501 - Dispose of contents/contained	aid instructions on this all contaminated clothir d clothing and wash it b ted place. Keep contair	ng and wash it before reuse before reuse her tightly closed
2.3. Hazards not otherwise classifie	ed (HNOC)		
No additional information available			
2.4. Unknown acute toxicity (GHS U	JS)		
No data available			
SECTION 3: Composition/Inform	ation on ingredients		
3.1. Substances			
Substance type	: Multi-constituent		
Name	: DI-n-BUTYLDIFLUOROTIN		
CAS No	: 563-25-7		
Name	Product identifier	%	GHS-US classification
Di-n-butyldifluorotin	(CAS No) 563-25-7	95 - 100	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
Other Organotins		0 - 5	Not classified
Full text of hazard classes and H-statement	ts : see section 16		
3.2. Mixtures			
Not applicable			
4.1. Description of first aid measure	es		
First-aid measures general First-aid measures after inhalation	 Remove contaminated clothing and medical advice immediately (show the available show packaging or label. Remove victim to fresh air and keep call a poison center or doctor/physic 	he label where possible at rest in a position co	e). If possible show this sheet; if not
First-aid measures after skin contact	: Wash with plenty of soap and water		al advice/attention
First-aid measures after eye contact	: Immediately flush eyes thoroughly w present and easy to do. Continue rir	with water for at least 1	5 minutes. Remove contact lenses,
First-aid measures after ingestion	: Never give anything by mouth to an doctor/physician.	unconscious person. I	mmediately call a poison center or
4.2. Most important symptoms and	effects, both acute and delayed		
Symptoms/effects after inhalation	: Toxic if inhaled. May cause respirate	•	
Symptoms/effects after skin contact	: Toxic in contact with skin. Causes s	kin irritation. Organotin	s may be absorbed through the skir
Symptoms/effects after eye contact	: Causes serious eye irritation.		
Symptoms/effects after ingestion	: Toxic if swallowed. Swallowing a sm hazard.	nall quantity of this mat	erial will result in serious health
4.3. Indication of any immediate me	edical attention and special treatment need	led	
Note to physician: Application of corticoster abrasion to promote healing.	roid creams has been effective in treating sev	ere skin irritation. If blis	sters develop, they may require
SECTION 5: Firefighting measure	es		
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Foam. Carbon dioxide	. Dry chemical.	
Unsuitable extinguishing media	: None known.		
5.2. Special hazards arising from th	ne substance or mixture		
Fire hazard	: Irritating fumes and organic acid vap temperatures or open flame.	oors may develop wher	n material is exposed to elevated
5.3. Advice for firefighters			
Firefighting instructions	: Exercise caution when fighting any of	chemical fire. Use wate	er spray to cool exposed surfaces.
Protection during firefighting	: Do not enter fire area without proper Avoid contact with skin and eyes. Do	r protective equipment,	

Safety Data Sheet

SECTION & Assidants				
SECTION 6: Accidenta				
	Personal precautions, protective equipment and emergency procedures			
6.1.1. For non-emergency				
Protective equipment	•	equipment as described in Section 8.		
Emergency procedures	: Evacuate unnece	essary personnel.		
6.1.2. For emergency res	ponders			
Protective equipment		take action without suitable protective equipment. Equip cleanup crew with . For further information refer to section 8: "Exposure controls/personal		
6.2. Environmental pre	cautions			
Prevent entry to sewers and p	ublic waters. Notify authorities if produc	t enters sewers or public waters.		
6.3. Methods and mate	rial for containment and cleaning up			
For containment		s with dikes or absorbents to prevent migration and entry into sewers or		
Methods for cleaning up	: Sweep or shovel	spills into appropriate container for disposal.		
6.4. Reference to other	sections			
See Heading 8. Exposure con	trols and personal protection.			
SECTION 7: Handling a	and storage			
7.1. Precautions for sat				
Precautions for safe handling		h skin and eyes. Do not breathe dust. Avoid dust formation. Provide local		
Ũ		al room ventilation to minimize exposure to dust.		
Hygiene measures		ted clothing before reuse. Wash hands and other exposed areas with mild before eating, drinking or smoking and when leaving work.		
7.2. Conditions for safe	e storage, including any incompatibil	ities		
Storage conditions	: Keep container ti	ghtly closed. Store locked up.		
Incompatible materials	: Acids. Direct sun	light. Oxidizers.		
Storage area	: Store in a well-ve	entilated place. Store away from heat.		
SECTION 8: Exposure	controls/personal protection			
8.1. Control parameters	3			
Di-n-butyldifluorotin (563-2	(5-7)			
ACGIH	ACGIH TWA (mg/m ³)	0.1 mg/m ³ as tin		
OSHA	OSHA PEL (TWA) (mg/m ³)	0.1 mg/m ³ as tin		
USHA		0. Thighle as the		
Other Organotins				
ACGIH	ACGIH TWA (mg/m ³)	0.1 mg/m ³ as tin		
OSHA	OSHA PEL (TWA) (mg/m ³)	0.1 mg/m ³ as tin		
8.2. Exposure controls				
Appropriate engineering contro		losing hood with exhaust ventilation.		
Personal protective equipment		ssary exposure. Emergency eye wash fountains and safety showers should be nmediate vicinity of any potential exposure.		
Hand protection	: Neoprene or nitri	le rubber gloves.		
Eye protection	: Chemical goggle	s. Contact lenses should not be worn.		
Skin and body protection	: Wear suitable pro	ptective clothing.		
Respiratory protection		through inhalation may occur from use, respiratory protection equipment is IIOSH-certified combination organic vapor/acid gas (yellow cartridge)		
SECTION 9: Physical a	nd chemical properties			
	ic physical and chemical properties			
Physical state	Solid			

Safety Data Sheet

Odor threshold	No data available
Refractive index	No data available
рН	No data available
Relative evaporation rate (butyl acetate=1)	No data available
Melting point	: 157 - 159 °C
Freezing point	No data available
Boiling point	No data available
Flash point	: >150 °C
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Flammability (solid, gas)	No data available
Vapor pressure	No data available
Relative vapor density at 20 °C	No data available
Relative density	: >1
VOC content	: <3%
Solubility	Insoluble in water.
Log Pow	No data available
Log Kow	No data available
Viscosity, kinematic	No data available
Viscosity, dynamic	No data available
Explosive properties	No data available
Oxidizing properties	No data available
Explosion limits	No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability Stable. Image: Chemical stability	
10.3. Possibility of hazardous reactions	
Direct sunlight causes degradation to an inorganic	tin salt.
10.4. Conditions to avoid	
Heat. Open flame. Sparks.	
10.5.Incompatible materialsAcids. Direct sunlight. Oxidizers.	
-	
10.6. Hazardous decomposition products	
Organic acid vapors. Tin oxides. Tin fluorides.	
SECTION 11: Toxicological information	on and a second s
11.1. Information on toxicological effects	
Acute toxicity	: Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation:dust,mist: Toxic if inhaled.
DI-n-BUTYLDIFLUOROTIN (563-25-7)	
LDLo oral rabbit	200 mg/kg
ATE US (oral)	100 mg/kg body weight
ATE US (dermal)	300 mg/kg body weight
ATE US (dust, mist)	0.5 mg/l/4h
Di-n-butyldifluorotin (563-25-7)	
ATE US (oral)	100 mg/kg body weight
ATE US (dermal)	300 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	3 mg/l/4h
ATE US (dust, mist)	0.5 mg/l/4h
	Causes skin irritation.
Serious eye damage/irritation	Causes serious eye irritation.
Brint data: 08/11/2017	EN (English LIS) SDS ID: SND22EE 4/7

Print date: 08/14/2017

Safety Data Sheet

Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
	None of the components in this product at concentrations >0.1% are listed by IARC, NTP, OSHA or ACGIH as a carcinogen.
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: May cause respiratory irritation.
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects after inhalation	: Toxic if inhaled. May cause respiratory irritation.
Symptoms/effects after skin contact	: Toxic in contact with skin. Causes skin irritation. Organotins may be absorbed through the skin.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Toxic if swallowed. Swallowing a small quantity of this material will result in serious health hazard.
Reason for classification	: Expert judgment
SECTION 12: Ecological information	
12.1 Toxicity	

12.1. Toxicity	
No additional information available	
12.2. Persistence and degrada	bility
No additional information available	
12.3. Bioaccumulative potentia	al
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Other adverse effects	: This substance may be hazardous to the environment.
Effect on ozone layer	: No additional information available
Effect on the global warming	: No known effects from this product.
GWPmix comment	: No known effects from this product.

SECTION 13: Disposal consideration	IS
13.1. Waste treatment methods	
Sewage disposal recommendations	: Do not dispose of waste into sewer.
Product/Packaging disposal recommendations	 Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.
Ecology - waste materials	: Avoid release to the environment.

SECTION 14: Transport information 14.1. UN number UN-No.(DOT) : 2786 DOT NA no. UN2786 14.2. UN proper shipping name Transport document description : UN2786 Organotin pesticides, solid, toxic (DI-n-BUTYLDIFLUOROTIN), 6.1, III Proper Shipping Name (DOT) : Organotin pesticides, solid, toxic (DI-n-BUTYLDIFLUOROTIN) Class (DOT) : 6.1 - Class 6.1 - Poisonous materials 49 CFR 173.132 Packing group (DOT) : III - Minor Danger Hazard labels (DOT) : 6.1 - Poison Ð, POISON

Safety Data Sheet

Marine pollutant	: Yes (IMDG only)
	¥
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 213
DOT Packaging Bulk (49 CFR 173.xxx) DOT Packaging Exceptions (49 CFR 173.xxx)	: 240 : 153
14.3. Additional information	
Emergency Response Guide (ERG) Number	: 153
Other information	: No supplementary information available.
Transport by sea	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Air transport	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 100 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 200 kg
SECTION 15: Regulatory information	n
15.1. US Federal regulations	
Di-n-butyldifluorotin (563-25-7)	
Listed on the United States TSCA (Toxic Subs	tances Control Act) inventory
15.2. International regulations	
CANADA	
Di-n-butyldifluorotin (563-25-7)	
Listed on the Canadian NDSL (Non-Domestic	Substances List)
EU-Regulations	
Di-n-butyldifluorotin (563-25-7)	
Listed on the EEC inventory EINECS (Europea	an Inventory of Existing Commercial Chemical Substances)
National regulations	
Di-n-butyldifluorotin (563-25-7)	
Listed on the AICS (Australian Inventory of Chu Listed on IECSC (Inventory of Existing Chemic	
15.3. US State regulations	
No additional information available	
SECTION 16: Other information	

Full text of H-phrases::

H301	Toxic if swallowed
H311	Toxic in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H331	Toxic if inhaled
H335	May cause respiratory irritation

Safety Data Sheet

Abbreviations and acronyms	:	Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development; GHS: The Globally Harmonized System of Classification and Labelling; APF: Assigned Protection Factor.
HMIS III Rating		
Health	:	3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given
Flammability	:	1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)
Physical	:	0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Prepared by safety and environmental affairs.

Date of issue: 08/14/2017 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2017 Gelest Inc. Morrisville, PA 19067