

GELEST, INC.

11 East Steel Rd. Morrisville, PA 19067
Phone: (215) 547-1015

MATERIAL SAFETY
DATA SHEET

EMERGENCY TELEPHONE
CHEMTREC: 1-800-424-9300

NAME USED ON LABEL: **ANTIMONY ETHOXIDE - AKA100**

CHEMICAL NAME: ANTIMONY III ETHOXIDE

SYNONYMS: ANTIMONY ETHYLATE

CHEMICAL FAMILY: ANTIMONY COMPOUND

FORMULA: C₆H₁₅O₃Sb

HMIS CODES HEALTH: 3 FLAMMABILITY: 1 REACTIVITY: 1

INGREDIENTS

IDENTITY	CAS NO.	%	TLV
ANTIMONY III ETHOXIDE	10433-06-4	>95	not established
(Sb ₂ O ₃ ACGIH TLV: TWA 500mg/m ³)			

PHYSICAL DATA

Boiling Point: 71-3° at 0.5mm

Specific Gravity: 1.524

Vapor Density: NA

% volatiles NA

Molecular Weight: 256.93

Appearance & Color: Clear to pale yellow liquid; slight odor.

Melting Point: <0°C

Vapor Pressure: N/A

Solubility in water: reacts

Evaporation rate: NA

Other: NA

FIRE & EXPLOSION DATA

Flash Point, COC: >110°C (>230°F) Autoignition Temp.: not determined

Flammability Limits- LEL: NA UEL: NA

Antimony ethoxide is a combustible liquid.

Extinguishing Media: Foam, carbon dioxide, dry chemical.

Special Fire Fighting Procedures: Avoid water spray as ethanol will be generated. Avoid eye and skin contact. Do not breathe fumes or inhale vapors.

Unusual Fire and Explosion Hazards: Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.

-1-(AKA100)

ENVIRONMENTAL INFORMATION

Spill response: Utilize non-flammable absorbent, then sweep material and transfer to a suitable container for disposal.

Recommended Disposal: Absorb onto non-flammable solid, then dispose of as solid waste. Follow all chemical pollution control regulations.

HEALTH HAZARD DATA

Eye Contact: Will cause immediate or delayed severe eye irritation.

Skin contact: May produce irritation or contact dermatitis. Prompt and thorough washing with soap and water will reduce or eliminate potential dermal effects.

Inhalation: Inhalation of vapors may irritate the respiratory tract.

Oral Toxicity: not determined
Chronic Toxicity: not determined

SUGGESTED FIRST AID

EYES: In case of contact, immediately flush eyes with flowing water for at least 15 minutes. Get medical attention.

SKIN: Flush with water, then wash with soap and water.

INHALATION: Move exposed individual to fresh air. Administer oxygen if needed. Call a physician.

INGESTION: Never give fluids or induce vomiting if patient is unconscious or having convulsions. Get medical attention.

REACTIVITY DATA

Stability: Stable

Conditions to avoid: Material decomposes slowly in contact with air by reaction with moisture, liberating n-butanol and antimony oxide. Avoid contact with water.

Hazardous decomposition products: Organic acid vapors and antimony oxide fumes.

-2-(AKA100)

SPECIAL PROTECTION INFORMATION

Ventilation: Local exhaust is required. Mechanical is recommended.

Respiratory Protection: If exposure exceeds TLV, NIOSH approved dust and mist respirator.

Eye and Face Protection: Chemical worker's goggles. Do not wear contact lenses.

Other Clothing and Equipment: Rubber, neoprene or nitrile gloves. An eyewash and emergency shower should be available. Launder clothing before reuse.

OTHER PRECAUTIONS

For research use only.

Storage and Handling: Store in sealed containers. Do not allow dust to accumulate in work areas.

TRANSPORTATION

DOT SHIPPING NAME: COMBUSTIBLE LIQUID, N.O.S.

DOT HAZARD CLASS: NOT REQUIRED

DOT LABEL: NOT REQUIRED

DOT ID No: NOT REQUIRED

Prepared by safety and environmental affairs AKA100 ISSUE DATE 9/17/02
SUPERSEDES: 7/9/96

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore.