

Safety Data Sheet AKB154 Date of issue: 08/17/2015 Revision date: 09/01/2015

Version: 2.0

| SECTION THICENTICATION OF the | |
|--|--|
| | substance/mixture and of the company/undertaking |
| 1.1. Product identifier | |
| Product form | : Substance |
| Physical state | : Liquid |
| Substance name | : BORON ALLYLOXIDE |
| Product code | : AKB154 |
| Formula | : C9H15BO3 |
| Synonyms | : TRIALLYL BORATE, TRIALLYLOXYBORANE, BORIC ACID-TRIALLYL ESTER; BORIC AC (H3BO3), TRI-2-PROPEN-1-YL ESTER |
| Chemical family | : ESTER |
| 1.2. Relevant identified uses of the s | substance or mixture and uses advised against |
| Use of the substance/mixture | : Chemical intermediate For research and industrial use only |
| 1.3. Details of the supplier of the sat | iety data sheet |
| GELEST, INC. 11 East Steel Road Morrisville, PA 19067 USA T 215-547-1015 - F 215-547-2484 - (M-F): 8 | 3:00 AM - 5:30 PM EST |
| info@gelest.com - www.gelest.com | |
| 1.4. Emergency telephone number | |
| Emergency number | : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International) |
| SECTION 2: Hazards identificatio | in |
| 2.1. Classification of the substance | |
| Classification (GHS-US) | |
| Flam. Liq. 3H226Acute Tox. 4 (Inhalation:vapour)H332Skin Irrit. 2H315Eye Irrit. 2AH319STOT SE 3H335Aquatic Acute 3H402Full text of H-phrases: see section 16 | |
| 1 un tent of 11-prilases. See Section 10 | |
| | |
| 2.2. Label elements | |
| 2.2. Label elements GHS-US labeling | : GHS02 GHS07 |
| 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) | : Kan Kan Kan Kan Kan Kan Kan Kan Kan Kan |
| 2.2. Label elements GHS-US labeling | : end of the second seco |
| 2.2. Label elements GHS-US labeling Hazard pictograms (GHS-US) Signal word (GHS-US) | Warning H226 - Flammable liquid and vapor H315 - Causes skin irritation H319 - Causes serious eye irritation H332 - Harmful if inhaled H335 - May cause respiratory irritation |

Safety Data Sheet

| | skin with water/shower P304+P340 - If inhaled: Remove person P305+P351+P338 - IF IN EYES: Rinse of contact lenses, if present and easy to do P312 - Call a doctor if you feel unwell P321 - Specific treatment (see first aid in P332+P313 - If skin irritation occurs: Get P337+P313 - If skin irritation persists: Ge P362+P364 - Take off contaminated clot P370+P378 - In case of fire: Use water s P403+P233 - Store in a well-ventilated p P403+P235 - Keep in a cool place P405 - Store locked up P501 - Dispose of contents/container to b | cautiously with water . Continue rinsing astructions on this lak t medical advice/atte hing and wash it befi- pray, foam, carbon of lace. Keep container | for several minutes. Remove bel) ntion ention ore reuse dioxide, dry chemical to extinguish r tightly closed |
|---|---|--|--|
| 2.3. Other hazards | | | |
| No additional information available | | | |
| 2.4. Unknown acute toxicity (GHS US) | | | |
| No data available | | | |
| SECTION 3: Composition/informat | tion on ingredients | | |
| 3.1. Substance | | | |
| Substance type | : Multi-constituent | | |
| Name | : BORON ALLYLOXIDE | | |
| CAS No | : 1693-71-6 | | |
| EC no | : 216-897-9 | | |
| Name | Product identifier | % | Classification (GHS-US) |
| Triallyl borate | (CAS No) 1693-71-6 | 95 - | Flam. Liq. 3, H226 |
| | | 100 | Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 |
| Allyl alcohol | (CAS No) 107-18-6 | 1 - 2 | Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 |
| | | | Acute Tox. 2 (Dermal), H310 Acute Tox. 1 (Inhalation:vapour), H330 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Aquatic Acute 1, H400 |
| 3.2. Mixture | | | |
| Not applicable | | | |
| SECTION 4: First aid measures | | | |
| 4.1. Description of first aid measures | | | |
| First-aid measures general | : Remove contaminated clothing and shoe medical advice immediately (show the la available show packaging or label. IF exp | bel where possible). | If possible show this sheet; if not |
| First-aid measures after inhalation | : Remove victim to fresh air and keep at re unwell, seek medical advice. | est in a position com | fortable for breathing. If you feel |
| First-aid measures after skin contact | : Wash with plenty of soap and water. Get | | |
| First-aid measures after eye contact | : Immediately flush eyes thoroughly with w present and easy to do. Continue rinsing | | |
| First-aid measures after ingestion | : Never give anything by mouth to an unco | onscious person. Ge | t medical advice/attention. |
| 4.2. Most important symptoms and ef | fects, both acute and delayed | | |
| Symptoms/injuries after inhalation | : May cause respiratory irritation. Allyl alco systemic irritant. | ohol is considered a | poison by inhalation and a |
| Symptoms/injuries after skin contact | : Causes skin irritation. | | |
| Symptoms/injuries after eye contact | : Causes serious eye irritation. | | |
| Symptoms/injuries after ingestion | : May be harmful if swallowed. | | |
| 4.3. Indication of any immediate medi No additional information available | ical attention and special treatment needed | | |
| SECTION 5: Firefighting measures | | | |
| 5.1. Extinguishing media | | | |
| Suitable extinguishing media | : Alcohol-resistant foam. Carbon dioxide. I | Dry chemical | |
| Unsuitable extinguishing media | : Avoid water spray as toxic allyl alcohol w | • | |
| 09/01/2015 | EN (English US) | SDS ID: AKB154 | 4 2/8 |

Safety Data Sheet

| | . Flowmobile liquid and yonor, invitation fumon and experie acid yonors may develop when |
|---|--|
| ire hazard | : Flammable liquid and vapor. Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame. |
| 3. Advice for firefighters | |
| Firefighting instructions | : Exercise caution when fighting any chemical fire. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapor and mist. |
| SECTION 6: Accidental release mea | isures |
| .1. Personal precautions, protective e | quipment and emergency procedures |
| General measures | : Remove ignition sources. Use special care to avoid static electric charges. |
| 5.1.1. For non-emergency personnel | |
| Protective equipment | : Wear protective equipment as described in Section 8. |
| mergency procedures | : Evacuate unnecessary personnel. |
| 5.1.2. For emergency responders | |
| Protective equipment | : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection". |
| 2. Environmental precautions | |
| Prevent entry to sewers and public waters. Noti | fy authorities if liquid enters sewers or public waters. |
| 3.3. Methods and material for containm | ent and cleaning up |
| or containment | : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. |
| lethods for cleaning up | : Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or shove spills into appropriate container for disposal. Use only non-sparking tools. |
| 6.4. Reference to other sections | |
| See Heading 8. Exposure controls and persona | I protection. |
| SECTION 7: Handling and storage | |
| 7.1. Precautions for safe handling | |
| Precautions for safe handling | : Avoid all eye and skin contact and do not breathe vapor and mist. Provide good ventilation in process area to prevent accumulation of vapors. Take precautionary measures against static discharge. Containers and transfer lines require grounding during use. Use only non-sparking tools. |
| lygiene measures | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse. |
| 2. Conditions for safe storage, includ | ing any incompatibilities |
| echnical measures | : Ground/bond container and receiving equipment. |
| Storage conditions | : Keep container tightly closed. |
| ncompatible materials | : Carbon tetrachloride. Mineral acids. Oxidizing agent. Water. |
| Storage area | : Store in a well-ventilated place. Store away from heat. |
| 7.3. Specific end use(s) | |
| lo additional information available | |
| | |
| SECTION 8: Exposure controls/pers | |
| SECTION 8: Exposure controls/pers | |

| Triallyl borate (1693-71-6) | | | |
|-----------------------------|---------------------------------------|----------------------|--|
| USA ACGIH | ACGIH TWA (ppm) | 100 ppm | |
| Allyl alcohol (107-18-6) | | | |
| USA ACGIH | ACGIH TWA (ppm) | 0.5 ppm | |
| USA NIOSH | NIOSH REL (TWA) (mg/m ³) | 5 mg/m ³ | |
| USA NIOSH | NIOSH REL (TWA) (ppm) | 2 ppm | |
| USA NIOSH | NIOSH REL (STEL) (mg/m ³) | 10 mg/m ³ | |
| USA NIOSH | NIOSH REL (STEL) (ppm) | 4 ppm | |
| USA OSHA | OSHA PEL (TWA) (mg/m³) | 5 mg/m ³ | |
| USA OSHA | OSHA PEL (TWA) (ppm) | 2 ppm | |

Safety Data Sheet

| Allyl alcohol (107-18-6) | | |
|--|----------------------------------|--|
| USA IDLH | JS IDLH (ppm) | 20 ppm |
| 3.2. Exposure controls | | |
| Appropriate engineering controls | : Handle in an en | closing hood with exhaust ventilation. |
| Personal protective equipment | | essary exposure. Emergency eye wash fountains and safety showers should to immediate vicinity of any potential exposure. |
| land protection | • | rile rubber gloves. |
| ye protection | | es. Contact lenses should not be worn. |
| Skin and body protection | | rotective clothing. |
| Respiratory protection | : Where exposure recommended. | e through inhalation may occur from use, respiratory protection equipment is |
| SECTION 9: Physical and | | |
| | hysical and chemical properties | 5 |
| Physical state | : Liquid | |
| Appearance | : Liquid. | |
| <i>I</i> olecular mass | : 182.03 g/mol | |
| Color | : Water white. | |
| Ddor | : Slight. Pungent. | |
| Ddor threshold | : No data availab | le |
| Refractive index | : 1.427 | |
|)H Deletius sussessities sets (but dies | : No data availab | |
| Relative evaporation rate (butyl ac | , | |
| Aelting point | : No data availab : < 0 °C | ie |
| Freezing point | . <0 ℃ : 72 ℃ @ 12 | |
| Boiling point | : 31 °C | |
| Flash point | : No data availab | |
| Auto-ignition temperature | : No data availab | |
| Flammability (solid, gas) | : Flammable liqui | |
| /apor pressure | : No data availab | |
| Relative vapor density at 20 °C | : > 1 | |
| Relative density | : 0.919 | |
| Solubility | : Reacts with wat | er |
| .og Pow | : No data availab | |
| .og Kow | : No data availab | |
| /iscosity, kinematic | : 0.9 cSt @ 23°C | |
| /iscosity, dynamic | : No data availab | |
| Explosive properties | : No data availab | |
| Dxidizing properties | : No data availab | |
| Explosion limits | : No data availab | |

No additional information available

| SECTION 10: Stability and reactivity | | | |
|---|--|--|--|
| 10.1. Reactivity | | | |
| No additional information available | | | |
| 10.2. Chemical stability | | | |
| Stable. | | | |
| 10.3. Possibility of hazardous reactions | | | |
| Material decomposes slowly in contact with air by reaction with moisture, liberating allyl alcohol and boric acid. Avoid contact with water. Violent and potentially explosive reactions may occur on contact with oxidizers, mineral acids and carbon tetrachloride. | | | |
| 10.4. Conditions to avoid | | | |
| Heat. Open flame. Sparks. | | | |
| 10.5. Incompatible materials | | | |
| Carbon tetrachloride. Mineral acids. Oxidizing agent. Water. | | | |

09/01/2015

Safety Data Sheet

| 10.6. Hazardous decomposition products | | |
|--|---|--|
| 10.6. Hazardous decomposition products Boron oxide fumes. Organic acid vapors. Image: Composition products | | |
| | | |
| SECTION 11: Toxicological information | | |
| 11.1. Information on toxicological effects | | |
| Acute toxicity | : Inhalation:vapour: Harmful if inhaled. | |
| BORON ALLYLOXIDE (1693-71-6) | | |
| ATE US (vapors) | 19.550 mg/l/4h | |
| Allyl alcohol (107-18-6) | | |
| LD50 oral rat | 64 mg/kg | |
| LD50 oral mouse | 96 mg/kg | |
| LD50 dermal rabbit | 89 mg/kg | |
| LC50 inhalation rat (mg/l) | 0.391 mg/l/4h | |
| ATE US (oral) | 64.000 mg/kg body weight | |
| ATE US (dermal) | 89.000 mg/kg body weight | |
| ATE US (vapors) | 0.391 mg/l/4h | |
| ATE US (dust, mist) | 0.391 mg/l/4h | |
| Skin corrosion/irritation | : Causes skin irritation. | |
| Serious eye damage/irritation | : Causes serious eye irritation. | |
| Respiratory or skin sensitization | : Not classified | |
| Germ cell mutagenicity | : Not classified | |
| Carcinogenicity | : Not classified | |
| Reproductive toxicity | : Not classified | |
| Specific target organ toxicity (single exposure) | : May cause respiratory irritation. | |
| Specific target organ toxicity (repeated | : Not classified | |
| exposure) | | |
| Aspiration hazard | : Not classified | |
| Potential Adverse human health effects and symptoms | : Boron allyloxide hydrolyzes in contact with moisture in air to form allyl alcohol and boron oxide. Allyl alcohol is considered a highly toxic byproduct. | |
| Symptoms/injuries after inhalation | : May cause respiratory irritation. Allyl alcohol is considered a poison by inhalation and a systemic irritant. | |
| Symptoms/injuries after skin contact | : Causes skin irritation. | |
| Symptoms/injuries after eye contact | : Causes serious eye irritation. | |
| Symptoms/injuries after ingestion | : May be harmful if swallowed. | |
| Reason for classification | : Expert judgment | |
| | | |

SECTION 12: Ecological information

| 12.1. Toxicity | |
|-------------------------------------|--|
| Ecology - general | Harmful to aquatic life. |
| Allyl alcohol (107-18-6) | |
| LC50 fish 1 | 0.28 - 0.37 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |
| LC50 fish 2 | 0.32 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) |
| 12.2. Persistence and degradability | |

No additional information available

| 12.3. Bioaccumulative potent | tial |
|------------------------------|------|
|------------------------------|------|

| Allyl alcohol (107-18-6) | | |
|--|------------------|-------------------------------|
| BCF fish 1 (no bioaccumulation expected) | | (no bioaccumulation expected) |
| Log P | ow | 0.17 |
| 12.4. | Mobility in soil | |

No additional information available

| 12.5. | Other adverse effects | |
|-----------|-----------------------|---|
| Other ad | verse effects | : This substance may be hazardous to the environment. |
| Effect on | ozone layer | : No additional information available |
| Effect on | the global warming | : No known ecological damage caused by this product. |
| | | |

Safety Data Sheet

| SECTION 13: Disposal considerations | | |
|---|---|--|
| 13.1. Waste treatment methods | | |
| Sewage disposal recommendations | : Do not dispose of waste into sewer. | |
| Waste disposal recommendations | Dispose in a safe manner in accordance with local/national regulations. Dispose of | |
| | contents/container to licensed waste disposal facility. | |
| Ecology - waste materials | : Avoid release to the environment. | |
| SECTION 14: Transport information | | |
| 14.1. UN number | | |
| UN-No.(DOT) | : 1992 | |
| DOT NA no. | UN1992 | |
| 14.2. UN proper shipping name | | |
| 11 11 0 | : Flammable liquids, toxic, n.o.s. | |
| | (BORON ALLYLOXIDE) | |
| Department of Transportation (DOT) Hazard Classes | 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 | |
| Hazard labels (DOT) | : 3 - Flammable liquid | |
| | 6.1 - Poison | |
| | | |
| | | |
| | | |
| | | |
| - | : G - Identifies PSN requiring a technical name | |
| | : III - Minor Danger | |
| | : 150 | |
| | 203 | |
| DOT Packaging Bulk (49 CFR 173.xxx) | : 242 | |
| 14.3. Additional information | | |
| Other information | : No supplementary information available. | |
| | | |
| Transport by sea | | |
| DOT Vessel Stowage Location | : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a | |
| | passenger vessel. | |
| Air transport | | |
| DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) | : 60 L | |
| DOT Quantity Limitations Cargo aircraft only (49 | : 220 L | |
| CFR 175.75) | | |
| SECTION 15: Regulatory information | | |
| 15.1. US Federal regulations | | |
| Triallyl borate (1693-71-6) | | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | | |
| Allyl alcohol (107-18-6) | | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | | |
| Listed on the United States SARA Section 302 Listed on United States SARA Section 313 | | |
| Listed on United States SARA Section 313 SARA Section 302 Threshold Planning | 1000 | |
| Quantity (TPQ) | 1000 | |
| SARA Section 313 - Emission Reporting | 1.0 % | |
| 15.2. International regulations | | |
| Triallyl borate (1693-71-6) | | |
| Listed on the Canadian NDSL (Non-Domestic Substances List) | | |
| Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) | | |
| Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Canadian IDL (Ingredient Disclosure List) | | |
| Listed on the Canadian DL (ingredient Disclosure List) Listed on INSQ (Mexican national Inventory of Chemical Substances) | | |
| | | |

U.S. - California - Proposition 65 - Reproductive

Toxicity - Female

Safety Data Sheet

| Allyl alcohol (107-18-6) | | | | |
|---|----|--|--|--|
| Listed on the AICS (Australian Inventory of Chemical Substances) | | | | |
| Listed on the Canadian DSL (Domestic Sustances List) | | | | |
| Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) | | | | |
| Listed on the EEC inventory EINECS (European Inver | | | | |
| Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory | | | | |
| Listed on the Korean ECL (Existing Chemicals List) | | | | |
| Listed on NZIOC (New Zealand Inventory of Chemicals) | | | | |
| Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) | | | | |
| Japanese Poisonous and Deleterious Substances Control Law | | | | |
| Japanese Pollutant Release and Transfer Register Law (PRTR Law) | | | | |
| Listed on the Canadian IDL (Ingredient Disclosure List) | | | | |
| Listed on INSQ (Mexican national Inventory of Chemical Substances) | | | | |
| | | | | |
| 15.3. US State regulations | | | | |
| BORON ALLYLOXIDE(1693-71-6) | | | | |
| U.S California - Proposition 65 - Carcinogens List | No | | | |
| U.S California - Proposition 65 - Developmental | No | | | |
| Toxicity | | | | |

No

| U.S California - Propos Toxicity - Male | ition 65 - Reproductive | No | | | |
|--|--|---|---|--------------------------------------|--|
| Triallyl borate (1693-71-6) | | | | | |
| U.S California - Proposition 65 - Carcinogens List | U.S California - Proposition 65 - Developmental Toxicity | U.S California - Proposition 65 - Reproductive Toxicity - Female | U.S California - Proposition 65 - Reproductive Toxicity - Male | No significance risk level (NSRL) | |
| No | No | No | No | | |
| Allyl alcohol (107-18-6) | | | | | |
| U.S California - Proposition 65 - Carcinogens List | U.S California - Proposition 65 - Developmental Toxicity | U.S California - Proposition 65 - Reproductive Toxicity - Female | U.S California - Proposition 65 - Reproductive Toxicity - Male | No significance risk level (NSRL) | |
| No | No | No | No | | |
| Allyl alcohol (107-18-6) | | | | | |

SECTION 16: Other information

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

Full text of H-phrases::

| Acute toxicity (inhalation:vapor) Category 1 | |
|--|--|
| | |
| Acute toxicity (dermal) Category 2 | |
| Acute toxicity (oral) Category 3 | |
| Acute toxicity (inhalation:vapor) Category 4 | |
| Hazardous to the aquatic environment - Acute Hazard Category 1 | |
| Hazardous to the aquatic environment - Acute Hazard Category 3 | |
| Serious eye damage/eye irritation Category 2A | |
| Flammable liquids Category 2 | |
| Flammable liquids Category 3 | |
| Skin corrosion/irritation Category 2 | |
| Specific target organ toxicity (single exposure) Category 3 | |
| Highly flammable liquid and vapor | |
| Flammable liquid and vapor | |
| Toxic if swallowed | |
| Fatal in contact with skin | |
| Causes skin irritation | |
| | |

Safety Data Sheet

| H319 | Causes serious eye irritation |
|------|----------------------------------|
| H330 | Fatal if inhaled |
| H332 | Harmful if inhaled |
| H335 | May cause respiratory irritation |
| H400 | Very toxic to aquatic life |
| H402 | Harmful to aquatic life |

HMIS III Rating

Health

: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given

| Flammability | : 3 Serious Hazard |
|--------------|--------------------|
| Physical | : 1 Slight Hazard |

Prepared by safety and environmental affairs.

Date of issue: 08/17/2015 Revision date: 09/01/2015 Version: 2.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

