

Safety Data Sheet AKC205 Date of issue: 10/15/2015 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

Product form : Mixture Physical state : Liquid

Product name : CHROMIUM(III) METHOXYPROPOXIDE, 10-12% in methoxypropanol

Product code AKC205 Formula : C12H27CrO6

CHROMIUM 2-METHOXYPROPOXIDE; CHROMIUM TRIISOPROPOXIDE; 2-PROPANOL, Synonyms

CHROMIUM(3+) SALT

: METAL COMPOUND Chemical family

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Chemical intermediate

For research and industrial use only

#### Details of the supplier of the safety data sheet 1.3.

### **GELEST, INC.**

11 East Steel Road Morrisville, PA 19067

USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

### **Emergency telephone number**

: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International) **Emergency number** 

### SECTION 2: Hazards identification

#### Classification of the substance or mixture 2.1.

### **GHS-US** classification

Flam. Liq. 3 H226 Eve Irrit, 2A H319 STOT SE 3 H336

Full text of H-phrases: see section 16

#### 2.2. Label elements

### **GHS-US** labeling

Hazard pictograms (GHS-US)





GHS07

Signal word (GHS-US) : Warning

: H226 - Flammable liquid and vapor Hazard statements (GHS-US)

H319 - Causes serious eye irritation H336 - May cause drowsiness or dizziness

: P280 - Wear protective gloves/protective clothing/eye protection/face protection Precautionary statements (GHS-US)

P210 - Keep away from heat, open flames, sparks. - No smoking

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P261 - Avoid breathing vapors

P264 - Wash hands thoroughly after handling P271 - Use only outdoors or in a well-ventilated area

P303+P361+P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P337+P313 - If eye irritation persists: Get medical advice/attention

P312 - Call a doctor if you feel unwell

P370+P378 - In case of fire: Use water spray or fog, foam, carbon dioxide, dry chemical to

EN (English US) SDS ID: AKC205 10/15/2015 Page 1

Safety Data Sheet

extinguish

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P403+P235 - Keep in a cool place

P405 - Store locked up

P501 - Dispose of contents/container to licensed waste disposal facility.

#### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

No data available

### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substance

Not applicable

### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
Methoxypropanol	(CAS No) 107-98-2	88 - 90	Flam. Liq. 3, H226 Eye Irrit. 2A, H319 STOT SE 3, H336
Chromium(III) methoxypropoxide	(CAS No) 31087-39-5	10 - 12	Eye Irrit. 2A, H319

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general

: Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.

First-aid measures after inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact

: Wash with plenty of soap and water. Get medical advice/attention.

First-aid measures after eye contact

: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion

Never give anything by mouth to an unconscious person. Get medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation

: May cause drowsiness or dizziness. May cause irritation to the respiratory tract.

Symptoms/injuries after skin contact

: May cause skin irritation.: Causes serious eye irritation.

Symptoms/injuries after eye contact Symptoms/injuries after ingestion

May be harmful if swallowed.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media

: Water spray. Water fog. Foam. Carbon dioxide. Dry chemical.

Unsuitable extinguishing media

: Do not use straight streams.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard

: Flammable liquid and vapor. Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.

### 5.3. Advice for firefighters

Firefighting instructions

: Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapor and mist.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures

: Eliminate every possible source of ignition. Use special care to avoid static electric charges.

### 6.1.1. For non-emergency personnel

Protective equipment

: Wear protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

10/15/2015 EN (English US) SDS ID: **AKC205** 2/7

### Safety Data Sheet

#### 6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

#### **Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### Methods and material for containment and cleaning up

For containment

: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

Methods for cleaning up

Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or

shovel spills into appropriate container for disposal. Use only non-sparking tools.

#### Reference to other sections

See Heading 8. Exposure controls and personal protection.

### **SECTION 7: Handling and storage**

#### Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapors are flammable. Keep away from

heat/sparks/open flames/hot surfaces. - No smoking.

Precautions for safe handling

Avoid all eye and skin contact and do not breathe vapor and mist. Ground/bond container and receiving equipment. Take precautionary measures against static discharge. Use only outdoors

or in a well-ventilated area. Use only non-sparking tools.

Hygiene measures

Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Wash contaminated clothing before reuse.

#### Conditions for safe storage, including any incompatibilities

Technical measures

Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical equipment.

Storage conditions

Keep container tightly closed. Keep in a cool place. Store locked up.

Incompatible materials

Storage area

Store in a well-ventilated place. Store away from heat.

### Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

#### **Control parameters** 8.1.

Methoxypropanol (107-98-2)			
USA ACGIH	ACGIH TWA (ppm)		50 ppm
USA ACGIH	ACGIH STEL (ppm)		100 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m³)		360 mg/m³
USA NIOSH	NIOSH REL (TWA) (ppm)		100 ppm
USA NIOSH	NIOSH REL (STEL) (mg/m³)		540 mg/m³
USA NIOSH	NIOSH REL (STEL) (ppm)		150 ppm

## Chromium(III) methoxypropoxide (31087-39-5)

Cilionilani(iii) methoxypropoxide (51007-53-5)		
USA OSHA	OSHA PEL (TWA) (mg/m³)	0.5 mg/m³ for chromium

### **Exposure controls**

Appropriate engineering controls

: Provide local exhaust or general room ventilation.

Personal protective equipment

Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Hand protection

: Neoprene or nitrile rubber gloves.

Eye protection

Chemical goggles. Contact lenses should not be worn.

Skin and body protection

Wear suitable protective clothing.

Respiratory protection

Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended. NIOSH-certified organic vapor (black cartridge) respirator.

### **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

Physical state : Liquid Appearance : Liquid.

SDS ID: AKC205 10/15/2015 EN (English US)

## Safety Data Sheet

Molecular mass : 319.3 g/mol
Color : Green.
Odor : Mild.

Odor threshold : No data available
Refractive index : No data available
pH : No data available
Relative evaporation rate (butyl acetate=1) : No data available

Melting point : < -80 °C

Freezing point : No data available Boiling point : 118.117 °C initial

Flash point : 34 °C

Auto-ignition temperature : No data available
Decomposition temperature : No data available

Flammability (solid, gas) : Flammable liquid and vapor

Vapor pressure : No data available

Relative vapor density at 20 °C : > 1 Relative density : 0.933 VOC content : > 90 %

Solubility : Insoluble in water. Log Pow : No data available No data available Log Kow Viscosity, kinematic No data available Viscosity, dynamic No data available No data available Explosive properties No data available Oxidizing properties **Explosion limits** No data available

### 9.2. Other information

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Material decomposes slowly in contact with air by reaction with moisture, liberating methoxypropanol and chromium hydroxide.

### 10.4. Conditions to avoid

Heat. Open flame. Sparks.

### 10.5. Incompatible materials

Water.

### 10.6. Hazardous decomposition products

Chromium oxide fumes. Organic acid vapors.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Methoxypropanol (107-98-2)		
	LC50 inhalation rat (mg/l)	> 6 mg/l/4h
	Skin corrosion/irritation	Not classified
	Serious eye damage/irritation	Causes serious eye irritation.

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause drowsiness or dizziness.

10/15/2015 EN (English US) SDS ID: **AKC205** 4/7

## Safety Data Sheet

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : May cause drowsiness or dizziness. May cause irritation to the respiratory tract.

Symptoms/injuries after skin contact : May cause skin irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : May be harmful if swallowed.

Reason for classification : Expert judgment

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Methoxypropanol (107-98-2)	
LC50 fish 1	20.8 g/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 1	23300 mg/l (Exposure time: 48 h - Species: Daphnia magna)

#### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

Methoxypropanol (107-98-2)	
BCF fish 1	<2
Log Pow	-0.437

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

Effect on ozone layer : No additional information available

Effect on the global warming : No known ecological damage caused by this product.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to licensed waste disposal facility.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment.

### **SECTION 14: Transport information**

### 14.1. UN number

UN-No.(DOT) : 1993 DOT NA no. UN1993

### 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Flammable liquids, n.o.s.

(CHROMIUM(III) METHOXYPROPOXIDE, 10-12% in methoxypropanol)

Transport hazard class(es) (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Hazard labels (DOT) : 3 - Flammable liquid



DOT Symbols : G - Identifies PSN requiring a technical name

Packing group (DOT) : III - Minor Danger

DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
DOT Packaging Bulk (49 CFR 173.xxx) : 242

### 14.3. Additional information

Other information : No supplementary information available.

10/15/2015 EN (English US) SDS ID: **AKC205** 5/7

Safety Data Sheet

#### Transport by sea

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 60 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)

### **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

### Methoxypropanol (107-98-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Chromium(III) methoxypropoxide (31087-39-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

### Methoxypropanol (107-98-2)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

Listed on Turkish inventory of chemical

### Chromium(III) methoxypropoxide (31087-39-5)

Listed on the Canadian NDSL (Non-Domestic Substances List)

### 15.3. US State regulations

CHROMIUM(III) METHOXYPROPOXIDE, 10-12% in methoxypropanol(31087-39-5)				
U.S California - Propo	sition 65 - Carcinogens List	No		
U.S California - Proposition 65 - Developmental Toxicity		No		
U.S California - Proposition 65 - Reproductive Toxicity - Female		No		
U.S California - Propo Toxicity - Male	sition 65 - Reproductive	No		
Methoxypropanol (107-98-2)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	
Chromium(III) methoxypropoxide (31087-39-5)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	No	No	

10/15/2015 EN (English US) SDS ID: **AKC205** 6/7

Safety Data Sheet

### **SECTION 16: Other information**

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

#### Full text of H-phrases::

F	
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 3	Flammable liquids Category 3
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

### **HMIS III Rating**

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

given

Flammability : 3 Serious Hazard
Physical : 1 Slight Hazard

Prepared by safety and environmental affairs.

Date of issue: 10/15/2015 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2015 Gelest Inc. Morrisville, PA 19067

10/15/2015 EN (English US) SDS ID: **AKC205** 7/7