MATERIAL SAFETY

DATA SHEET

Molecular Weight: 600.22

Appearance & Color: bright yellow powder

GELEST, INC. 11 East Steel Rd. Morrisville, PA 19067 Phone: (215) 547-1015

Phone: (215) 547-1

EMERGENCY TELEPHONE CHEMTREC: 1-800-424-9300

NAME USED ON LABEL: ERBIUM 8-HYDROXYQUINOLINATE - AKE276 CHEMICAL NAME: ERBIUM 8-HYDROXYQUINOLINATE SYNONYMS: TRIS(8-OXYQUINOLINE)ERBIUM; ERBIUM OXINATE CHEMICAL FAMILY: RARE EARTH COMPOUND FORMULA: C ₂₇ H ₁₈ N ₃ O ₃ Er HMIS CODES HEALTH: 2 FLAMMABILITY: 1 REACTIVITY: 0	
INGREDIENTS	
IDENTITY	CAS NO. % TLV
JCI	23606-16-8 >95 not established
Specific Gravity: >1 Vapor Density: NA	Melting Point: 280°C with decomposition Vapor Pressure:, 25°C <0.1mm Solubility in water: insoluble Evaporation rate: NA

FIRE & EXPLOSION DATA

Other: NA

Flash Point, COC: NAAutoignition Temp.: not determinedFlammability Limits- LEL: NAUEL: NA

Extinguishing Media: Water spray, foam, carbon dioxide, dry chemical. Special Fire Fighting Procedures: Avoid eye and skin contact. Do not breathe fumes or inhale vapors. Unusual Fire and Explosion Hazards: Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame. -1-(AKE276)

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose, LC: Lethal Concentration; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; HMIS: Hazardous Material information System; CAS No.: Chemcial Abstract Service Registration Number Gelest, Inc. © 2008

ENVIRONMENTAL INFORMATION

Spill response: Sweep material and transfer to a suitable container for disposal.

Recommended Disposal: Dispose of as solid waste. Follow all chemical pollution control regulations.

HEALTH HAZARD DATA

Eye Contact: May cause immediate or delayed severe eye irritation. May cause conjunctivitis or ulceration.

Skin contact: May produce irritation or contact dermatitis. Prompt and thorough washing with soap and water will reduce or eliminate potential dermal effects.

Inhalation: Inhalation of dust or particulates may irritate the respiratory tract or cause congestion of nasal mucous membranes.

Oral Toxicity: not determined

Chronic Toxicity: not determined The copper analog is an experimental tumorigen.

SUGGESTED FIRST AID

EYES: In case of contact, immediately flush eyes with flowing water for at least 15 minutes. Get medical attention.

SKIN: Flush with water, then wash with soap and water.

INHALATION: Move exposed individual to fresh air. Administer oxygen if needed. Call a physician.

INGESTION: Never give fluids or induce vomiting if patient is unconscious or having convulsions. Get medical attention.

REACTIVITY DATA

Stability: Stable Conditions to avoid: Oxidizers Hazardous decomposition products: Organic acid vapors and erbium oxide fumes.

-2-(AKE276)

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose, LC: Lethal Concentration; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; HMIS: Hazardous Material information System; CAS No.: Chemcial Abstract Service Registration Number Gelest, Inc. © 2008

SPECIAL PROTECTION INFORMATION

Ventilation: Local exhaust is required. Mechanical is recommended. Respiratory Protection: If exposure exceeds TLV, NIOSH approved dust and mist respirator. Eye and Face Protection: Chemical worker's goggles. Do not wear contact lenses. Other Clothing and Equipment: Rubber, neoprene or nitrile gloves. An eyewash and emergency shower should be available. Launder clothing before reuse.

OTHER PRECAUTIONS

For research use only.

Storage and Handling: Store in sealed containers.

TRANSPORTATION DOT SHIPPING NAME: CHEMICALS, NOI DOT HAZARD CLASS: None required DOT LABEL: None required DOT ID No: None required Prepared by safety and environmental affairs ISSUE DATE AKE276: 10/8/02 SUPERSEDES: 6/29/01

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore.

-3-(AKE276)

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose, LC: Lethal Concentration; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; HMIS: Hazardous Material information System; CAS No.: Chemcial Abstract Service Registration Number Gelest, Inc. © 2008