

**GELEST, INC.**

11 East Steel Rd. Morrisville, PA 19067  
Phone: (215) 547-1015

MATERIAL SAFETY  
DATA SHEET

EMERGENCY TELEPHONE  
CHEMTREC: 1-800-424-9300

NAME: **TITANIUM DIISOPROPOXIDE BIS(TETRAMETHYLHEPTANEDIONATE) -AKT857**  
 CHEMICAL NAME: TITANIUM DIISOPROPOXIDE BIS(TETRAMETHYLHEPTANEDIONATE)  
 SYNONYMS: DIISOPROPOXYTITANIUM TMHD  
 CHEMICAL FAMILY: TITANATE ESTER  
 FORMULA: C<sub>28</sub>H<sub>52</sub>O<sub>6</sub>Ti  
 HMIS CODES HEALTH: 2 FLAMMABILITY: 2 REACTIVITY: 1

**INGREDIENTS**

IDENTITY	CAS NO.	%	TLV	OSHA PEL
TITANIUM DIISOPROPOXIDE BIS(TETRAMETHYLHEPTANEDIONATE)	144665-26-9	>95	not established	
ISOPROPANOL	67-63-0	<5	400ppm	400ppm

**PHYSICAL DATA**

Boiling Point: 150°C at 1mm	Melting Point: 170-7°C
Specific Gravity: not determined	Vapor Pressure: not determined
Vapor Density (air =1): >1	Solubility in water: insoluble, reacts
% volatiles: >5	Evaporation rate: NA
Molecular Weight: 532.60	Other: NA
Appearance & Color: White powder	

**FIRE & EXPLOSION DATA**

Flash Point, COC: > 110°C (>230°F) Autoignition Temp.: not determined  
 Flammability Limits: LEL: NA UEL: NA

Extinguishing Media: Water spray or fog, foam, carbon dioxide, dry chemical.  
 Special Fire Fighting Procedures: Avoid eye and skin contact. Do not breathe fumes or inhale vapors.  
 Unusual Fire and Explosion Hazards: Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.

-1-(AKT857)

## ENVIRONMENTAL INFORMATION

Spill response: Sweep material and transfer to a suitable container for disposal.

Recommended disposal: Incinerate. Follow all chemical pollution control regulations.

## HEALTH HAZARD DATA

Eye Contact: May cause immediate or delayed severe eye irritation and may cause corneal ulceration.

Skin contact: May produce irritation or contact dermatitis. Material generates isopropanol on contact with water or moisture in skin, eyes and mucous membranes and has an irritating, dehydrating effect on overexposed tissue. Prompt and thorough washing with soap and water will reduce or eliminate potential dermal effects.

Inhalation: Inhalation may irritate the respiratory tract, cause headache or nausea.

Oral Toxicity: not determined

Inhalation Toxicity: not determined

Eye Irritation: not determined

## SUGGESTED FIRST AID

**EYES:** In case of contact, immediately flush eyes with flowing water for at least 15 minutes. Get medical attention.

**SKIN:** Flush with water, then wash with soap and water.

**INHALATION:** Move exposed individual to fresh air. Administer oxygen if needed. Call a physician.

**INGESTION:** Never give fluids or induce vomiting if patient is unconscious or having convulsions. To conscious individual give two full cups of water to dilute ingested material. Get medical attention.

## REACTIVITY DATA

Stability: Stable

Conditions to avoid: Material decomposes slowly in contact with moist air and water, liberating isopropanol; TLV(TWA) = 400ppm. Avoid contact with oxidizing agents.

Hazardous decomposition products: Isopropanol, tetramethylheptanedione, organic acid vapors and titanium oxide.

-2-(AKT857)

## SPECIAL PROTECTION INFORMATION

Ventilation: Local exhaust is required. Mechanical is recommended.

Respiratory Protection: If exposure exceeds TLV, NIOSH approved organic vapor respirator.

Eye and Face Protection: Chemical worker's goggles. Do not wear contact lenses.

Other Clothing and Equipment: Rubber, neoprene or nitrile gloves. An eyewash and emergency shower should be available. Launder clothing before reuse.

## OTHER PRECAUTIONS

For research use only.

Storage and Handling: Store in sealed containers.

## TRANSPORTATION

DOT SHIPPING NAME: CHEMICALS, NOI

DOT HAZARD CLASS: Not Regulated

DOT LABEL: Not Required

DOT ID No: Not Required

Prepared by safety and environmental affairs

ISSUE DATE AKT857: 7/24/09

SUPERSEDES: 3/21/00

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.