

Safety Data Sheet GEC2300 Date of issue: 10/06/2015 Version: 1.0

SECTION 1: Identification of the sub	stance/mixture and of	the company/undertaking				
1.1. Product identifier						
Product form	: Substance					
Physical state	: Liquid					
Substance name	: CHLOROMETHYLTRIMETHYLGERMANE					
Product code	: GEC2300					
Formula	: C4H11ClGe					
Synonyms		ETHYLCHLORIDE				
Chemical family	: (TRIMETHYLGERMYL)METHYLCHLORIDE : ORGANOGERMANIUM					
1.2. Relevant identified uses of the subs	tance or mixture and uses	dvised against				
Use of the substance/mixture	: Chemical intermediate					
	For research use only					
1.3. Details of the supplier of the safety	data sheet					
GELEST, INC.						
11 East Steel Road						
Morrisville, PA 19067						
USA T 215-547-1015 - F 215-547-2484 - (M-F): 8:00	AM - 5:30 PM EST					
info@gelest.com - www.gelest.com						
1.4. Emergency telephone number						
Emergency number	: CHEMTREC: 1-800-424-	9300 (USA); +1 703-527-3887 (International)				
SECTION 2: Hazards identification						
2.1. Classification of the substance or n	nixture					
GHS-US classification						
Flam. Liq. 2 H225						
Skin Irrit. 2 H315						
Eye Irrit. 2A H319						
Full text of H-phrases: see section 16						
2.2. Label elements						
GHS-US labeling						
Hazard pictograms (GHS-US)						
	$\langle \langle \langle \rangle \rangle \langle \langle \rangle \rangle$					
	GHS02 GHS0	7				
Signal word (GHS-US)	: Danger	1				
Hazard statements (GHS-US)	: H225 - Highly flammable	iquid and vapor				
	H315 - Causes skin irritat					
	H319 - Causes serious e	re irritation				
Precautionary statements (GHS-US)		oves/protective clothing/eye protection/face protection				
	P210 - Keep away from h P233 - Keep container tig	eat, open flames, sparks No smoking				
		ainer and receiving equipment				
	P241 - Use explosion-pro	of electrical equipment				
	P242 - Use only non-span	0				
	P264 - Wash hands thore	y measures against static discharge ughly after handling				
		skin (or hair): take off immediately all contaminated clo	thing. rinse			
	skin with water/shower					
		on occurs: Get medical advice/attention EYES: Rinse cautiously with water for several minutes	Remove			
		and easy to do. Continue rinsing				
	P337+P313 - If eye irritat	on persists: Get medical advice/attention				
		(see first aid instructions on this label) ntaminated clothing and wash it before reuse				
		re: Use water spray, foam, carbon dioxide, dry chemica	l to extinguish			
	P403+P235 - Keep in a c		30.0.1			
10/06/2015	EN (English US)	SDS ID: GEC2300	Page 1			

Safety Data Sheet

	P501 - Dispose of contents/container to licensed	I waste dispo	osal facility.		
2.3. Other hazards					
No additional information available 2.4. Unknown acute toxicity (GHS L					
2.4. Unknown acute toxicity (GHS U No data available	(o)				
	otion on ingradianta				
SECTION 3: Composition/Inform	ation on ingredients				
3.1. Substance Substance type	: Multi-constituent				
Name	: Multi-constituent : CHLOROMETHYLTRIMETHYLGERMANE				
CAS No	: 5830-55-7				
Name	Product identifier	%	GHS-US classification		
Chloromethyltrimethylgermane	(CAS No) 5830-55-7	95 -	Flam. Liq. 2, H225		
		100	Skin Irrit. 2, H315 Eye Irrit. 2A, H319		
Other Organogermaniums		0 - 5	Not classified		
3.2. Mixture					
Not applicable					
SECTION 4: First aid measures					
4.1. Description of first aid measure					
First-aid measures general	 Remove contaminated clothing and shoes. In ca medical advice immediately (show the label whe available show packaging or label. 				
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a unwell, seek medical advice.	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel			
First-aid measures after skin contact	: Wash with plenty of soap and water. Get medical advice/attention.				
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.				
First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Get medical advice/attention.					
4.2. Most important symptoms and	effects, both acute and delayed				
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract.				
Symptoms/injuries after skin contact	: Causes skin irritation.				
Symptoms/injuries after eye contact	: Causes serious eye irritation.				
ymptoms/injuries after ingestion : May be harmful if swallowed. 3. Indication of any immediate medical attention and special treatment needed					
,	dical attention and special treatment needed				
No additional information available					
SECTION 5: Firefighting measure	es				
5.1. Extinguishing media	Webstern Franz Orthan Studie Drashani	-1			
Suitable extinguishing media Unsuitable extinguishing media	 Water spray. Foam. Carbon dioxide. Dry chemic Do not use straight streams. 	al.			
	ç				
5.2. Special hazards arising from th Fire hazard		as and organ	hic acid vanors may dovalon when		
i iie nazalu	: Highly flammable liquid and vapor. Irritating fumo material is exposed to elevated temperatures or	open flame.	ne aciu vapors may develop when		
Explosion hazard	: May form flammable/explosive vapor-air mixture				
5.3. Advice for firefighters					
Firefighting instructions	: Use water spray to cool exposed surfaces. Exer				
Protection during firefighting	ection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapor and mist.				
SECTION 6: Accidental release r	neasures				
6.1. Personal precautions, protectiv	e equipment and emergency procedures				
General measures	: Eliminate every possible source of ignition. Use	special care	to avoid static electric charges.		
6.1.1. For non-emergency personnel					
Protective equipment	: Wear protective equipment as described in Sect	ion 8.			
Emergency procedures	: Evacuate unnecessary personnel.				

Safety Data Sheet

6.1.2. For emergency responders Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with
	proper protection. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notify	authorities if liquid enters sewers or public waters.
6.3. Methods and material for containme	nt and cleaning up
For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or
	streams.
Methods for cleaning up	: Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or shovel spills into appropriate container for disposal. Use only non-sparking tools.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal	protection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Handle empty containers with care because residual vapors are flammable. Keep away from heat, open flames, sparks No smoking.
Precautions for safe handling	: Avoid all eye and skin contact and do not breathe vapor and mist. Provide good ventilation in process area to prevent accumulation of vapors. Ground/bond container and receiving equipment. Take precautionary measures against static discharge. Use only non-sparking tools.
Hygiene measures	 Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, includin	g any incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof electrical equipment.
Storage conditions	: Keep container tightly closed. Keep in a cool place.
Incompatible materials	: Oxidizing agent.
Storage area	: Store in a well-ventilated place. Store away from heat.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/perso	nal protection
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	
Appropriate engineering controls	: Provide local exhaust or general room ventilation.
Personal protective equipment	: Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be
	available in the immediate vicinity of any potential exposure.
Hand protection	: Neoprene or nitrile rubber gloves.
Eye protection	Chemical goggles. Contact lenses should not be worn.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.
SECTION 9: Physical and chemical p	roperties
9.1. Information on basic physical and cl	nemical properties
Physical state	: Liquid
Appearance	: Clear liquid.
Molecular mass	: 167.17 g/mol
Color	: Straw.
Odor	: Mild.
Odor threshold	: No data available
Refractive index	: 1.4419
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available

Safety Data Sheet

Freezing point	: <0°C		
Boiling point	: 113 °C		
Flash point	: 6°C		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: Highly flammable liquid and vapor		
Vapor pressure	: No data available		
Relative vapor density at 20 °C	: >1		
Relative density	: 1.21		
VOC content	: 100 %		
Solubility	: Insoluble in water.		
Log Pow	: No data available		
Log Kow	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
Explosion limits	: No data available		
9.2. Other information			
No additional information available			
SECTION 10: Stability and reactivity			
10.1. Reactivity			
No additional information available			
10.2. Chemical stability			
Stable.			
10.3. Possibility of hazardous reactions			
No additional information available			
10.4. Conditions to avoid			
Heat. Open flame. Sparks.			
10.5. Incompatible materials			
Oxidizing agent.			
10.6. Hazardous decomposition products			

Organic acid vapors.

SECTION 11: Toxicological information

SECTION 11: Toxicological informat	ion
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: May be harmful if swallowed.
Reason for classification	: Expert judgment

Safety Data Sheet

SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Other adverse effects	: This substance may be hazardous to the environment.
Effect on ozone layer	: No additional information available
Effect on the global warming	: No known ecological damage caused by this product.
SECTION 13: Disposal consideration	IS
13.1. Waste treatment methods	
Sewage disposal recommendations	: Do not dispose of waste into sewer.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.
Additional information	: Handle empty containers with care because residual vapors are flammable.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
14.1. UN number	
UN-No.(DOT)	: 1993
DOT NA no.	UN1993
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Flammable liquids, n.o.s.
	(CHLOROMETHYLTRIMETHYLGERMANE)
Transport hazard class(es) (DOT)	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT)	: 3 - Flammable liquid
	3
DOT Symbols	: G - Identifies PSN requiring a technical name
DOT Symbols Packing group (DOT)	 G - Identifies PSN requiring a technical name II - Medium Danger
-	
Packing group (DOT)	: II - Medium Danger
Packing group (DOT) DOT Packaging Exceptions (49 CFR 173.xxx)	: II - Medium Danger : 150
Packing group (DOT) DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx)	: II - Medium Danger : 150 : 202
Packing group (DOT) DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx)	: II - Medium Danger : 150 : 202
Packing group (DOT) DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) 14.3. Additional information	: II - Medium Danger : 150 : 202 : 242
Packing group (DOT) DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) 14.3. Additional information	: II - Medium Danger : 150 : 202 : 242
Packing group (DOT) DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) 14.3. Additional information Other information	 : II - Medium Danger : 150 : 202 : 242 : No supplementary information available. : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a
Packing group (DOT) DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) 14.3. Additional information Other information Transport by sea	 II - Medium Danger 150 202 242 No supplementary information available. B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25
Packing group (DOT) DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) 14.3. Additional information Other information Transport by sea	 II - Medium Danger 150 202 242 No supplementary information available. B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on
Packing group (DOT) DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) 14.3. Additional information Other information Transport by sea	 II - Medium Danger 150 202 242 No supplementary information available. B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25
Packing group (DOT) DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) 14.3. Additional information Other information Transport by sea DOT Vessel Stowage Location	 II - Medium Danger 150 202 242 No supplementary information available. B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this
Packing group (DOT) DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) 14.3. Additional information Other information Transport by sea DOT Vessel Stowage Location	 : II - Medium Danger : 150 : 202 : 242 : No supplementary information available. : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
Packing group (DOT) DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) 14.3. Additional information Other information Transport by sea DOT Vessel Stowage Location	 : II - Medium Danger : 150 : 202 : 242 : No supplementary information available. : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
Packing group (DOT) DOT Packaging Exceptions (49 CFR 173.xxx) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) 14.3. Additional information Other information Transport by sea DOT Vessel Stowage Location Air transport DOT Quantity Limitations Passenger aircraft/rail	 II - Medium Danger 150 202 242 No supplementary information available. B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded. 5 L

Safety Data Sheet

SECTION 15: Regulatory inform	ation		
15.1. US Federal regulations			
CHLOROMETHYLTRIMETHYLGERMANE (5830-55-7)			
TSCA Exemption/Exclusion	CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r) is not permitted in the United States.		
Chloromethyltrimethylgermane (5830-55-7)			
Not listed on the United States TSCA (Toxic Substances Control Act) inventory			
15.2. International regulations			

No additional information available

15.3. US State regulations					
CHLOROMETHYLTRIMETHYLGERMANE(5830-55-7)					
U.S California - Proposition 65 - Carcinogens List		No			
U.S California - Proposition Toxicity	n 65 - Developmental	No			
U.S California - Proposition Toxicity - Female	n 65 - Reproductive	No			
U.S California - Proposition Toxicity - Male	n 65 - Reproductive	No			
Chloromethyltrimethylgermane (5830-55-7)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity		U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	I	No	No	
Other Organogermaniums					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity		U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
No	No	1	No	No	

SECTION 16: Other information Abbreviations and acronyms	Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.
Full text of H-phrases::	

Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 2	Flammable liquids Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
H225	Highly flammable liquid and vapor
H315	Causes skin irritation
H319	Causes serious eye irritation

HMIS III Rating

Flammability

Health

Physical

: 2 Moderate Hazard - Temporary or minor injury may occur

: 4 Severe Hazard

: 1 Slight Hazard

Safety Data Sheet

Prepared by safety and environmental affairs.

Date of issue: 10/06/2015 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2015 Gelest Inc. Morrisville, PA 19067

