

TRIPHENYLCHLOROGERMANE, tech-95

Safety Data Sheet GET8640 Date of issue: 01/28/2015 Version Version: 1.0

SECTION 1: Identification of the sub	stance/mixture and of the company/undertaking		
1.1. Product identifier			
Product form	: Substance		
Physical state	: Solid		
Substance name	: TRIPHENYLCHLOROGERMANE, tech-95		
Product code	: GET8640		
Formula	: C18H15ClGe		
Synonyms	: CHLOROTRIPHENYLGERMANE; TRIPHENYLGERMANIUM CHLORIDE		
Chemical family	: GERMANIUM CHLORIDE		
	tance or mixture and uses advised against		
Use of the substance/mixture	: Chemical intermediate		
	For research and industrial use only		
1.3. Details of the supplier of the safety of	data sheet		
GELEST, INC. 11 East Steel Road Morrisville, PA 19067 USA T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 A info@gelest.com	AM - 5:30 PM EST		
1.4. Emergency telephone number			
Emergency number	: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)		
SECTION 2: Hazards identification			
2.1. Classification of the substance or m	ixture		
Classification (GHS-US) Skin Corr. 1B H314 Eye Dam. 1 H318 Full text of H-phrases: see section 16 2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)	GHS05		
Signal word (GHS-US)	: Danger		
Hazard statements (GHS-US)	: H314 - Causes severe skin burns and eye damage H318 - Causes serious eye damage		
Precautionary statements (GHS-US)	<ul> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection P260 - Do not breathe dust P264 - Wash hands thoroughly after handling P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting P303+P361+P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a doctor P363 - Wash contaminated clothing before reuse P405 - Store locked up P501 - Dispose of contents/container to licensed waste disposal facility.</li> </ul>		
2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GHS-US)			

No data available

### **TRIPHENYLCHLOROGERMANE**, tech-95

Safety Data Sheet

SECTION 3: Composition/information on ingredients				
3.1. Substance				
Substance type	: Mono	-constituent		
Name	: TRIPI	HENYLCHLOROGERMANE, tech-95		
CAS No : 1626-24-0				
EC no : 216-617-5				
Name		Product identifier	%	Classification (GHS-US)
Triphenylchlorogermane		(CAS No) 1626-24-0	> 95	Skin Corr. 1B, H314 Eye Dam. 1, H318
			•	

### 3.2. Mixture Not applicable

SECTION 4: First aid measures	
4.1. Description of first aid measure	
First-aid measures general	: Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Wash with plenty of soap and water. Get immediate medical advice/attention.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid measures after ingestion	: Never give anything by mouth to an unconscious person. Get medical advice/attention.
4.2. Most important symptoms and	effects, both acute and delayed
Symptoms/injuries	: Causes severe skin burns and eye damage.
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Causes (severe) skin burns.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: May be harmful if swallowed.
4.3. Indication of any immediate me	edical attention and special treatment needed
No additional information available	
<b>SECTION 5: Firefighting measur</b>	es
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Foam. Carbon dioxide. Dry chemical.
Unsuitable extinguishing media	: Water.
5.2. Special hazards arising from the	e substance or mixture
Fire hazard	: Irritating fumes of hydrogen chloride and organic acid vapors may develop when material is exposed to water or open flame.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray to cool exposed surfaces. Exercise caution when fighting any chemical fire.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapor and mist.
<b>SECTION 6: Accidental release r</b>	neasures
6.1. Personal precautions, protectiv	e equipment and emergency procedures
6.1.1. For non-emergency personnel	

6.1.1.	For non-emergency personnel	
Emerge	ency procedures	: Evacuate unnecessary personnel.
6.1.2.	For emergency responders	
Protect	ive equipment	: Equip cleanup crew with proper protection.
6.2.	Environmental precautions	
Preven	t entry to sewers and public waters. Not	tify authorities if liquid enters sewers or public waters.
6.3.	Methods and material for containr	nent and cleaning up
Method	ls for cleaning up	: Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or shovel spills into appropriate container for disposal.
6.4.	Reference to other sections	

See Heading 8. Exposure controls and personal protection.

# TRIPHENYLCHLOROGERMANE, tech-95 Safety Data Sheet

7.1. Precautions for safe handling	Avoid contract with alvin and avec. Do not breathe dust. Dravide level avecant as a second second
Precautions for safe handling	<ul> <li>Avoid contact with skin and eyes. Do not breathe dust. Provide local exhaust or general room ventilation to minimize exposure to dust.</li> </ul>
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, inclu	
Storage conditions	: Keep container tightly closed.
ncompatible materials	: Moisture. Water.
Storage area	: Store in a well-ventilated place. Store away from heat.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/pe	rsonal protection
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	
Appropriate engineering controls	: Provide local exhaust or general room ventilation.
Personal protective equipment	: Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should b
	available in the immediate vicinity of any potential exposure.
Hand protection	: Neoprene or nitrile rubber gloves.
Eye protection	: Chemical goggles or face shield. Contact lenses should not be worn.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is
respiratory protection	recommended. NIOSH-certified dust and mist (orange cartridge) respirator.
SECTION 9: Physical and chemica	
9.1. Information on basic physical and	d chemical properties
Physical state	: Solid
Physical state Appearance	: Solid : Solid.
Physical state Appearance Molecular mass	: Solid : Solid. : 339.36 g/mol
Physical state Appearance Molecular mass Color	<ul> <li>Solid</li> <li>Solid.</li> <li>339.36 g/mol</li> <li>Off-white.</li> </ul>
Physical state Appearance Molecular mass Color Odor	<ul> <li>Solid</li> <li>Solid.</li> <li>339.36 g/mol</li> <li>Off-white.</li> <li>Acrid. Similar to hydrogen chloride.</li> </ul>
Physical state Appearance Molecular mass Color Odor Odor threshold	<ul> <li>Solid</li> <li>Solid.</li> <li>339.36 g/mol</li> <li>Off-white.</li> <li>Acrid. Similar to hydrogen chloride.</li> <li>No data available</li> </ul>
Physical state Appearance Molecular mass Color Odor Odor threshold Refractive index	<ul> <li>Solid</li> <li>Solid.</li> <li>339.36 g/mol</li> <li>Off-white.</li> <li>Acrid. Similar to hydrogen chloride.</li> <li>No data available</li> <li>No data available</li> </ul>
Physical state Appearance Molecular mass Color Odor Odor threshold Refractive index oH	<ul> <li>Solid</li> <li>Solid.</li> <li>339.36 g/mol</li> <li>Off-white.</li> <li>Acrid. Similar to hydrogen chloride.</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> </ul>
Physical state Appearance Molecular mass Color Odor Odor threshold Refractive index oH Relative evaporation rate (butyl acetate=1)	<ul> <li>Solid</li> <li>Solid.</li> <li>339.36 g/mol</li> <li>Off-white.</li> <li>Acrid. Similar to hydrogen chloride.</li> <li>No data available</li> </ul>
Physical state Appearance Molecular mass Color Odor Odor threshold Refractive index oH Relative evaporation rate (butyl acetate=1) Melting point	<ul> <li>Solid</li> <li>Solid.</li> <li>339.36 g/mol</li> <li>Off-white.</li> <li>Acrid. Similar to hydrogen chloride.</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>117 °C</li> </ul>
Physical state Appearance Molecular mass Color Odor Odor threshold Refractive index oH Relative evaporation rate (butyl acetate=1) Melting point Freezing point	<ul> <li>Solid</li> <li>Solid.</li> <li>339.36 g/mol</li> <li>Off-white.</li> <li>Acrid. Similar to hydrogen chloride.</li> <li>No data available</li> </ul>
Physical state Appearance Molecular mass Color Odor Odor threshold Refractive index oH Relative evaporation rate (butyl acetate=1) Melting point Freezing point Boiling point	<ul> <li>Solid</li> <li>Solid.</li> <li>339.36 g/mol</li> <li>Off-white.</li> <li>Acrid. Similar to hydrogen chloride.</li> <li>No data available</li> <li>285 °C @ 12 mm Hg</li> </ul>
Physical state Appearance Molecular mass Color Odor Odor threshold Refractive index oH Relative evaporation rate (butyl acetate=1) Melting point Freezing point Boiling point Flash point	<ul> <li>Solid</li> <li>Solid.</li> <li>339.36 g/mol</li> <li>Off-white.</li> <li>Acrid. Similar to hydrogen chloride.</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>117 °C</li> <li>No data available</li> <li>285 °C @ 12 mm Hg</li> <li>No data available</li> </ul>
Physical state Appearance Molecular mass Color Odor Odor threshold Refractive index oH Relative evaporation rate (butyl acetate=1) Melting point Freezing point Boiling point Flash point Auto-ignition temperature	<ul> <li>Solid</li> <li>Solid.</li> <li>339.36 g/mol</li> <li>Off-white.</li> <li>Acrid. Similar to hydrogen chloride.</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>117 °C</li> <li>No data available</li> <li>285 °C @ 12 mm Hg</li> <li>No data available</li> </ul>
Physical state Appearance Molecular mass Color Odor Odor threshold Refractive index bH Relative evaporation rate (butyl acetate=1) Melting point Freezing point Boiling point Flash point Flash point Auto-ignition temperature Decomposition temperature	<ul> <li>Solid</li> <li>Solid.</li> <li>339.36 g/mol</li> <li>Off-white.</li> <li>Acrid. Similar to hydrogen chloride.</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>117 °C</li> <li>No data available</li> <li>285 °C @ 12 mm Hg</li> <li>No data available</li> <li>285 °C @ 12 mm Hg</li> <li>No data available</li> </ul>
Physical state Appearance Molecular mass Color Odor Odor threshold Refractive index oH Relative evaporation rate (butyl acetate=1) Melting point Freezing point Boiling point Flash point Flash point Auto-ignition temperature Decomposition temperature Flammability (solid, gas)	<ul> <li>Solid</li> <li>Solid.</li> <li>339.36 g/mol</li> <li>Off-white.</li> <li>Acrid. Similar to hydrogen chloride.</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>117 °C</li> <li>No data available</li> <li>285 °C @ 12 mm Hg</li> <li>No data available</li> </ul>
Physical state Appearance Molecular mass Color Odor Odor threshold Refractive index oH Relative evaporation rate (butyl acetate=1) Melting point Freezing point Boiling point Flash point Flash point Auto-ignition temperature Decomposition temperature Flammability (solid, gas) Vapor pressure	<ul> <li>Solid</li> <li>Solid.</li> <li>339.36 g/mol</li> <li>Off-white.</li> <li>Acrid. Similar to hydrogen chloride.</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>117 °C</li> <li>No data available</li> <li>285 °C @ 12 mm Hg</li> <li>No data available</li> </ul>
Physical state Appearance Molecular mass Color Odor Odor threshold Refractive index oH Relative evaporation rate (butyl acetate=1) Melting point Freezing point Boiling point Flash point Auto-ignition temperature Decomposition temperature Flammability (solid, gas) Vapor pressure Relative vapor density at 20 °C	<ul> <li>Solid</li> <li>Solid.</li> <li>Solid.</li> <li>339.36 g/mol</li> <li>Off-white.</li> <li>Acrid. Similar to hydrogen chloride.</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>117 °C</li> <li>No data available</li> <li>285 °C @ 12 mm Hg</li> <li>No data available</li> </ul>
Physical state Appearance Molecular mass Color Odor Odor threshold Refractive index oH Relative evaporation rate (butyl acetate=1) Melting point Freezing point Boiling point Flash point Flash point Auto-ignition temperature Decomposition temperature Flammability (solid, gas) Vapor pressure Relative vapor density at 20 °C Relative density	<ul> <li>Solid</li> <li>Solid.</li> <li>339.36 g/mol</li> <li>Off-white.</li> <li>Acrid. Similar to hydrogen chloride.</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>117 °C</li> <li>No data available</li> <li>285 °C @ 12 mm Hg</li> <li>No data available</li> </ul>
Physical state Appearance Molecular mass Color Odor Odor threshold Refractive index oH Relative evaporation rate (butyl acetate=1) Melting point Freezing point Boiling point Flash point Flash point Auto-ignition temperature Decomposition temperature Flammability (solid, gas) Vapor pressure Relative vapor density at 20 °C Relative density Solubility	<ul> <li>Solid</li> <li>Solid.</li> <li>339.36 g/mol</li> <li>Off-white.</li> <li>Acrid. Similar to hydrogen chloride.</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>117 °C</li> <li>No data available</li> <li>285 °C @ 12 mm Hg</li> <li>No data available</li> <li>Insoluble in water. Reacts with water.</li> </ul>
Physical state Appearance Molecular mass Color Odor Odor threshold Refractive index oH Relative evaporation rate (butyl acetate=1) Melting point Relative evaporation rate (butyl acetate=1) Melting point Freezing point Boiling point Flash point Auto-ignition temperature Decomposition temperature Flammability (solid, gas) Vapor pressure Relative vapor density at 20 °C Relative density Solubility Log Pow	<ul> <li>Solid</li> <li>Solid.</li> <li>339.36 g/mol</li> <li>Off-white.</li> <li>Acrid. Similar to hydrogen chloride.</li> <li>No data available</li> <li>285 °C @ 12 mm Hg</li> <li>No data available</li> </ul>
Physical state Appearance Molecular mass Color Odor Odor threshold Refractive index oH Relative evaporation rate (butyl acetate=1) Melting point Relative evaporation rate (butyl acetate=1) Melting point Freezing point Boiling point Flash point Auto-ignition temperature Decomposition temperature Flammability (solid, gas) Vapor pressure Relative vapor density at 20 °C Relative density Solubility Log Pow Log Kow	<ul> <li>Solid</li> <li>Solid.</li> <li>339.36 g/mol</li> <li>Off-white.</li> <li>Acrid. Similar to hydrogen chloride.</li> <li>No data available</li> <li>117 °C</li> <li>No data available</li> <li>285 °C @ 12 mm Hg</li> <li>No data available</li> <li>No data avai</li></ul>
Physical state Appearance Molecular mass Color Odor Odor threshold Refractive index oH Relative evaporation rate (butyl acetate=1) Melting point Freezing point Boiling point Freezing point Boiling point Flash point Auto-ignition temperature Decomposition temperature Flammability (solid, gas) Vapor pressure Relative vapor density at 20 °C Relative density Solubility Log Pow Log Kow Viscosity, kinematic	<ul> <li>Solid</li> <li>Solid.</li> <li>339.36 g/mol</li> <li>Off-white.</li> <li>Acrid. Similar to hydrogen chloride.</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>117 °C</li> <li>No data available</li> <li>285 °C @ 12 mm Hg</li> <li>No data available</li> </ul>
Physical state Appearance Molecular mass Color Odor Odor threshold Refractive index oH Relative evaporation rate (butyl acetate=1) Melting point Freezing point Boiling point Frash point Auto-ignition temperature Decomposition temperature Flammability (solid, gas) Vapor pressure Relative vapor density at 20 °C Relative density Solubility Log Pow Log Kow Viscosity, kinematic Viscosity, dynamic	<ul> <li>Solid</li> <li>Solid.</li> <li>339.36 g/mol</li> <li>Off-white.</li> <li>Acrid. Similar to hydrogen chloride.</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>117 °C</li> <li>No data available</li> <li>285 °C @ 12 mm Hg</li> <li>No data available</li> <li>No data avai</li></ul>
Physical state Appearance Molecular mass Color Odor Odor threshold Refractive index oH Relative evaporation rate (butyl acetate=1) Melting point Freezing point Boiling point Flash point Auto-ignition temperature Decomposition temperature Flammability (solid, gas) Vapor pressure Relative vapor density at 20 °C Relative density Solubility Log Pow Log Kow Viscosity, kinematic Viscosity, dynamic Explosive properties	<ul> <li>Solid</li> <li>Solid.</li> <li>339.36 g/mol</li> <li>Off-white.</li> <li>Acrid. Similar to hydrogen chloride.</li> <li>No data available</li> <li>117 °C</li> <li>No data available</li> <li>285 °C @ 12 mm Hg</li> <li>No data available</li> </ul>
Physical state Appearance Molecular mass Color Odor Odor threshold Refractive index oH Relative evaporation rate (butyl acetate=1) Melting point Freezing point Boiling point Frash point Auto-ignition temperature Decomposition temperature Flammability (solid, gas) Vapor pressure Relative vapor density at 20 °C Relative density Solubility Log Pow Log Kow Viscosity, kinematic Viscosity, dynamic	<ul> <li>Solid</li> <li>Solid.</li> <li>339.36 g/mol</li> <li>Off-white.</li> <li>Acrid. Similar to hydrogen chloride.</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>117 °C</li> <li>No data available</li> <li>285 °C @ 12 mm Hg</li> <li>No data available</li> <li>No data avai</li></ul>

No additional information available

01/28/2015

# TRIPHENYLCHLOROGERMANE, tech-95 Safety Data Sheet

SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable in sealed containers stored under a dry i	nert atmosphere.
10.3. Possibility of hazardous reactions	•
Reacts with water and moisture in air, liberating	hydrogen chloride.
10.4. Conditions to avoid	
Heat. Open flame. Sparks.	
10.5. Incompatible materials	
Moisture. Water.	
	-
<b>10.6.</b> Hazardous decomposition product Hydrogen chloride. Organic acid vapors.	S
	1
SECTION 11: Toxicological informa	
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation Respiratory or skin sensitization	: Causes serious eye damage. : Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause respiratory irritation.
Symptoms/injuries after skin contact	: Causes (severe) skin burns.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: May be harmful if swallowed.
Reason for classification	: Expert judgment
<b>SECTION 12: Ecological information</b>	n
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4.         Mobility in soil           No additional information available	
12.5. Other adverse effects	
Other adverse effects	: This substance may be hazardous to the environment.
Effect on ozone layer	: No additional information available
Effect on the global warming	: No known ecological damage caused by this product.
<b>SECTION 13: Disposal consideratio</b>	ns
42.4 Mosto treatment methods	
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.
	<ul> <li>Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.</li> <li>Avoid release to the environment.</li> </ul>

# TRIPHENYLCHLOROGERMANE, tech-95 Safety Data Sheet

SECTION 14: Transpo	ort information			
14.1. UN number				
UN-No.(DOT)	: 175	<b>1</b> 0		
DOT NA no.		 1759		
	-	1755		
14.2. UN proper shippi	•			
Proper Shipping Name (DOT	「) : Cor	rosive solids, n.o.s.		
	(TR	IPHENYLCHLOROGERMANE)		
Department of Transportation	n (DOT) Hazard : 8 -	Class 8 - Corrosive material 49 (	CFR 173.136	
Classes				
Hazard labels (DOT)	: 8 -	Corrosive		
		8		
DOT Symbols	: G-	Identifies PSN requiring a techn	ical name	
Packing group (DOT)		Minor Danger		
DOT Packaging Exceptions		0		
DOT Packaging Non Bulk (4				
DOT Packaging Bulk (49 CF	,			
14.3. Additional informat				
Other information	: No	supplementary information avail	adie.	
Transport by sea				
DOT Vessel Stowage Location		The material may be stowed "or	n deck" or "under deck" on a ca	argo vessel and on a
	pas	senger vessel.		
Air transport				
DOT Quantity Limitations Pa (49 CFR 173.27)	ssenger aircraft/rail : 25	<g< td=""><td></td><td></td></g<>		
DOT Quantity Limitations Ca CFR 175.75)	rgo aircraft only (49 : 100	l kg		
SECTION 15: Regulat	ory information			
15.1. US Federal regulation				
_				
Triphenylchlorogermane				
Listed on the United States		Control Act) inventory		
15.2. International regulation	ons			
Triphenylchlorogermane	(1626-24-0)			
Listed on the Canadian ND		ces List)		
		tory of Existing Commercial Che	emical Substances)	
		-		
15.3. US State regulations				
TRIPHENYLCHLOROGERM				
U.S California - Proposition	•	No		
U.S California - Proposition Toxicity	n 65 - Developmental	No		
U.S California - Proposition Toxicity - Female	n 65 - Reproductive	No		
	U.S California - Proposition 65 - Reproductive No			
Triphenylchlorogermane (1	1626-24-0)			
U.S California -	U.S California -	U.S California -	U.S California -	No significance risk level
Proposition 65 - Carcinogens List	Proposition 65 - Developmental Toxicity	Proposition 65 - Reproductive Toxicity - Female	Proposition 65 - Reproductive Toxicity - Male	(NSRL)
No	No	No	No	

### **TRIPHENYLCHLOROGERMANE**, tech-95

Safety Data Sheet

SECTION 16: Other information	
Abbreviations and acronyms	: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

#### Full text of H-phrases::

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

#### **HMIS III Rating**

Health

: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given

Flammability Physical : 1 Slight Hazard : 1 Slight Hazard

#### Prepared by safety and environmental affairs.

Date of issue: 01/28/2015 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2014 Gelest Inc. Morrisville, PA 19067