## **GELEST, INC.** 11 East Steel Rd. Morrisville, PA 19067 Phone: (215) 547-1015

MATERIAL SAFETY DATA SHEET EMERGENCY TELEPHONE CHEMTREC: 1-800-424-9300

NAME USED ON LABEL: **AMMONIUM HEXAFLUOROTITANATE - INTI004** CHEMICAL NAME: AMMONIUM HEXAFLUOROTITANATE SYNONYMS: AMMONIUM FLUOROTITANATE CHEMICAL FAMILY: TITANIUM HEXAFLUORIDE, AMMONIUM SALT FORMULA: (NH<sub>4</sub>)<sub>2</sub>TiF<sub>6</sub>

HMIS CODES HEALTH: 3 FLAMMABILITY: 0 REACTIVITY: 0

## **INGREDIENTS**

IDENTITY AMMONIUM HEXAFLUOROTITANATE

CAS NO. % TLV E 16962-40-6 >98 not established (OSHA PEL, inorganic fluoride as F 2.5mg/m<sup>3</sup>)

# **PHYSICAL DATA**

Boiling Point: NA Specific Gravity: >2 Vapor Density: NA % volatiles NA Molecular Weight: 197.97 Appearance & Color: White powder Melting Point: not determined Vapor Pressure: not determined Solubility in water: soluble Evaporation rate: NA Other: N/A

# **FIRE & EXPLOSION DATA**

Flash Point, COC: Not Flammable Autoignition Temp.: NA Flammability Limits- LEL: NA UEL: NA

Extinguishing Media: N/A Special Fire Fighting Procedures: Avoid eye and skin contact. Do not breathe fumes or inhale vapors.

Unusual Fire and Explosion Hazards: Irritating fumes vapors may develop when material is mixed with other materials and exposed to elevated temperatures or open flame.

## -1-(INTI004)

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose, LC: Lethal Concentration; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; HMIS: Hazardous Material information System; CAS No.: Chemcial Abstract Service Registration Number Gelest, Inc. © 2008

## ENVIRONMENTAL INFORMATION

Spill response: May be hazardous to aquatic life if released to open waters. Sweep material while wearing a dust mask. Transfer to a suitable container for disposal.

Recommended Disposal: Dispose of as solid waste. Follow all chemical pollution control regulations. Large quantities may be recycled by return to the Gelest, the manufacturer.

# **HEALTH HAZARD DATA**

Eye Contact: Will cause irritation or conjunctivitis.

Skin contact: Material is extremely destructive to mucous membranes.

Inhalation: Inhalation of particulates will irritate the respiratory tract. Overexposure causes inflammation and edema of the larnyx and bronchii. Symptoms of exposure are a burning sensation, coughing, wheezing and laryngitis.

Oral Toxicity: not determined

Chronic Exposure: May cause osteofluorosis.

## SUGGESTED FIRST AID

EYES: In case of contact, immediately flush eyes with flowing water for at least 15 minutes. Get medical attention.

SKIN: Flush with water, then wash with soap and water.

INHALATION: Move exposed individual to fresh air. Call a physician.

INGESTION: Never give fluids or induce vomiting if patient is unconscious or having convulsions. Get medical attention.

Note to Physician: Calcium gluconate is often considered in topical exposures to hyrofluoric acid and may be appropriate for severe exposures to fluorotitanates.

## **REACTIVITY DATA**

Stability: Stable

Incompatibility (materials to avoid): Compatible with most materials Dissolves in strong acid or base.

Hazardous decomposition products: Fluoride and NOx.

## -2-(INTI004)

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose, LC: Lethal Concentration; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; HMIS: Hazardous Material information System; CAS No.: Chemcial Abstract Service Registration Number

#### SPECIAL PROTECTION INFORMATION

Ventilation: Local exhaust is required. Mechanical is recommended. Respiratory Protection: If exposure exceeds TLV air-supplied or acid gas respirator. Eye and Face Protection: Chemical worker's goggles. Do not wear contact lenses. Other Clothing and Equipment: Rubber, neoprene or nitrile gloves. An eyewash and emergency shower should be available. Launder clothing before reuse.

#### **OTHER PRECAUTIONS**

For research and industrial use only.

Storage and Handling: Store in sealed containers.

TRANSPORTATION	
DOT SHIPPING NAME: TOXIC SOLID, INO (AMMONIUM FLUC DOT HAZARD CLASS: 6.1 DOT LABEL: TOXIC DOT ID No: UN 3288 PG: I	DROTITANATE)
Prepared by safety and environmental affairs	s ISSUE DATE INTI004: 6/8/07 SUPERSEDES: none

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

#### -3-(INTI004) © 2007 Gelest Inc. Morrisville, PA 19067

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose, LC: Lethal Concentration; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; HMIS: Hazardous Material information System; CAS No.: Chemcial Abstract Service Registration Number Gelest, Inc. © 2008