

**ZIRCONIUM TETRAKIS(DIMETHYLAMIDE)**

Safety Data Sheet OMZR080

Date of issue: 03/17/2015

Version: 1.0

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Product form : Substance  
 Physical state : Solid  
 Substance name : ZIRCONIUM TETRAKIS(DIMETHYLAMIDE)  
 Product code : OMZR080  
 Formula : C<sub>8</sub>H<sub>24</sub>N<sub>4</sub>Zr  
 Synonyms : TDMAZ; TETRAKIS(DIMETHYLAMIDO)ZIRCONIUM  
 Chemical family : METAL COMPOUND

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Use of the substance/mixture : Chemical intermediate  
 For research use only

**1.3. Details of the supplier of the safety data sheet****GELEST, INC.**

11 East Steel Road  
 Morrisville, PA 19067

**USA**

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

[info@gelest.com](mailto:info@gelest.com) - [www.gelest.com](http://www.gelest.com)
**1.4. Emergency telephone number**

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification (GHS-US)**

Skin Corr. 1C H314

Eye Dam. 1 H318

STOT SE 3 H335

Full text of H-phrases: see section 16

**2.2. Label elements****GHS-US labeling**

Hazard pictograms (GHS-US) :



GHS05



GHS07

Signal word (GHS-US) :

: Danger

Hazard statements (GHS-US) :

: H314 - Causes severe skin burns and eye damage

: H318 - Causes serious eye damage

: H335 - May cause respiratory irritation

Precautionary statements (GHS-US) :

: P280 - Wear protective gloves/protective clothing/eye protection/face protection

: P260 - Do not breathe dust

: P264 - Wash hands thoroughly after handling

: P271 - Use only outdoors or in a well-ventilated area

: P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

: P303+P361+P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse skin with water/shower

: P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

: P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

: P310 - Immediately call a doctor

: P363 - Wash contaminated clothing before reuse

: P403+P233 - Store in a well-ventilated place. Keep container tightly closed

: P405 - Store locked up

: P501 - Dispose of contents/container to licensed waste disposal facility.

**2.3. Other hazards**

No additional information available

# ZIRCONIUM TETRAKIS(DIMETHYLAMIDE)

## Safety Data Sheet

### 2.4. Unknown acute toxicity (GHS-US)

No data available

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

Substance type : Mono-constituent  
Name : ZIRCONIUM TETRAKIS(DIMETHYLAMIDE)  
CAS No : 19756-04-8

Name	Product identifier	%	Classification (GHS-US)
Zirconium tetrakis(dimethylamide)	(CAS No) 19756-04-8	> 95	Skin Corr. 1C, H314 Eye Dam. 1, H318 STOT SE 3, H335

### 3.2. Mixture

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general : Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention.

First-aid measures after skin contact : Wash with plenty of soap and water. Get immediate medical advice/attention.

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Get medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after inhalation : May cause respiratory irritation. Overexposure may cause: Coughing. Headache. Nausea.

Symptoms/injuries after skin contact : Causes (severe) skin burns.

Symptoms/injuries after eye contact : Causes serious eye damage.

Symptoms/injuries after ingestion : May be harmful if swallowed.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Foam. Carbon dioxide. Dry chemical.

Unsuitable extinguishing media : None known.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Irritating fumes of dimethylamine and organic acid vapors may develop when material is exposed to water or open flame.

### 5.3. Advice for firefighters

Firefighting instructions : Use water spray to cool exposed surfaces. Exercise caution when fighting any chemical fire.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Avoid contact with skin and eyes. Do not breathe dust.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal.

# ZIRCONIUM TETRAKIS(DIMETHYLAMIDE)

## Safety Data Sheet

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Avoid contact with skin and eyes. Do not breathe dust. Provide local exhaust or general room ventilation to minimize exposure to dust.
- Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep container tightly closed.
- Incompatible materials : Acids. Alcohols. Oxidizing agent. Moisture. Water.
- Storage area : Store in a well-ventilated place. Store away from heat.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Zirconium tetrakis(dimethylamide) (19756-04-8)

USA OSHA	OSHA PEL (TWA) (ppm)	10 ppm (Dimethylamine)
----------	----------------------	------------------------

### 8.2. Exposure controls

- Appropriate engineering controls : Provide local exhaust or general room ventilation.
- Personal protective equipment : Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
- Hand protection : Neoprene or nitrile rubber gloves.
- Eye protection : Chemical goggles or face shield. Contact lenses should not be worn.
- Skin and body protection : Wear suitable protective clothing.
- Respiratory protection : NIOSH-certified dust and mist (orange cartridge) respirator.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

- Physical state : Solid
- Appearance : Solid.
- Molecular mass : 267.53 g/mol
- Color : Pale yellow.
- Odor : Acrid. Amine. fishy.
- Odor threshold : No data available
- Refractive index : No data available
- pH : No data available
- Relative evaporation rate (butyl acetate=1) : No data available
- Melting point : 64 °C
- Freezing point : No data available
- Boiling point : 80 °C @ 0.1 mm Hg
- Flash point : > 65 °C
- Auto-ignition temperature : No data available
- Decomposition temperature : No data available
- Flammability (solid, gas) : No data available
- Vapor pressure : < 0.1 mm Hg @ 25°C
- Relative vapor density at 20 °C : > 1
- Relative density : > 1
- Solubility : Reacts with water.
- Log Pow : No data available
- Log Kow : No data available
- Viscosity, kinematic : No data available
- Viscosity, dynamic : No data available
- Explosive properties : No data available
- Oxidizing properties : No data available

# ZIRCONIUM TETRAKIS(DIMETHYLAMIDE)

## Safety Data Sheet

Explosive limits : No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable in sealed containers stored under a dry inert atmosphere.

### 10.3. Possibility of hazardous reactions

Reacts with water and moisture in air, liberating dimethylamine.

### 10.4. Conditions to avoid

Heat. Open flame. Sparks.

### 10.5. Incompatible materials

Acids. Alcohols. Moisture. Oxidizing agent. Water.

### 10.6. Hazardous decomposition products

Dimethylamine. Organic acid vapors. Zirconium dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause respiratory irritation. Overexposure may cause: Coughing. Headache. Nausea.
Symptoms/injuries after skin contact	: Causes (severe) skin burns.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: May be harmful if swallowed.
Reason for classification	: Expert judgment

## SECTION 12: Ecological information

### 12.1. Toxicity

No additional information available

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other adverse effects	: This substance may be hazardous to the environment.
Effect on ozone layer	: No additional information available
Effect on the global warming	: No known ecological damage caused by this product.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.
Ecology - waste materials	: Avoid release to the environment.

# ZIRCONIUM TETRAKIS(DIMETHYLAMIDE)

## Safety Data Sheet

### SECTION 14: Transport information

#### 14.1. UN number

UN-No.(DOT) : 1759  
DOT NA no. UN1759

#### 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Corrosive solids, n.o.s.  
(ZIRCONIUM TETRAKIS(DIMETHYLAMIDE))  
Hazard Classes (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136  
Hazard labels (DOT) : 8 - Corrosive



DOT Symbols : G - Identifies PSN requiring a technical name  
Packing group (DOT) : III - Minor Danger  
DOT Packaging Exceptions (49 CFR 173.xxx) : 154  
DOT Packaging Non Bulk (49 CFR 173.xxx) : 213  
DOT Packaging Bulk (49 CFR 173.xxx) : 240

#### 14.3. Additional information

Other information : No supplementary information available.

#### Transport by sea

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

#### Air transport

DOT Quantity Limitations Passenger aircraft/rail : 25 kg  
(49 CFR 173.27)  
DOT Quantity Limitations Cargo aircraft only (49 : 100 kg  
CFR 175.75)

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

##### ZIRCONIUM TETRAKIS(DIMETHYLAMIDE) (19756-04-8)

TSCA Exemption/Exclusion	CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r) is not permitted in the United States.
--------------------------	---

##### Zirconium tetrakis(dimethylamide) (19756-04-8)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

##### Zirconium tetrakis(dimethylamide) (19756-04-8)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

#### 15.3. US State regulations

##### ZIRCONIUM TETRAKIS(DIMETHYLAMIDE)(19756-04-8)

U.S. - California - Proposition 65 - Carcinogens List	No
U.S. - California - Proposition 65 - Developmental Toxicity	No
U.S. - California - Proposition 65 - Reproductive Toxicity - Female	No
U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No

##### Zirconium tetrakis(dimethylamide) (19756-04-8)

U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
---	---	---	---	-----------------------------------

# ZIRCONIUM TETRAKIS(DIMETHYLAMIDE)

## Safety Data Sheet

Zirconium tetrakis(dimethylamide) (19756-04-8)				
No	No	No	No	

### SECTION 16: Other information

#### Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemical Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

#### Full text of H-phrases::

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1C	Skin corrosion/irritation Category 1C
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation

#### HMIS III Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given  
Flammability : 2 Moderate Hazard  
Physical : 1 Slight Hazard

Prepared by safety and environmental affairs.

Date of issue: 03/17/2015 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

*The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.*

© 2015 Gelest Inc. Morrisville, PA 19067