

GELEST, INC.

11 East Steel Rd. Morrisville, PA 129067 Phone: (215) 547-1015

MATERIAL SAFETY DATA SHEET

EMERGENCY TELEPHONE CHEMTREC: 1-800-424-9300

NAME USED ON LABEL: **LEAD II CHLORIDE - PBL6220**

CHEMICAL NAME: LEAD II CHLORIDE SYNONYMS: PLUMBOUS CHLORIDE CHEMICAL FAMILY: LEAD COMPOUND

FORMULA: Cl₂Pb

HMIS CODES HEALTH: 3 FLAMMABILITY: 0 REACTIVITY: 0

INGREDIENTS

IDENTITY CAS NO. % TLV OSHA PEL

LEAD II CHLORIDE 7758-95-4 >95 0.15 mg/m³ as lead 0.075mg/m³ PbCl₂

PHYSICAL DATA

Boiling Point: 950°C Melting Point: 501°C

Specific Gravity: 5.85 Vapor Pressure, 547°C: 1mm Vapor Density: NA Solubility in water: 10.9g/liter

% volatiles: <1 Evaporation rate: NA

Molecular Weight: 278.10 Other: NA

Appearance & Color: White-beige powder

FIRE & EXPLOSION DATA

Flash Point, COC: NA Autoignition Temp.: NA

Flammability Limits- LEL: NA UEL: NA

Extinguishing Media: Not combustible

Special Fire Fighting Procedures: Avoid eye and skin contact. Do not breathe dust, particles or

inhale vapors.

Unusual Fire and Explosion Hazards: None known.

-1-(PBL6220)

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose, LC: Lethal Concentration; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; HMIS: Hazardous Material information System; CAS No.: Chemcial Abstract Service Registration Number Gelest Inc. © 2008



ENVIRONMENTAL INFORMATION

Spill response: May be hazardous to aquatic life if released to open waters. Sweep material and transfer to a suitable container for disposal.

ECOTOXICITY: fish LC50 - fat head minnow- 0.81 mg/l - 96 h:

Recommended Disposal: Dispose of as solid waste. Follow all chemical pollution control regulations.

HEALTH HAZARD DATA

Eye Contact: May cause immediate or delayed severe eye irritation.

Skin contact: May produce irritation or contact dermatitis which may be delayed several hours. Prompt and thorough washing with soap and water will reduce or eliminate potential dermal effects.

Inhalation: Inhalation of dust or particulates will irritate the respiratory tract.

TOXICITY - oral rat, LD50: >1,947mg/kg; oral rat, LDLo: 201 mg/kg Chronic Toxicity: Exposure to dust or fumes of lead compounds is known to cause toxic effects. Lead is a cumulative poison. Confirmed animal carcinogen with unknown relevance to humans.

SUGGESTED FIRST AID

EYES: In case of contact, immediately flush eyes with flowing water for at least 15 minutes. Get medical attention.

SKIN: Flush with water, then wash with soap and water.

INHALATION: Move exposed individual to fresh air. Administer oxygen if needed. Call a physician.

INGESTION: Never give fluids or induce vomiting if patient is unconscious or having convulsions. Get medical attention. *Physician note: Diagnostic mobilization of lead with calcium EDTA may be useful in questionable cases.*

REACTIVITY DATA

Stability: Stable

Conditions to avoid: At high temperatures >300°C can liberate lead fumes. Avoid contact with active metals at room temperature, and metallic aluminum, sodium, titanium, zirconium at temperatures over >300°C.

Hazardous decomposition products: Lead chloride and metallic lead fumes.

-2-(PBL6220)

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose, LC: Lethal Concentration; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; HMIS: Hazardous Material information System; CAS No.: Chemcial Abstract Service Registration Number Gelest. Inc. © 2008



SPECIAL PROTECTION INFORMATION

Ventilation: Local exhaust is required. Mechanical is recommended.
Respiratory Protection: If exposure exceeds TLV, NIOSH approved dust and mist respirator.
Eye and Face Protection: Chemical worker's goggles. Do not wear contact lenses.
Other Clothing and Equipment: Rubber, neoprene or nitrile gloves. An eyewash and

emergency shower should be available. Launder clothing before reuse.

OTHER PRECAUTIONS

For industrial and research use only.

Storage and Handling: Store in sealed containers.

TRANSPORTATION

DOT SHIPPING NAME: LEAD COMPOUND, SOLUBLE N.O.S. (LEAD II CHLORIDE)

DOT HAZARD CLASS: 6.1

DOT LABEL: TOXIC

DOT ID No: UN 2291 PG: III

OTHER APPLICABLE REGULATIONS

This product contains a lead compound which is subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 and 40CFR 372.

Prepared by safety and environmental affairs ISSUE DATE PBL6220: 6/8/09 SUPERSEDES: none

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

-3-(PBL6220) © 2009 Gelest inc. Morrisville, PA 19067