



## SILANOL TERMINATED (14-18% DIPHENYLSILOXANE)-DIMETHYLSILOXANE COPOLYMER

### Safety Data Sheet PDS-1615

Date of issue: 06/18/2014

Revision date: 11/12/2014

Version: 2.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

|                 |   |
|-----------------|---|
| Product form    | : Substance   |
| Physical state  | : Liquid  |
| Substance name  | : SILANOL TERMINATED (14-18% DIPHENYLSILOXANE)-DIMETHYLSILOXANE COPOLYMER |
| Product code    | : PDS-1615  |
| Synonyms        | : HYDROXY TERMINATED METHYLPHENYLSILOXANE COPOLYMER                       |
| Chemical family | : ORGANOSILOXANE  |

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

|                              |   |
|------------------------------|---|
| Use of the substance/mixture | : Chemical intermediate<br>For research and industrial use only |
|------------------------------|---|

### 1.3. Details of the supplier of the safety data sheet

**GELEST, INC.**  
11 East Steel Road  
Morrisville, PA 19067  
**USA**

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST  
[info@gelest.com](mailto:info@gelest.com) - [www.gelest.com](http://www.gelest.com)

### 1.4. Emergency telephone number

Emergency number : CHEMTRAC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification (GHS-US)

Not classified

### 2.2. Label elements

#### GHS-US labeling

No labeling applicable

### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS-US)

No data available

## SECTION 3: Composition/information on ingredients

### 3.1. Substance

|                |   |
|----------------|---|
| Substance type | : Polymer   |
| Name           | : SILANOL TERMINATED (14-18% DIPHENYLSILOXANE)-DIMETHYLSILOXANE COPOLYMER |
| CAS No         | : 68951-93-9  |

| Name                                    | Product identifier  | %    | Classification (GHS-US)   |
|---|---------------------|------|---|
| Hydroxy terminated methylphenylsiloxane | (CAS No) 68951-93-9 | > 95 | Not classified  |
| Octamethylcyclotetrasiloxane            | (CAS No) 556-67-2   | < 3  | Flam. Liq. 3, H226<br>Acute Tox. 4 (Oral), H302<br>Acute Tox. 4 (Dermal), H312<br>Eye Irrit. 2B, H320 |

### 3.2. Mixture

Not applicable

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

|                            |  |
|----------------------------|--|
| First-aid measures general | : Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label. |
|----------------------------|--|

# SILANOL TERMINATED (14-18% DIPHENYLSILOXANE)-DIMETHYLSILOXANE COPOLYMER

## Safety Data Sheet

First-aid measures after inhalation : Remove to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact : Wash with plenty of soap and water.

First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion : Never give anything by mouth to an unconscious person. Get medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : No information available.

Symptoms/injuries after skin contact : May cause skin irritation.

Symptoms/injuries after eye contact : May cause eye irritation.

Symptoms/injuries after ingestion : May be harmful if swallowed.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Water fog. Foam. Carbon dioxide. Dry chemical.

Unsuitable extinguishing media : None known.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.

### 5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapor and mist.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or shovel spills into appropriate container for disposal.

### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid all eye and skin contact and do not breathe vapor and mist.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed.

Incompatible materials : Oxidizing agent.

Storage area : Store in a well-ventilated place. Store away from heat.

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

# SILANOL TERMINATED (14-18% DIPHENYLSILOXANE)-DIMETHYLSILOXANE COPOLYMER

## Safety Data Sheet

### 8.2. Exposure controls

|                                  |  |
|----------------------------------|--|
| Appropriate engineering controls | : Provide local exhaust or general room ventilation.   |
| Personal protective equipment    | : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Avoid all unnecessary exposure.           |
| Hand protection                  | : Neoprene or nitrile rubber gloves.   |
| Eye protection                   | : Safety glasses. Contact lenses should not be worn.   |
| Skin and body protection         | : Wear suitable protective clothing.   |
| Respiratory protection           | : Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified organic vapor (black cartridge) respirator. |

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |                       |
|---|-----------------------|
| Physical state                              | : Liquid              |
| Appearance                                  | : Clear liquid.       |
| Molecular mass                              | : 900 - 1000 g/mol    |
| Color                                       | : No data available   |
| Odor  | : No data available   |
| Odor threshold                              | : No data available   |
| Refractive index                            | : 1.473               |
| pH  | : No data available   |
| Relative evaporation rate (butyl acetate=1) | : No data available   |
| Melting point                               | : < -10 °C            |
| Freezing point                              | : No data available   |
| Boiling point                               | : > 205 °C            |
| Flash point                                 | : 205 °C              |
| Auto-ignition temperature                   | : No data available   |
| Decomposition temperature                   | : No data available   |
| Flammability (solid, gas)                   | : No data available   |
| Vapor pressure                              | : No data available   |
| Relative vapor density at 20 °C             | : No data available   |
| Relative density                            | : 0.96                |
| VOC content                                 | : < 5 %               |
| Solubility                                  | : Insoluble in water. |
| Log Pow                                     | : No data available   |
| Log Kow                                     | : No data available   |
| Viscosity, kinematic                        | : 50 - 60 cSt         |
| Viscosity, dynamic                          | : No data available   |
| Explosive properties                        | : No data available   |
| Oxidizing properties                        | : No data available   |
| Explosive limits                            | : No data available   |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No additional information available

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

No additional information available

### 10.4. Conditions to avoid

Heat. Open flame. Sparks.

### 10.5. Incompatible materials

Oxidizing agent.

# SILANOL TERMINATED (14-18% DIPHENYLSILOXANE)-DIMETHYLSILOXANE COPOLYMER

## Safety Data Sheet

### 10.6. Hazardous decomposition products

Organic acid vapors. Silicon dioxide.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

| Octamethylcyclotetrasiloxane (556-67-2)            |  |
|--|--|
| LD50 oral rat                                      | 1540 mg/kg                               |
| LD50 dermal rat                                    | 1770 mg/kg                               |
| LD50 dermal rabbit                                 | 794 µl/kg                                |
| LC50 inhalation rat (mg/l)                         | 36 g/m <sup>3</sup> (Exposure time: 4 h) |
| ATE US (oral)                                      | 1540.000 mg/kg body weight               |
| ATE US (dermal)                                    | 1770.000 mg/kg body weight               |
| ATE US (vapors)                                    | 36.000 mg/l/4h                           |
| ATE US (dust, mist)                                | 36.000 mg/l/4h                           |
| Skin corrosion/irritation                          | : Not classified                         |
| Serious eye damage/irritation                      | : Not classified                         |
| Respiratory or skin sensitization                  | : Not classified                         |
| Germ cell mutagenicity                             | : Not classified                         |
| Carcinogenicity                                    | : Not classified                         |
| Reproductive toxicity                              | : Not classified                         |
| Specific target organ toxicity (single exposure)   | : Not classified                         |
| Specific target organ toxicity (repeated exposure) | : Not classified                         |
| Aspiration hazard                                  | : Not classified                         |
| Symptoms/injuries after inhalation                 | : No information available.              |
| Symptoms/injuries after skin contact               | : May cause skin irritation.             |
| Symptoms/injuries after eye contact                | : May cause eye irritation.              |
| Symptoms/injuries after ingestion                  | : May be harmful if swallowed.           |

## SECTION 12: Ecological information

### 12.1. Toxicity

| Octamethylcyclotetrasiloxane (556-67-2) |  |
|---|--|
| LC50 fish 1                             | > 500 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)    |
| LC50 fish 2                             | > 1000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) |

### 12.2. Persistence and degradability

| Octamethylcyclotetrasiloxane (556-67-2) |   |
|---|---|
| Persistence and degradability           | May cause long-term adverse effects in the environment. |

### 12.3. Bioaccumulative potential

| Octamethylcyclotetrasiloxane (556-67-2) |       |
|---|-------|
| BCF fish 1                              | 12400 |
| Log Pow                                 | 5.1   |

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Effect on ozone layer : No additional information available

Effect on the global warming : No known ecological damage caused by this product.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Incinerate. Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

# SILANOL TERMINATED (14-18% DIPHENYLSILOXANE)-DIMETHYLSILOXANE COPOLYMER

## Safety Data Sheet

### SECTION 14: Transport information

#### 14.1. UN number

Not regulated for transport.

#### 14.2. UN proper shipping name

Not applicable

#### 14.3. Additional information

Other information : No supplementary information available.

#### Transport by sea

No additional information available

#### Air transport

No additional information available

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

##### Octamethylcyclotetrasiloxane (556-67-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.

##### Hydroxy terminated methylphenylsiloxane (68951-93-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

##### Octamethylcyclotetrasiloxane (556-67-2)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

##### Hydroxy terminated methylphenylsiloxane (68951-93-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

#### 15.3. US State regulations

##### SILANOL TERMINATED (14-18% DIPHENYLSILOXANE)-DIMETHYLSILOXANE COPOLYMER(68951-93-9)

|   |    |
|---|----|
| U.S. - California - Proposition 65 - Carcinogens List               | No |
| U.S. - California - Proposition 65 - Developmental Toxicity         | No |
| U.S. - California - Proposition 65 - Reproductive Toxicity - Female | No |
| U.S. - California - Proposition 65 - Reproductive Toxicity - Male   | No |

##### Octamethylcyclotetrasiloxane (556-67-2)

|   |   |   |   |                                   |
|---|---|---|---|-----------------------------------|
| U.S. - California - Proposition 65 - Carcinogens List | U.S. - California - Proposition 65 - Developmental Toxicity | U.S. - California - Proposition 65 - Reproductive Toxicity - Female | U.S. - California - Proposition 65 - Reproductive Toxicity - Male | No significance risk level (NSRL) |
| No  | No  | No  | No  |                                   |

##### Hydroxy terminated methylphenylsiloxane (68951-93-9)

|   |   |   |   |                                   |
|---|---|---|---|-----------------------------------|
| U.S. - California - Proposition 65 - Carcinogens List | U.S. - California - Proposition 65 - Developmental Toxicity | U.S. - California - Proposition 65 - Reproductive Toxicity - Female | U.S. - California - Proposition 65 - Reproductive Toxicity - Male | No significance risk level (NSRL) |
| No  | No  | No  | No  |                                   |

# SILANOL TERMINATED (14-18% DIPHENYLSILOXANE)-DIMETHYLSILOXANE COPOLYMER

## Safety Data Sheet

### Octamethylcyclotetrasiloxane (556-67-2)

U.S. - Maine - Chemicals of High Concern  
U.S. - Minnesota - Chemicals of High Concern  
U.S. - Minnesota - Chemicals of High Concern - Persistent Bioaccumulative Toxins  
U.S. - Oregon - Priority Persistent Pollutant - Tier I - Persistent Pollutants  
U.S. - Texas - Effects Screening Levels - Long Term  
U.S. - Texas - Effects Screening Levels - Short Term

### SECTION 16: Other information

Indication of changes

: Applied changes to section 4.

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemical Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

Full text of H-phrases::

|                       |   |
|-----------------------|---|
| Acute Tox. 4 (Dermal) | Acute toxicity (dermal) Category 4            |
| Acute Tox. 4 (Oral)   | Acute toxicity (oral) Category 4              |
| Eye Irrit. 2B         | Serious eye damage/eye irritation Category 2B |
| Flam. Liq. 3          | Flammable liquids Category 3                  |
| H226                  | Flammable liquid and vapor                    |
| H302                  | Harmful if swallowed                          |
| H312                  | Harmful in contact with skin                  |
| H320                  | Causes eye irritation                         |

### HMIS III Rating

Health

: 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability

: 1 Slight Hazard

Physical

: 0 Minimal Hazard

Prepared by safety and environmental affairs.

Date of issue: 06/18/2014

Revision date: 11/12/2014

Version: 2.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2014 Gelest Inc. Morrisville, PA 19067