

Safety Data Sheet SIA0198.0
Date of issue: 02/25/2015 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
Physical state : Liquid

Substance name : (3-ACRYLOXYPROPYL)METHYLDIMETHOXYSILANE, 95%

Product code : SIA0198.0 Formula : C9H18O4Si

Synonyms : (DIMETHOXYMETHYLSILYLPROPYL)ACRYLATE

Chemical family : ORGANOMETHOXYSILANE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Chemical intermediate

For research and industrial use only

1.3. Details of the supplier of the safety data sheet

GELEST, INC.

11 East Steel Road Morrisville, PA 19067

USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Flam. Liq. 4 H227 Skin Irrit. 2 H315 Eye Dam. 1 H318 Skin Sens. 1 H317

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)





GHS05

GHS07

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H227 - Combustible liquid

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H318 - Causes serious eye damage

Precautionary statements (GHS-US) : P280 - Wear protective gloves/protective clothing/eye protection/face protection

P261 - Avoid breathing vapors

P264 - Wash hands thoroughly after handling

P210 - Keep away from heat, open flames, sparks. - No smoking

P272 - Contaminated work clothing must not be allowed out of the workplace

P302+P352 - If on skin: Wash with plenty of water

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a doctor

P362 - Take off contaminated clothing and wash before reuse

P370+P378 - In case of fire: Use water spray, foam, carbon dioxide, dry chemical to extinguish

P403+P235 - Keep in a cool place

P501 - Dispose of contents/container to licensed waste disposal facility.

02/25/2015 EN (English US) SDS ID: **SIA0198.0** Page 1

Safety Data Sheet

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Substance type : Mono-constituent

Name : (3-ACRYLOXYPROPYL)METHYLDIMETHOXYSILANE, 95%

CAS No : 13732-00-8

Name	Product identifier	%	Classification (GHS-US)
(3-Acryloxypropyl)methyldimethoxysilane	(CAS No) 13732-00-8	> 95	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Hydroquinone monomethyl ether	(CAS No) 150-76-5	< 0.05	Acute Tox. 4 (Oral), H302 Eye Irrit. 2B, H320 Skin Sens. 1, H317
Methanol	(CAS No) 67-56-1		Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 1, H370 STOT SE 3, H336

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.

First-aid measures after inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact

First-aid measures after eye contact

: Wash with plenty of soap and water. Get medical advice/attention.

: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion

: Never give anything by mouth to an unconscious person. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation

: May cause irritation to the respiratory tract. Overexposure may cause: Coughing. Headache.

Symptoms/injuries after skin contact

: Causes skin irritation. May cause an allergic skin reaction. Acrylates can have a sensitizing effect.

Symptoms/injuries after eye contact

: Causes serious eye damage.

Symptoms/injuries after ingestion

: Oral toxicity is associated with methanol, the solvent and a hydrolysis product which causes nausea, vomiting, headache, visual effects including blindness.

Chronic symptoms

: On contact with water this compound liberates methanol which is known to have a chronic effect on the central nervous system. Methanol may effect the central nervous system resulting in persistent or recurring headaches or impaired vision.

4.3. Indication of any immediate medical attention and special treatment needed

NOTE TO PHYSICIAN: This product reacts with water in the acid contents of the stomach to form methanol. The combination of visual disturbances, metabolic acidosis and formic acid in urine is evidence of methanol poisoning. The therapeutic intravenous administration of ethanol (10 mls/hour) allows methanol to be preferentially oxidized and reduces production of methanol metabolites. Acidosis must be treated with intravenous administration of sodium bicarbonate and methanol elimination may be increased by hemodialysis, as indicated. Treatment should be based on blood methanol levels and acid-base balance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Foam. Carbon dioxide. Dry chemical.

5.2. Special hazards arising from the substance or mixture

Fire hazard

: Combustible liquid. Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.

02/25/2015 EN (English US) SDS ID: **SIA0198.0** 2/9

Safety Data Sheet

Advice for firefighters

Firefighting instructions : Use water spray to cool exposed surfaces. Exercise caution when fighting any chemical fire.

: Do not enter fire area without proper protective equipment, including respiratory protection. Protection during firefighting

Avoid all eye and skin contact and do not breathe vapor and mist.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Environmental precautions 6.2.

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or

shovel spills into appropriate container for disposal. Use only non-sparking tools.

Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling : Avoid all eye and skin contact and do not breathe vapor and mist. Provide good ventilation in process area to prevent accumulation of vapors. Containers must be properly grounded before

beginning transfer. Use only non-sparking tools.

Hygiene measures Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities 7.2.

Technical measures Ground/bond container and receiving equipment.

Keep container tightly closed. Store in sealed containers in the dark at 0-5°C. Storage conditions

Incompatible materials Moisture. Water.

: Store in a well-ventilated place. Store away from heat. Storage area

Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

Methanol (67-56-1)					
USA ACGIH	ACGIH TWA (ppm)	200 ppm			
USA ACGIH	ACGIH STEL (ppm)	250 ppm			
USA NIOSH	NIOSH REL (TWA) (mg/m³)	260 mg/m³			
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm			
USA NIOSH	NIOSH REL (STEL) (mg/m³)	325 mg/m³			
USA NIOSH	NIOSH REL (STEL) (ppm)	250 ppm			
USA OSHA	OSHA PEL (TWA) (mg/m³)	260 mg/m³			
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm			
USA IDLH	US IDLH (ppm)	6000 ppm			
Hydroquinone monomethyl ether (150-76-5)					
USA ACGIH	ACGIH TWA (mg/m³) 5 mg/m³				
USA NIOSH NIOSH REL (TWA) (mg/m³) 5 mg/m³					

Exposure controls

Appropriate engineering controls : Provide local exhaust or general room ventilation.

: Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be Personal protective equipment

available in the immediate vicinity of any potential exposure.

SDS ID: SIA0198.0 02/25/2015 EN (English US) 3/9

Safety Data Sheet

Hand protection : Neoprene or nitrile rubber gloves.

Eye protection : Chemical goggles or face shield. Contact lenses should not be worn.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : NIOSH-certified combination organic vapor/acid gas (yellow cartridge) respirator.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear liquid.
Molecular mass : 218.33 g/mol
Color : Straw.
Odor : Mild.

Odor threshold : No data available

Refractive index : 1.431

pH : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Melting point : No data available

Freezing point : < 0 °C

Boiling point : 65 °C @ 0.35 mm Hg

Flash point : 82 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas) : Combustible liquid

Vapor pressure : < 0.1 mm Hg @ 20°C

Relative vapor density at 20 °C : > 1
Relative density : 1.01
VOC content : < 3 %

Solubility Reacts with water. No data available Log Pow No data available Log Kow Viscosity, kinematic No data available : No data available Viscosity, dynamic No data available Explosive properties No data available Oxidizing properties : No data available **Explosive limits**

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable in sealed containers stored in the dark at 0-5°C. Polymerization can occur when stored at elevated temperature.

10.3. Possibility of hazardous reactions

Reacts with water and moisture in air, liberating methanol.

10.4. Conditions to avoid

Heat. Open flame. Sparks.

10.5. Incompatible materials

Moisture. Water.

10.6. Hazardous decomposition products

Methanol. Organic acid vapors. Oncogenicity concerns exist based on analog data with acrylates.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

02/25/2015 EN (English US) SDS ID: **SIA0198.0** 4/9

Safety Data Sheet

Methanol (67-56-1)		
LD50 oral rat		6200 mg/kg
LD50 dermal rabbit		20 g/kg
LC50 inhalation rat (ppm)		22500 ppm (Exposure time: 8 h)
ATE US (oral)		100.000 mg/kg body weight
ATE US (dermal)		300.000 mg/kg body weight
ATE US (vapors)		3.000 mg/l/4h
Hydroquinone monomethyl ether (150-76-5)		
LD50 oral rat		1600 mg/kg
Skin corrosion/irritation		: Causes skin irritation.
Serious eye damage/irritation		: Causes serious eye damage.
Respiratory or skin sensitization		: May cause an allergic skin reaction.
Germ cell mutagenicity		: Not classified
Carcinogenicity		: Not classified
Reproductive toxicity	:	Not classified
Specific target organ toxicity (single exposure)	:	Not classified
Specific target organ toxicity (repeated exposure)	:	Not classified
Aspiration hazard	:	Not classified
Potential Adverse human health effects and symptoms	:	Based on analog data, concerns with skin irritation, developmental liver and kidney toxicity, respiratory and dermal sensitization, and mutagenic and oncogenecity from the acrylate group exist.
Symptoms/injuries after inhalation	:	May cause irritation to the respiratory tract. Overexposure may cause: Coughing. Headache. Nausea.
Symptoms/injuries after skin contact	:	Causes skin irritation. May cause an allergic skin reaction. Acrylates can have a sensitizing effect.
Symptoms/injuries after eye contact	:	Causes serious eye damage.
Symptoms/injuries after ingestion	:	Oral toxicity is associated with methanol, the solvent and a hydrolysis product which causes nausea, vomiting, headache, visual effects including blindness.
Chronic symptoms	:	On contact with water this compound liberates methanol which is known to have a chronic effect on the central nervous system. Methanol may effect the central nervous system resulting in persistent or recurring headaches or impaired vision.
Reason for classification	, :	Expert judgment

SECTION 12: Ecological information

12.1. Toxicity

Methanol (67-56-1)			
LC50 fish 1	28200 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
LC50 fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])		
Hydroquinone monomethyl ether (150-76-5)			
LC50 fish 1	84.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
LC50 fish 2	28.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])		

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Methanol (67-56-1)		
BCF fish 1	< 10	
Log Pow	-0.77	
Hydroquinone monomethyl ether (150-76-5)		
Log Pow	1.34	

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

Effect on ozone layer : No additional information available

Effect on the global warming : No known ecological damage caused by this product.

02/25/2015 EN (English US) SDS ID: **SIA0198.0** 5/9

Safety Data Sheet

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to licensed waste disposal facility.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

DOT NA no. NA1993

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Combustible liquid, n.o.s.

((3-ACRYLOXYPROPYL)METHYLDIMETHOXYSILANE)

Department of Transportation (DOT) Hazard

Classes

DOT Symbols

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

: D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN

requiring a technical name

Packing group (DOT) : III - Minor Danger

DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
DOT Packaging Bulk (49 CFR 173.xxx) : 241

14.3. Additional information

Other information : No supplementary information available.

Transport by sea

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 60 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)

SECTION 15: Regulatory information

15.1. US Federal regulations

1	2-ACDVI OVVDDODVI	METHYLDIMETHOXYSILANI	05%	(12722_00_0)
	3-ACK ILUX IPKUP IL	INIE I D I LUINIE I DOX I SILANI	=, 95%	(13/32-00-0)

TSCA Exemption/Exclusion Low Volume Exemption in accordance with 40 CFR 723.50(c)(1).

Methanol (67-56-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on United States SARA Section 313

SARA Section 313 - Emission Reporting 1.0 %

Hydroquinone monomethyl ether (150-76-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.

(3-Acryloxypropyl)methyldimethoxysilane (13732-00-8)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

Methanol (67-56-1)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Sustances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Japanese Poisonous and Deleterious Substances Control Law

Listed on the Canadian IDL (Ingredient Disclosure List)

02/25/2015 EN (English US) SDS ID: **SIA0198.0** 6/9

Safety Data Sheet

Hydroquinone monomethyl ether (150-76-5)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Sustances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Listed on the Canadian IDL (Ingredient Disclosure List)

(3-Acryloxypropyl)methyldimethoxysilane (13732-00-8)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

15.3. US State regulations

10101 00 Outro 10guitationo						
(3-ACRYLOXYPROPYL)M						
U.S California - Proposition 65 - Carcinogens List		No	No			
U.S California - Proposition	on 65 - Developmental	No				
U.S California - Proposition Toxicity - Female	on 65 - Reproductive	No				
U.S California - Proposition 65 - Reproductive Toxicity - Male		No				
Methanol (67-56-1)						
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)		
No	Yes	No	No			
Hydroquinone monomethyl ether (150-76-5)						
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)		
No	No	No	No			

(3-Aci yloxypropyi)illetilyld	(3-Act yloxypropyr)metriylulmetrioxysilarie (13/32-00-6)					
U.S California -	U.S California - U.S California - U.S California - No significance risk level					
Proposition 65 -	Proposition 65 -	Proposition 65 -	Proposition 65 -	(NSRL)		
Carcinogens List	Developmental Toxicity	Reproductive Toxicity -	Reproductive Toxicity -			
		Female	Male			
No	No	No	No			

Methanol (67-56-1)

- U.S. California Proposition 65 Maximum Allowable Dose Levels (MADL)
- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Acute
- U.S. California SCAQMD Toxic Air Contaminants Non-Cancer Chronic
- U.S. California Toxic Air Contaminant List (AB 1807, AB 2728)
- U.S. Colorado Hazardous Wastes Discarded Chemical Products, Off-Specification Species, Container and Spill Residues
- U.S. Connecticut Hazardous Air Pollutants HLVs (30 min)
- U.S. Connecticut Hazardous Air Pollutants HLVs (8 hr)
- U.S. Connecticut Volatile Substances
- U.S. Delaware Pollutant Discharge Requirements Reportable Quantities
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Acceptable Ambient Concentrations
- U.S. Idaho Non-Carcinogenic Toxic Air Pollutants Emission Levels (ELs)
- U.S. Idaho Occupational Exposure Limits TWAs
- U.S. Illinois Toxic Air Contaminants
- U.S. Louisiana Reportable Quantity List for Pollutants
- U.S. Maine Air Pollutants Hazardous Air Pollutants
- U.S. Maine Chemicals of High Concern
- U.S. Massachusetts Allowable Ambient Limits (AALs)
- U.S. Massachusetts Allowable Threshold Concentrations (ATCs)
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Groundwater Reportable Concentration Reporting Category 2
- U.S. Massachusetts Oil & Hazardous Material List Reportable Quantity
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 1
- U.S. Massachusetts Oil & Hazardous Material List Soil Reportable Concentration Reporting Category 2
- U.S. Massachusetts Right To Know List
- U.S. Massachusetts Threshold Effects Exposure Limits (TELs)
- U.S. Massachusetts Toxics Use Reduction Act

SDS ID: SIA0198.0 02/25/2015 EN (English US) 7/9

Safety Data Sheet

```
Methanol (67-56-1)
U.S. - Michigan - Occupational Exposure Limits - Skin Designations
U.S. - Michigan - Occupational Exposure Limits - STELs
U.S. - Michigan - Occupational Exposure Limits - TWAs
U.S. - Michigan - Polluting Materials List
U.S. - Minnesota - Chemicals of High Concern
U.S. - Minnesota - Groundwater Health Risk Limits
U.S. - Minnesota - Hazardous Substance List
U.S. - Minnesota - Permissible Exposure Limits - Skin Designations
U.S. - Minnesota - Permissible Exposure Limits - STELs
U.S. - Minnesota - Permissible Exposure Limits - TWAs
U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour
U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual
U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances
U.S. - New Jersey - Environmental Hazardous Substances List
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - New Jersey - Special Health Hazards Substances List
U.S. - New Jersey - Water Quality - Ground Water Quality Criteria
U.S. - New Jersey - Water Quality - Practical Quantitation Levels (PQLs)
U.S. - New York - Occupational Exposure Limits - Skin Designations
U.S. - New York - Occupational Exposure Limits - TWAs
U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances
U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 1-Hour
U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 8-Hour
U.S. - North Dakota - Hazardous Wastes - Discarded Chemical Products, Off-Specification Species, Container and Spill Residues
U.S. - Oregon - Permissible Exposure Limits - TWAs
U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List
U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Rhode Island - Air Toxics - Acceptable Ambient Levels - 1-Hour
U.S. - Rhode Island - Air Toxics - Acceptable Ambient Levels - Annual
U.S. - South Carolina - Toxic Air Pollutants - Maximum Allowable Concentrations
U.S. - South Carolina - Toxic Air Pollutants - Pollutant Categories
U.S. - Tennessee - Occupational Exposure Limits - Skin Designations U.S. - Tennessee - Occupational Exposure Limits - STELs
U.S. - Tennessee - Occupational Exposure Limits - TWAs
U.S. - Texas - Effects Screening Levels - Long Term
U.S. - Texas - Effects Screening Levels - Short Term
U.S. - Vermont - Permissible Exposure Limits - Skin Designations
U.S. - Vermont - Permissible Exposure Limits - STELs
U.S. - Vermont - Permissible Exposure Limits - TWAs
U.S. - Washington - Dangerous Waste - Discarded Chemical Products List
U.S. - Washington - Permissible Exposure Limits - Skin Designations
U.S. - Washington - Permissible Exposure Limits - STELs
U.S. - Washington - Permissible Exposure Limits - TWAs
Hydroquinone monomethyl ether (150-76-5)
U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min)
U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr)
U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs)
U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 1
U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 2
U.S. - Massachusetts - Oil & Hazardous Material List - Reportable Quantity
U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 1
U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 2
U.S. - Massachusetts - Right To Know List
U.S. - Michigan - Occupational Exposure Limits - TWAs
U.S. - Minnesota - Hazardous Substance List
U.S. - Minnesota - Permissible Exposure Limits - TWAs
U.S. - New Jersey - Right to Know Hazardous Substance List U.S. - New York - Occupational Exposure Limits - TWAs
U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 8-Hour
U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Tennessee - Occupational Exposure Limits - TWAs
U.S. - Texas - Effects Screening Levels - Long Term
U.S. - Texas - Effects Screening Levels - Short Term
U.S. - Vermont - Permissible Exposure Limits - TWAs
U.S. - Washington - Permissible Exposure Limits - STELs
U.S. - Washington - Permissible Exposure Limits - TWAs
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 25 Feet to Less Than 40 Feet
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 40 Feet to Less Than 75 Feet
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 75 Feet or Greater
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights Less Than 25 Feet
```

02/25/2015 EN (English US) SDS ID: **SIA0198.0** 8/9

Safety Data Sheet

SECTION 16: Other information

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

Full text of H-phrases::

Acute Tox. 3 (Dermal) Acute Tox. 3 (Inhalation:vapour) Acute Tox. 3 (Inhalation:vapour) Acute Tox. 3 (Oral) Acute Tox. 3 (Oral) Acute toxicity (inhalation:vapor) Category 3 Acute toxicity (oral) Category 4 Acute toxicity (oral) Category 4 Eye Dam. 1 Eye Dam. 1 Eye Irrit. 2B Serious eye damage/eye irritation Category 1 Eye Irrit. 2B Flam. Liq. 2 Flammable liquids Category 2 Flam. Liq. 4 Flammable liquids Category 2 Flam. Liq. 4 Flammable liquids Category 4 Skin Irrit. 2 Skin sens. 1 Sin Irrit. 2 Skin sens. 1 Specific target organ toxicity (single exposure) Category 1 STOT SE 1 Specific target organ toxicity (single exposure) Category 1 STOT SE 3 Highly flammable liquid and vapor H227 Combustible liquid H301 Toxic if swallowed H311 Toxic is swallowed H311 Toxic in contact with skin Causes shi irritation H316 H317 May cause an allergic skin reaction H318 Causes serious eye damage H320 Causes eye irritation H331 Toxic if inhalation:vapor 1 Acute toxicity (inhalation:vapor) 2 Serious eye damage Causes damage to organs	At of 11-philases		
Acute Tox. 3 (Oral) Acute Tox. 4 (Oral) Acute	Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3	
Acute Tox. 4 (Oral) Eye Dam. 1 Eye Dam. 1 Eye Irrit. 2B Serious eye damage/eye irritation Category 1 Eye Irrit. 2B Serious eye damage/eye irritation Category 2B Flam. Liq. 2 Flammable liquids Category 2 Flammable liquids Category 4 Skin Liq. 4 Skin Irrit. 2 Skin corrosion/irritation Category 4 Skin Sens. 1 Stort SE 1 Specific target organ toxicity (single exposure) Category 1 STOT SE 3 Specific target organ toxicity (single exposure) Category 3 H225 Highly flammable liquid and vapor H227 Combustible liquid H301 Toxic if swallowed H302 Harmful if swallowed H311 Toxic in contact with skin Causes skin irritation H315 Causes skin irritation H316 Causes serious eye damage H320 Causes eye irritation H331 Toxic if inhaled H336 May cause drowsiness or dizziness	Acute Tox. 3 (Inhalation:vapour)		
Eye Dam. 1 Eye Irrit. 2B Serious eye damage/eye irritation Category 1 Eye Irrit. 2B Flam. Liq. 2 Flammable liquids Category 2 Flammable liquids Category 4 Skin Irrit. 2 Skin corrosion/irritation Category 2 Skin Sens. 1 STOT SE 1 STOT SE 1 Specific target organ toxicity (single exposure) Category 1 STOT SE 3 Highly flammable liquid and vapor H227 Combustible liquid H301 Toxic if swallowed H311 Toxic in contact with skin H315 Causes skin irritation H318 Causes serious eye damage/eye irritation Category 1 Serious eye damage/eye irritation Category 2 Flammable liquids Category 2 Skin corrosion/irritation Category 2 Skin sens. 1 Specific target organ toxicity (single exposure) Category 1 STOT SE 3 Specific target organ toxicity (single exposure) Category 3 H225 Highly flammable liquid and vapor Combustible liquid Toxic if swallowed H311 Toxic in contact with skin Causes skin irritation H318 Causes serious eye damage H320 Causes eye irritation H331 Toxic if inhaled H336 May cause drowsiness or dizziness	Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3	
Eye Irrit. 2B Flam. Liq. 2 Flam. Liq. 2 Flam. Liq. 4 Flammable liquids Category 2 Flam. Liq. 4 Flammable liquids Category 4 Skin Irrit. 2 Skin corrosion/irritation Category 2 Skin Sens. 1 Skin sens. 1 Specific target organ toxicity (single exposure) Category 1 STOT SE 1 Specific target organ toxicity (single exposure) Category 1 STOT SE 3 Highly flammable liquid and vapor H227 Combustible liquid H301 Toxic if swallowed H311 Toxic in contact with skin H315 Causes skin irritation H317 May cause an allergic skin reaction H318 Causes serious eye damage H320 Causes eye irritation H331 Toxic if inhaled H336 May cause or dizziness	Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4	
Flam. Liq. 2 Flam. Liq. 4 Flammable liquids Category 2 Flam. Liq. 4 Flammable liquids Category 4 Skin Irrit. 2 Skin corrosion/irritation Category 2 Skin Sens. 1 STOT SE 1 Specific target organ toxicity (single exposure) Category 1 STOT SE 3 Flammable liquid and vapor Category 3 H225 Highly flammable liquid and vapor H227 Combustible liquid H301 Toxic if swallowed H311 Toxic in contact with skin Causes serious eye damage H320 Causes eye irritation H331 Toxic if inhaled H336 May cause drowsiness or dizziness	Eye Dam. 1	Serious eye damage/eye irritation Category 1	
Flam. Liq. 4 Skin Irrit. 2 Skin corrosion/irritation Category 2 Skin Sens. 1 STOT SE 1 STOT SE 3 H225 Highly flammable liquid and vapor Combustible liquid H301 H311 Toxic in contact with skin H315 Causes skin irritation H318 Causes serious eye damage H320 Causes serious eye damage H331 H336 Flammable liquids Category 4 Skin corrosion/irritation Category 2 Skin sensitization Category 1 Specific target organ toxicity (single exposure) Category 3 Highly flammable liquid and vapor Combustible liquid Toxic if swallowed Harmful if swallowed Harmful if swallowed Harmful if swallowed Causes skin irritation May cause an allergic skin reaction Causes eye irritation H331 Toxic if inhaled May cause drowsiness or dizziness	Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B	
Skin Irrit. 2 Skin sens. 1 Skin sens. 1 Stort SE 1 Specific target organ toxicity (single exposure) Category 1 Stort SE 3 Specific target organ toxicity (single exposure) Category 3 H225 Highly flammable liquid and vapor Combustible liquid Toxic if swallowed H301 H302 Harmful if swallowed H311 Toxic in contact with skin Causes skin irritation H315 Causes skin irritation H317 May cause an allergic skin reaction H318 Causes serious eye damage H320 Causes eye irritation H331 Toxic if inhaled H336 May cause drowsiness or dizziness	Flam. Liq. 2	Flammable liquids Category 2	
Skin Sens. 1 Stin Sens. 1 Stin Sensitization Category 1 STOT SE 1 Specific target organ toxicity (single exposure) Category 1 STOT SE 3 Specific target organ toxicity (single exposure) Category 3 H225 Highly flammable liquid and vapor H227 Combustible liquid H301 Toxic if swallowed H302 Harmful if swallowed H311 Toxic in contact with skin Causes skin irritation H315 Causes skin irritation H317 May cause an allergic skin reaction Causes serious eye damage H320 Causes eye irritation H331 Toxic if inhaled H336 May cause drowsiness or dizziness	Flam. Liq. 4	Flammable liquids Category 4	
STOT SE 1 Specific target organ toxicity (single exposure) Category 1 STOT SE 3 Specific target organ toxicity (single exposure) Category 3 H225 Highly flammable liquid and vapor Combustible liquid H301 Toxic if swallowed H302 Harmful if swallowed H311 Toxic in contact with skin Causes skin irritation H315 Causes skin irritation H317 May cause an allergic skin reaction Causes serious eye damage H320 Causes eye irritation H331 Toxic if inhaled H336 May cause drowsiness or dizziness	Skin Irrit. 2	Skin corrosion/irritation Category 2	
STOT SE 3 Specific target organ toxicity (single exposure) Category 3 H225 Highly flammable liquid and vapor Combustible liquid Toxic if swallowed H301 H302 Harmful if swallowed H311 Toxic in contact with skin Causes skin irritation H315 May cause an allergic skin reaction H318 Causes serious eye damage H320 Causes eye irritation H331 Toxic if inhaled H336 May cause drowsiness or dizziness	Skin Sens. 1	Skin sensitization Category 1	
H225 Highly flammable liquid and vapor Combustible liquid H301 Toxic if swallowed H302 Harmful if swallowed H311 Toxic in contact with skin Causes skin irritation H315 May cause an allergic skin reaction Causes serious eye damage H320 Causes eye irritation H331 Toxic if inhaled H336 May cause drowsiness or dizziness	STOT SE 1	Specific target organ toxicity (single exposure) Category 1	
H227 Combustible liquid H301 Toxic if swallowed H302 Harmful if swallowed H311 Toxic in contact with skin H315 Causes skin irritation H317 May cause an allergic skin reaction H318 Causes serious eye damage H320 Causes eye irritation H331 Toxic if inhaled H336 May cause drowsiness or dizziness	STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H301 Toxic if swallowed H302 Harmful if swallowed H311 Toxic in contact with skin H315 Causes skin irritation H317 May cause an allergic skin reaction H318 Causes serious eye damage H320 Causes eye irritation H331 Toxic if inhaled H336 May cause drowsiness or dizziness	H225	Highly flammable liquid and vapor	
H302 Harmful if swallowed H311 Toxic in contact with skin H315 Causes skin irritation H317 May cause an allergic skin reaction H318 Causes serious eye damage H320 Causes eye irritation H331 Toxic if inhaled H336 May cause drowsiness or dizziness	H227	Combustible liquid	
H311 Toxic in contact with skin Causes skin irritation H317 May cause an allergic skin reaction H318 Causes serious eye damage H320 Causes eye irritation H331 Toxic if inhaled H336 May cause drowsiness or dizziness	H301	Toxic if swallowed	
H315 Causes skin irritation H317 May cause an allergic skin reaction Causes serious eye damage H320 Causes eye irritation H331 Toxic if inhaled H336 May cause drowsiness or dizziness	H302	Harmful if swallowed	
H317 May cause an allergic skin reaction H318 Causes serious eye damage H320 Causes eye irritation H331 Toxic if inhaled H336 May cause drowsiness or dizziness	H311	Toxic in contact with skin	
H318 Causes serious eye damage H320 Causes eye irritation H331 Toxic if inhaled H336 May cause drowsiness or dizziness	H315	Causes skin irritation	
H320 Causes eye irritation H331 Toxic if inhaled H336 May cause drowsiness or dizziness	H317	May cause an allergic skin reaction	
H331 Toxic if inhaled H336 May cause drowsiness or dizziness	H318	Causes serious eye damage	
H336 May cause drowsiness or dizziness	H320		
	H331		
H370 Causes damage to organs	H336		
	H370	Causes damage to organs	

HMIS III Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

given

Flammability : 2 Moderate Hazard
Physical : 1 Slight Hazard

Prepared by safety and environmental affairs.

Date of issue: 02/25/2015 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2015 Gelest Inc. Morrisville, PA 19067

02/25/2015 EN (English US) SDS ID: **SIA0198.0** 9/9