

Safety Data Sheet SIA0415.0 Date of issue: 06/15/2015 Version: 1.0

SECTION 1: Identification of the	substance/mixture and of the company/undertaking
1.1. Product identifier	substance/mixture and or the company/undertaking
Product form	: Substance
Physical state	: Liquid
Substance name	: N-ALLYL-AZA-2,2-DIMETHOXYSILACYCLOPENTANE
Product code	: SIA0415.0
Formula	: C8H17NO2Si
Chemical family	
,	: ORGANOMETHOXYSILANE
1.2. Relevant identified uses of the s	substance or mixture and uses advised against
Use of the substance/mixture	: Chemical intermediate For research use only
1.3. Details of the supplier of the safety o	fety data sheet
GELEST, INC. 11 East Steel Road Morrisville, PA 19067 USA T 215-547-1015 - F 215-547-2484 - (M-F): 8	3:00 AM - 5:30 PM EST
info@gelest.com - <u>www.gelest.com</u>	
1.4. Emergency telephone number	
Emergency number	: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)
SECTION 2: Hazards identificatio	n
2.1. Classification of the substance	
Classification (GHS-US)	
Flam. Liq. 4 H227 Skin Irrit. 2 H315 Eye Dam. 1 H318	
STOT SE 3 H335	
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	
	GHS05 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H227 - Combustible liquid H315 - Causes skin irritation H318 - Causes serious eye damage H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	: P210 - Keep away from heat, open flames, sparks No smoking P261 - Avoid breathing vapors
	P264 - Wash hands thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P280 - Wear eye protection, protective gloves, protective clothing P302+P352 - If on skin: Wash with plenty of water P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a doctor
	 P312 - Call a doctor if you feel unwell P321 - Specific treatment (see on this label) P332+P313 - If skin irritation occurs: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse P370+P378 - In case of fire: Use water spray, foam, carbon dioxide, dry chemical to extinguis P403+P233 - Store in a well-ventilated place. Keep container tightly closed P403+P235 - Keep in a cool place
06/15/2015	EN (English US) SDS ID: SIA0415.0 Page

Safety Data Sheet

P405 - Store locked up

P501 - Dispose of contents/container to licensed waste disposal facility

	P501 - Dispose of contents/co	ntainer to licensed waste disp	osal facility.
2.3. Other hazards			
No additional information availated	able		
2.4. Unknown acute tox	icity (GHS US)		
No data available			
SECTION 3: Compositi	on/information on ingredients		
3.1. Substance			
Substance type	: Mono-constituent		
Name	: N-ALLYL-AZA-2,2-DIMETHO	XYSILACYCLOPENTANE	
CAS No	: 618914-49-1		
Name	Product identifier	%	Classification (GHS-US)
N-Allyl-aza-2,2-dimethoxysilacycl	opentane (CAS No) 618914-49-1	> 95	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
Methanol	(CAS No) 67-56-1		Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331

3.2. Mixture

Not applicable

SECTION 4. First aid massures		
SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	:	Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.
First-aid measures after inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	- C	Wash with plenty of soap and water. Get medical advice/attention.
First-aid measures after eye contact	:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	:	Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms and effe	ects,	both acute and delayed
Symptoms/injuries after inhalation	:	May cause respiratory irritation. Overexposure may cause: Coughing. Headache. Nausea.
Symptoms/injuries after skin contact	:	Causes skin irritation.
Symptoms/injuries after eye contact	:	Causes serious eye damage.
Symptoms/injuries after ingestion	:	Oral toxicity is associated with methanol, the solvent and a hydrolysis product which causes nausea, vomiting, headache, visual effects including blindness. Onset of symptoms may be delayed up to 48 hours.
Chronic symptoms	:	On contact with water this compound liberates methanol which is known to have a chronic effect on the central nervous system.

4.3. Indication of any immediate medical attention and special treatment needed

NOTE TO PHYSICIAN: This product reacts with water in the acid contents of the stomach to form methanol. The combination of visual disturbances, metabolic acidosis and formic acid in urine is evidence of methanol poisoning. The therapeutic intravenous administration of ethanol (10 mls/hour) allows methanol to be preferentially oxidized and reduces production of methanol metabolites. Acidosis must be treated with intravenous administration of sodium bicarbonate and methanol elimination may be increased by hemodialysis, as indicated. Treatment should be based on blood methanol levels and acid-base balance.

SECT	ION 5: Firefighting measures	
5.1.	Extinguishing media	
Suitabl	e extinguishing media	: Water spray. Foam. Carbon dioxide. Dry chemical.
5.2.	Special hazards arising from the s	ubstance or mixture
Fire ha	zard	: Combustible liquid. Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.

N-ALLYL-AZA-2,2-DIMETHOXYSILACYCLOPENTANE Safety Data Sheet

Firefighting instructions	ighters	
• •		ter spray to cool exposed surfaces. Exercise caution when fighting any chemical fire.
Protection during firefightin		enter fire area without proper protective equipment, including respiratory protection. Il eye and skin contact and do not breathe vapor and mist.
SECTION 6: Accide	ntal release measures	
	utions, protective equipment ar	nd emergency procedures
General measures :		e ignition sources. Use special care to avoid static electric charges.
6.1.1. For non-emerg	ency personnel	
Emergency procedures		te unnecessary personnel.
6.1.2. For emergency	responders	
Protective equipment		cleanup crew with proper protection.
6.2. Environmental		
		s if liquid enters sewers or public waters.
-	naterial for containment and clea	
Methods for cleaning up		up any spills as soon as possible, using an absorbent material to collect it. Sweep or
nothedd for cloaning up		spills into appropriate container for disposal. Use only non-sparking tools.
6.4. Reference to of	her sections	
See Heading 8. Exposure	controls and personal protection.	
SECTION 7: Handlin	ng and storage	
7.1. Precautions for		
Additional hazards when p	rocessed : Keep a	way from heat, open flames, sparks No smoking.
Precautions for safe hand		good ventilation in process area to prevent accumulation of vapors. Avoid all eye an
		ntact and do not breathe vapor and mist. Take precautionary measures against static ge. Use only non-sparking tools.
Hygiene measures		nands and other exposed areas with mild soap and water before eating, drinking or
	smokin	g and when leaving work. Wash contaminated clothing before reuse.
7.2. Conditions for	safe storage, including any inco	ompatibilities
Technical measures		I/bond container and receiving equipment.
Storage conditions		ontainer tightly closed.
ncompatible materials		Alcohols. Oxidizing agent. Peroxides. Moisture. Water.
Storage area		n a well-ventilated place. Store away from heat.
7.3. Specific end us	e(s)	
No additional information a	and a final state of the state	
	ire controls/personal prot	tection
	ire controls/personal prot	tection
Methanol (67-56-1)	ire controls/personal prot eters	
B.1. Control parameter Methanol (67-56-1) USA ACGIH	ACGIH TWA (ppm)	tection 200 ppm
Methanol (67-56-1)	ire controls/personal prot eters	200 ppm 250 ppm
B.1. Control parameter Methanol (67-56-1) USA ACGIH	ACGIH TWA (ppm)	200 ppm 250 ppm
B.1. Control parame Methanol (67-56-1) USA ACGIH USA ACGIH USA ACGIH	ACGIH STEL (ppm)	200 ppm 250 ppm 1 ³) 260 mg/m ³
B.1. Control parame Methanol (67-56-1) USA ACGIH USA ACGIH USA ACGIH USA NIOSH USA NIOSH	ACGIH TWA (ppm) ACGIH STEL (ppm) NIOSH REL (TWA) (mg/m	200 ppm 250 ppm 3 ³) 260 mg/m ³ 200 ppm
B.1. Control parame Methanol (67-56-1) USA ACGIH USA ACGIH USA NIOSH USA NIOSH	ACGIH TWA (ppm) ACGIH STEL (ppm) NIOSH REL (TWA) (mg/m NIOSH REL (TWA) (ppm)	200 ppm 250 ppm 3 ³) 260 mg/m ³ 200 ppm n ³) 325 mg/m ³
B.1. Control parame Methanol (67-56-1) USA ACGIH USA ACGIH USA ACGIH USA NIOSH USA NIOSH USA NIOSH USA NIOSH	ACGIH TWA (ppm) ACGIH STEL (ppm) NIOSH REL (TWA) (mg/m NIOSH REL (TWA) (ppm) NIOSH REL (STEL) (mg/m	200 ppm 250 ppm 250 ppm 3 ³) 260 mg/m ³ 200 ppm n ³) 325 mg/m ³) 250 ppm
A.1.Control parameMethanol (67-56-1)USA ACGIHUSA ACGIHUSA NIOSHUSA NIOSHUSA NIOSHUSA NIOSHUSA NIOSH	ACGIH TWA (ppm) ACGIH STEL (ppm) NIOSH REL (TWA) (mg/m NIOSH REL (TWA) (ppm) NIOSH REL (STEL) (mg/n NIOSH REL (STEL) (mg/n OSHA PEL (TWA) (mg/m ³	200 ppm 250 ppm 250 ppm 260 mg/m ³ 200 ppm m ³) 325 mg/m ³) 250 ppm 260 mg/m ³
B.1.Control parameMethanol (67-56-1)USA ACGIHUSA ACGIHUSA NIOSHUSA NIOSHUSA NIOSHUSA NIOSHUSA NIOSHUSA OSHA	ACGIH TWA (ppm) ACGIH STEL (ppm) NIOSH REL (TWA) (mg/m NIOSH REL (TWA) (ppm) NIOSH REL (STEL) (mg/m NIOSH REL (STEL) (ppm) OSHA PEL (TWA) (ppm)	200 ppm 250 ppm 250 ppm 260 mg/m ³ 200 ppm n ³) 260 mg/m ³ 200 ppm 325 mg/m ³ 250 ppm 250 ppm 260 mg/m ³ 200 ppm
B.1.Control parameMethanol (67-56-1)USA ACGIHUSA ACGIHUSA NIOSHUSA NIOSHUSA NIOSHUSA NIOSHUSA OSHAUSA OSHAUSA IDLH	Ire controls/personal protectors ACGIH TWA (ppm) ACGIH STEL (ppm) NIOSH REL (TWA) (mg/m NIOSH REL (TWA) (ppm) NIOSH REL (STEL) (mg/m OSHA PEL (STEL) (ppm) OSHA PEL (TWA) (mg/m3 OSHA PEL (TWA) (ppm) US IDLH (ppm)	200 ppm 250 ppm 250 ppm 260 mg/m ³ 200 ppm m ³) 325 mg/m ³) 250 ppm 260 mg/m ³
A.1.Control parameMethanol (67-56-1)USA ACGIHUSA ACGIHUSA NIOSHUSA NIOSHUSA NIOSHUSA NIOSHUSA OSHAUSA OSHAUSA IDLH8.2.Exposure cont	ITE CONTROIS/PERSONAL PROF PETERS ACGIH TWA (ppm) ACGIH STEL (ppm) NIOSH REL (TWA) (mg/m) NIOSH REL (TWA) (ppm) NIOSH REL (STEL) (mg/n) OSHA PEL (STEL) (ppm) OSHA PEL (TWA) (mg/m3 OSHA PEL (TWA) (mg/m3 OSHA PEL (TWA) (ppm) US IDLH (ppm) rols	200 ppm 250 ppm 250 ppm 3 ³) 260 mg/m ³ 200 ppm 100 250 ppm 250 ppm 250 ppm 260 mg/m ³ 260 mg/m ³ 200 ppm 6000 ppm
B.1. Control parameter Methanol (67-56-1) USA ACGIH USA ACGIH USA NIOSH USA NIOSH USA NIOSH USA NIOSH USA NIOSH USA OSHA USA OSHA USA IDLH S.2. Exposure cont	ITE Controls/personal protectors ACGIH TWA (ppm) ACGIH STEL (ppm) NIOSH REL (TWA) (mg/m) NIOSH REL (TWA) (ppm) NIOSH REL (STEL) (mg/m) OSHA PEL (TWA) (mg/m3) OSHA PEL (TWA) (mg/m3) OSHA PEL (TWA) (ppm) US IDLH (ppm) rols ontrols : Provide	200 ppm 250 ppm 3 ³) 260 mg/m ³ 200 ppm m ³) 200 ppm 100 ppm 200 ppm 101 250 ppm 250 ppm 200 260 mg/m ³ 260 mg/m ³ 101 260 mg/m ³ 260 mg/m ³ 102 260 mg/m ³ 260 mg/m ³ 103 260 ppm 6000 ppm 104 200 ppm 6000 ppm
8.1. Control parame Methanol (67-56-1) USA ACGIH USA ACGIH USA NIOSH USA NIOSH USA NIOSH USA NIOSH USA OSHA USA OSHA USA IDLH 8.2. Exposure cont Appropriate engineering c Personal protective equipr	Ire controls/personal profession ACGIH TWA (ppm) ACGIH STEL (ppm) NIOSH REL (TWA) (mg/m NIOSH REL (TWA) (ppm) NIOSH REL (STEL) (mg/m OSHA PEL (TWA) (mg/m ³ OSHA PEL (TWA) (ppm) US IDLH (ppm) rols controls : Provide nent : Avoid a	200 ppm 250 ppm 3 ³) 260 mg/m ³ 200 ppm n ³) 325 mg/m ³) 250 ppm 3) 260 mg/m ³ 200 ppm 250 ppm 3) 260 mg/m ³ 200 ppm 6000 ppm e local exhaust or general room ventilation. all unnecessary exposure. Emergency eye wash fountains and safety showers should le in the immediate vicinity of any potential exposure.
B.1. Control parameter Methanol (67-56-1) USA ACGIH USA ACGIH USA NIOSH USA NIOSH USA NIOSH USA NIOSH USA NIOSH USA OSHA USA OSHA USA IDLH B.2. Exposure contraction Personal protective equiption	Ire controls/personal professional profession of the set of the se	200 ppm 250 ppm 3 ³) 260 mg/m ³ 200 ppm n ³) 325 mg/m ³) 250 ppm 3) 260 mg/m ³ 200 ppm 250 ppm 3) 260 mg/m ³ 200 ppm 6000 ppm e local exhaust or general room ventilation. elocal exhaust or general room ventilation. all unnecessary exposure. Emergency eye wash fountains and safety showers should le in the immediate vicinity of any potential exposure. ene or nitrile rubber gloves.
8.1. Control parame Methanol (67-56-1) USA ACGIH USA ACGIH USA NIOSH USA NIOSH USA NIOSH USA NIOSH USA OSHA USA OSHA USA IDLH	Ire controls/personal protectors ACGIH TWA (ppm) ACGIH STEL (ppm) NIOSH REL (TWA) (mg/m NIOSH REL (TWA) (ppm) NIOSH REL (STEL) (mg/m OSHA PEL (TWA) (mg/m ³)	200 ppm 250 ppm 3 ³) 260 mg/m ³ 200 ppm n ³) 325 mg/m ³) 250 ppm 3) 260 mg/m ³ 200 ppm 250 ppm 3) 260 mg/m ³ 200 ppm 6000 ppm e local exhaust or general room ventilation. all unnecessary exposure. Emergency eye wash fountains and safety showers should le in the immediate vicinity of any potential exposure.

Safety Data Sheet

Respiratory protection Where exposure through inhalation may occur from use, respiratory protection equipment is : recommended. NIOSH-certified combination organic vapor - amine gas (brown cartridge) respirator. SECTION 9: Physical and chemical properties Information on basic physical and chemical properties 9.1. : Liquid Physical state Appearance : Clear liquid. : 187.31 g/mol Molecular mass Color Straw. Mild. Amine. Ammonia-like. Odor Odor threshold No data available Refractive index No data available pН No data available Relative evaporation rate (butyl acetate=1) : <1 Melting point : No data available Freezing point : < 0 °C : 52 - 54 °C @ 3 mm Hg Boiling point Flash point : > 65 °C : No data available Auto-ignition temperature Decomposition temperature : No data available Flammability (solid, gas) Combustible liquid Vapor pressure < 1 mm Hg @ 20°C : Relative vapor density at 20 °C : >1 Relative density : <1 < 30 % VOC content Solubility Reacts with water. Log Pow No data available No data available Log Kow No data available Viscosity, kinematic No data available Viscosity, dynamic Explosive properties No data available No data available Oxidizing properties No data available Explosion limits **Other information** 9.2. No additional information available SECTION 10: Stability and reactivity 10.1. Reactivity No additional information available 10.2. **Chemical stability** Stable when stored in sealed containers. 10.3. Possibility of hazardous reactions Reacts with water and moisture in air, liberating methanol. 10.4. **Conditions to avoid** Heat. Sparks. Open flame. 10.5. Incompatible materials Acids. Alcohols. Oxidizing agent. Peroxides. Moisture. Water. Hazardous decomposition products 10.6. Methanol. Organic amine vapors. **SECTION 11: Toxicological information** 11.1. Information on toxicological effects : Not classified Acute toxicity Methanol (67-56-1) 6200 mg/kg LD50 oral rat LD50 dermal rabbit 20 g/kg

Safety Data Sheet

Methanol (67-56-1)	
LC50 inhalation rat (ppm)	22500 ppm (Exposure time: 8 h)
ATE US (oral)	100.000 mg/kg body weight
ATE US (dermal)	300.000 mg/kg body weight
ATE US (vapors)	3.000 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause respiratory irritation. Overexposure may cause: Coughing. Headache. Nausea.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: Oral toxicity is associated with methanol, the solvent and a hydrolysis product which causes nausea, vomiting, headache, visual effects including blindness. Onset of symptoms may be delayed up to 48 hours.
Chronic symptoms	: On contact with water this compound liberates methanol which is known to have a chronic effect on the central nervous system.
SECTION 12: Ecological information	
12.1. Toxicity	
Methanol (67-56-1)	
LC50 fish 1	28200 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
12.2 Dereistance and derredebility	

12.2. Persistence and degradability

No additional information available

Methanol (67-56-1)		
BCF fish 1	< 10	
Log Pow	-0.77	

No additional information available

12.5. Other adverse effects

Other adverse effects	: This substance may be hazardous to the environment.
Effect on ozone layer	: No additional information available
Effect on the global warming	: No known ecological damage caused by this product.

SECTION 13: Disposal consider	rations
13.1. Waste treatment methods	
Waste disposal recommendations	: May be incinerated. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.
Ecology - waste materials	: Avoid release to the environment.
OFOTION 44 THE STATE	

SECTION 14: Transport information	
14.1. UN number	
DOT NA no.	NA1993
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Combustible liquid, n.o.s. (N-ALLYL-AZA-2,2-DIMETHOXYSILACYCLOPENTANE)
Department of Transportation (DOT) Hazard Classes	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

N-ALLYL-AZA-2,2-DIMETHOXYSILACYCLOPENTANE Safety Data Sheet

	D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN equiring a technical name
	II - Minor Danger
	150
	203
	241
14.3. Additional information	
Other information : 1	No supplementary information available.
Transport by sea	
	A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Air transport	
DOT Quantity Limitations Passenger aircraft/rail : 6 (49 CFR 173.27)	50 L
DOT Quantity Limitations Cargo aircraft only (49 : 2 CFR 175.75)	220 L
SECTION 15: Regulatory information	
15.1. US Federal regulations	
N-ALLYL-AZA-2,2-DIMETHOXYSILACYCLOPEN	ΓΑΝΕ (618914-49-1)
TSCA Exemption/Exclusion	CAUTION: This material is supplied for research and development purposes subject to the
	R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the
e -	exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r)
	s not permitted in the United States.
Methanol (67-56-1)	
Listed on the United States TSCA (Toxic Substance Listed on United States SARA Section 313	es Control Act) inventory
SARA Section 313 - Emission Reporting	1.0 %
N-Allyl-aza-2,2-dimethoxysilacyclopentane (618	014-49-1)
Not listed on the United States TSCA (Toxic Substa	nces Control Act) inventory
15.2. International regulations	
Methanol (67-56-1)	
Listed on the AICS (Australian Inventory of Chemica	
Listed on the Canadian DSL (Domestic Sustances I Listed on IECSC (Inventory of Existing Chemical Su	
Listed on the EEC inventory EINECS (European Inv	ventory of Existing Commercial Chemical Substances)
Listed on the Japanese ENCS (Existing & New Che	
Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemic	
Listed on PICCS (Philippines Inventory of Chemical	
Japanese Poisonous and Deleterious Substances (Control Law
Listed on the Canadian IDL (Ingredient Disclosure L Listed on INSQ (Mexican national Inventory of Cher	
Listed on Turkish inventory of chemical	nical Substances)
N-Allyl-aza-2,2-dimethoxysilacyclopentane (618	914-49-1)
15.3. US State regulations	
N-ALLYL-AZA-2,2-DIMETHOXYSILACYCLOPENT	ANE(618914-49-1)
U.S California - Proposition 65 - Carcinogens List	No
U.S California - Proposition 65 - Developmental Toxicity	No
U.S California - Proposition 65 - Reproductive Toxicity - Female	No

U.S California - Proposition 65 - Reproductive Toxicity - Male		No		
Methanol (67-56-1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity -	U.S California - Proposition 65 - Reproductive Toxicity -	No significance risk level (NSRL)
		Female	Male	

Safety Data Sheet

Methanol (67-56-1)				
No	Yes	No	No	
N-Allyl-aza-2,2-dimethoxysilacyclopentane (618914-49-1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
No	No	No	No	

SECTION 16: Other information

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

Full text of H-phrases::

Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3	
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapor) Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3	
Eye Dam. 1	Serious eye damage/eye irritation Category 1	
Flam. Liq. 2	Flammable liquids Category 2	
Flam. Liq. 4	Flammable liquids Category 4	
Skin Irrit. 2	Skin corrosion/irritation Category 2	
STOT SE 1	Specific target organ toxicity (single exposure) Category 1	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
STOT SE 3	Specific target organ toxicity (single exposure) Category 3	
H225	Highly flammable liquid and vapor	
H227	Combustible liquid	
H301	Toxic if swallowed	
H311	Toxic in contact with skin	
H315	Causes skin irritation	
H318	Causes serious eye damage	
H331	Toxic if inhaled	
H335	May cause respiratory irritation	
H336	May cause drowsiness or dizziness	
H370	Causes damage to organs	

HMIS III Rating

Health

: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given

Flammability Physical

- : 2 Moderate Hazard
- : 1 Slight Hazard

Prepared by safety and environmental affairs.

Date of issue: 06/15/2015 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2015 Gelest Inc. Morrisville, PA 19067