

N-(6-AMINOHEXYL)AMINOMETHYLTRIETHOXYSILANE, 95%

Safety Data Sheet SIA0592.6 Date of issue: 01/07/2015 Version: Version: 1.0

	ubstance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Substance
Physical state	: Liquid
Substance name	: N-(6-AMINOHEXYL)AMINOMETHYLTRIETHOXYSILANE, 95%
Product code	: SIA0592.6
Formula	: C13H32N2O3Si
Synonyms	: N-[6-(TRIETHOXYSILYL)METHYL]HEXAMETHYLENEDIAMINE
Chemical family	: ORGANOETHOXYSILANE
1.2. Relevant identified uses of the su	bstance or mixture and uses advised against
Use of the substance/mixture	: Chemical intermediate For research use only
1.3. Details of the supplier of the safe	ty data sheet
GELEST, INC. 11 East Steel Road Morrisville, PA 19067 USA	
T 215-547-1015 - F 215-547-2484 - (M-F): 8:0 info@gelest.com - www.gelest.com 1.4. Emergency telephone number	00 AM - 5:30 PM EST
Emergency relephone number	: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)
	. Onewinted. 1000 424 3300 (00A), 11703 327 3007 (international)
SECTION 2: Hazards identification	
2.1. Classification of the substance or	mixture
Classification (GHS-US)	
Skin Irrit. 2 H315 Eye Irrit. 2A H319 STOT SE 3 H335	
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	
Signal word (CHS LIS)	GHS07
Signal word (GHS-US) Hazard statements (GHS-US)	: Warning : H315 - Causes skin irritation
	H319 - Causes serious eye irritation
	H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	 P280 - Wear protective gloves/protective clothing/eye protection/face protection P261 - Avoid breathing vapors P264 - Wash hands thoroughly after handling P271 - Use only outdoors or in a well-ventilated area P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P302+P352 - If on skin: Wash with plenty of water P332+P313 - If skin irritation occurs: Get medical advice/attention P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P312 - Call a doctor if you feel unwell
	P337+P313 - If eye irritation persists: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed
	P405 - Store locked up P501 - Dispose of contents/container to licensed waste disposal facility
2.2 Other bezerde	P501 - Dispose of contents/container to licensed waste disposal facility.
2.3. Other hazards Other hazards not contributing to the	: The hydrolysis product of this compound is ethanol. Overexposure to ethanol by skin
01/07/2015	EN (English US) SDS ID: SIA0592.6 Page 1

N-(6-AMINOHEXYL)AMINOMETHYLTRIETHOXYSILANE, 95%

Safety Data Sheet

2.4.

3.1.

Name

Name

classification absorption, inhalation or ingestion may have a narcotic effect (headache, nausea, drowsiness). Ethanol is metabolized to acetaldehyde and acetic acid which in large quantities result in metabolic acidosis, CNS depression and death due to respiratory arrest. This product contains ethanol which is classified as a carcinogen by IARC in alcoholic beverages. Unknown acute toxicity (GHS-US) No data available **SECTION 3: Composition/information on ingredients** Substance Substance type : Mono-constituent N-(6-AMINOHEXYL)AMINOMETHYLTRIETHOXYSILANE, 95% : CAS No : 15129-36-9 **Product identifier Classification (GHS-US)** % N-(6-Aminohexyl)aminomethyltriethoxysilane (CAS No) 15129-36-9 > 95 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335 Flam. Liq. 2, H225 Ethanol (CAS No) 64-17-5 Carc. 1A, H350 STOT SE 3, H335 **Mixture**

Not applicable

3.2.

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Wash with plenty of soap and water. Get medical advice/attention.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, present and easy to do. Continue rinsing. Get medical advice/attention.
First-aid measures after ingestion	: Never give anything by mouth to an unconscious person. Get medical advice/attention.
4.2. Most important symptoms and ef	fects, both acute and delayed
Symptoms/injuries after inhalation	: May cause respiratory irritation. Overexposure may cause: Coughing. Headache. Nausea.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: Harmful if swallowed. Swallowing a small quantity of this material will result in serious health hazard.
Chronic symptoms	: On contact with water this compound liberates ethanol which is known to have a chronic effect on the central nervous system.
4.2 Indication of any immediate med	inclattention and encoded tractment needed

Indication of any immediate medical attention and special treatment needed 4.3.

No additional information available

S
: Water spray. Foam. Carbon dioxide. Dry chemical.
substance or mixture
: Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.
: Use water spray to cool exposed surfaces. Exercise caution when fighting any chemical fire.
: Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapor and mist.

SECTION	SECTION 6: Accidental release measures			
6.1.	Personal precautions, protective eq	uipment and emergency procedures		
6.1.1.	For non-emergency personnel			
Emergen	cy procedures	: Evacuate unnecessary personnel.		

N-(6-AMINOHEXYL)AMINOMETHYLTRIETHOXYSILANE, 95% Safety Data Sheet

6.1.2. For emergency respo				
Protective equipment	: Equip clea	anup crew with proper protec	ction.	
6.2. Environmental preca	utions			
Prevent entry to sewers and put	olic waters. Notify authorities if	liquid enters sewers or publ	ic waters.	
6.3. Methods and materia	al for containment and clean	ing up		
Methods for cleaning up		any spills as soon as possib ills into appropriate containe		t material to collect it. Sweep or
6.4. Reference to other s	ections			
See Heading 8. Exposure control	ols and personal protection.			
SECTION 7: Handling ar	nd storage			
7.1. Precautions for safe				
Precautions for safe handling	: Avoid all e	eye and skin contact and do rea to prevent accumulation		d mist. Provide good ventilation in
Hygiene measures	: Wash har		s with mild soap and v	vater before eating, drinking or ng before reuse.
7.2. Conditions for safe s	storage, including any incom	patibilities		
Storage conditions		tainer tightly closed.		
Incompatible materials		cohols. Moisture. Oxidizing a	gent. Water.	
Storage area		well-ventilated place. Store		
7.3. Specific end use(s)				
No additional information available	ble			
SECTION 8: Exposure c	ontrols/personal prote	ction		
8.1. Control parameters				
Ethanol (64-17-5)				
USA ACGIH	ACGIH STEL (ppm)		1000 ppm	
USA NIOSH	NIOSH REL (TWA) (mg/m ³)		1900 mg/m ³	
USA NIOSH	NIOSH REL (TWA) (ppm)		1000 ppm	
USA OSHA	OSHA PEL (TWA) (mg/m ³)		1900 mg/m³	
USA OSHA	OSHA PEL (TWA) (ppm)		1000 ppm	
USA IDLH	US IDLH (ppm)		3300 ppm (10% LEI	L)
8.2. Exposure controls				
Appropriate engineering controls		cal exhaust or general room		
Personal protective equipment		unnecessary exposure. Eme in the immediate vicinity of a		ntains and safety showers should be a.
Hand protection	: Neoprene	or nitrile rubber gloves.		
Eve protection		goggles. Contact lenses sho	ould not be worn.	
Skin and body protection		able protective clothing.		
Respiratory protection	: NIOSH-ce	ertified combination organic	vapor - amine gas (br	own cartridge) respirator.
SECTION 9: Physical an	d chamical proportios			
	physical and chemical properties			
9.1. Information on basic Physical state	: Liquid	Jerties		
Appearance	: Clear liqu	id		
Molecular mass	: 292.49 g/			
Color	: Straw.			
Odor		ne. Ammonia-like.		
Odor threshold	: No data a			
Refractive index	: 1.4385			
рН	: No data a	vailable		
Relative evaporation rate (butyl	Relative evaporation rate (butyl acetate=1) : < 1			
Melting point	· No data a	vailable		
Freezing point	: <0 °C			
Boiling point				
Electronic t		-		

: > 110 °C

N-(6-AMINOHEXYL)AMINOMETHYLTRIETHOXYSILANE, 95% Safety Data Sheet

Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	No data available
Vapor pressure	:	< 5 mm Hg @ 25°C
Relative vapor density at 20 °C	:	No data available
Relative density	:	0.928
VOC content	:	< 5 %
Solubility	:	Reacts with water.
Log Pow	:	No data available
Log Kow		No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic		No data available
Explosive properties		No data available
Oxidizing properties		No data available
Explosive limits	:	No data available
9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivity		

SECTION TO. Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable in sealed containers.	
10.3. Possibility of hazardous reactions	
Reacts with water and moisture in air, liberating ethanol.	
10.4. Conditions to avoid	
Heat. Open flame. Sparks.	
10.5. Incompatible materials	
Acids. Alcohols. Moisture. Oxidizing agent. Water.	
10.6. Hazardous decomposition products	
Ethanol. Organic acid vapors.	

SECTION 11: Toxicological information

11.1. Information on toxicological effects			
Acute toxicity	: Not classified		
Ethanol (64-17-5)			
LC50 inhalation rat (mg/l)	124.7 mg/l/4h		
N-(6-Aminohexyl)aminomethyltriethoxysilane (15129-36-9)			
LD50 oral rat	500 mg/kg		
Skin corrosion/irritation	: Causes skin irritation.		
Serious eye damage/irritation : Causes serious eye irritation.			
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Ethanol (64-17-5)			
IARC group	1 - Carcinogenic to humans		
Reproductive toxicity	: Not classified		
Specific target organ toxicity (single exposure)	: May cause respiratory irritation.		
Specific target organ toxicity (repeated exposure)	: Not classified		
Aspiration hazard	: Not classified		
Symptoms/injuries after inhalation	: May cause respiratory irritation. Overexposure may cause: Coughing. Headache. Nausea.		
Symptoms/injuries after skin contact	: Causes skin irritation.		
Symptoms/injuries after eye contact	: Causes serious eye irritation.		
Symptoms/injuries after ingestion	: Harmful if swallowed. Swallowing a small quantity of this material will result in serious health hazard.		

N-(6-AMINOHEXYL)AMINOMETHYLTRIETHOXYSILANE, 95% Safety Data Sheet

	: On contact with water this compound liberates ethanol which is known to have a chronic effect on the central nervous system.
Reason for classification	: Expert judgment
SECTION 12: Ecological information	
12.1. Toxicity	
Ethanol (64-17-5)	
LC50 fish 1	12.0 - 16.0 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	9268 - 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 2	2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
Ethanol (64-17-5)	
Log Pow	-0.32
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Other adverse effects	: This substance may be hazardous to the environment.
Effect on ozone layer	: No additional information available
	No known ecological damage caused by this product.
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste disposal recommendations	: May be incinerated. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
14.1. UN number	
Not regulated for transport.	
14.2. UN proper shipping name	
Not applicable	
14.3. Additional information	
Other information	: No supplementary information available.
Transport by sea	
No additional information available	
Air transport	
No additional information available	
SECTION 15: Regulatory information	
15.1. US Federal regulations	
N-(6-AMINOHEXYL)AMINOMETHYLTRIETHO	
TSCA Exemption/Exclusion	CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r) is not permitted in the United States.
Ethanol (64-17-5)	
Listed on the United States TSCA (Toxic Substa	nces Control Act) inventory
N-(6-Aminohexyl)aminomethyltriethoxysilane	(15129-36-9)
Not listed on the United States TSCA (Toxic Sub	stances Control Act) inventory
15.2. International regulations	

N-(6-AMINOHEXYL)AMINOMETHYLTRIETHOXYSILANE, 95%

Safety Data Sheet

Ethanol (64-17-5)	
isted on IARC (International Agency for Research on Cancer)	
isted on the AICS (Australian Inventory of Chemical Substances)	
isted on the Canadian DSL (Domestic Sustances List)	
isted on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)	
isted on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)	
isted on the Japanese ENCS (Existing & New Chemical Substances) inventory	
isted on the Korean ECL (Existing Chemicals List)	
isted on NZIoC (New Zealand Inventory of Chemicals)	
isted on PICCS (Philippines Inventory of Chemicals and Chemical Substances)	
isted on the Canadian IDL (Ingredient Disclosure List)	
N-(6-Aminohexyl)aminomethyltriethoxysilane (15129-36-9)	

N-(6-AMINOHEXYL)AMINOMETHYLTRIETHOXYSILANE, 95%(15129-36-9)				
U.S California - Proposition 65 - Carcinogens List		No		
U.S California - Proposition 65 - Developmental Toxicity		No		
U.S California - Proposition 65 - Reproductive Toxicity - Female		No		
U.S California - Proposition 65 - Reproductive Toxicity - Male		No		
Ethanol (64-17-5)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
Yes	Yes	No	No	
N-(6-Aminohexyl)aminomethyltriethoxysilane (15129-36-9)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
No	No	No	No	
Ethanol (64,17,5)				

Ethanol (64-17-5)

U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min)

U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr)

U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs)

U.S. - Idaho - Occupational Exposure Limits - TWAs

U.S. - Maine - Chemicals of High Concern

U.S. - Massachusetts - Allowable Ambient Limits (AALs)

U.S. - Massachusetts - Allowable Threshold Concentrations (ATCs)

U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 1

U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 2

U.S. - Massachusetts - Oil & Hazardous Material List - Reportable Quantity

U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 1

U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 2

U.S. - Massachusetts - Right To Know List

U.S. - Massachusetts - Threshold Effects Exposure Limits (TELs)

U.S. - Michigan - Occupational Exposure Limits - TWAs

U.S. - Minnesota - Chemicals of High Concern

U.S. - Minnesota - Hazardous Substance List

U.S. - Minnesota - Permissible Exposure Limits - TWAs

U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour

U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - New Jersey - Special Health Hazards Substances List U.S. - New York - Occupational Exposure Limits - TWAs

- U.S. North Dakota Air Pollutants Guideline Concentrations 1-Hour
- U.S. Oregon Permissible Exposure Limits TWAs U.S. - Pennsylvania - RTK (Right to Know) List
- U.S. Tennessee Occupational Exposure Limits TWAs
- U.S. Texas City of Austin Aerosol Paint and Glue Restrictions
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term
- U.S. Vermont Permissible Exposure Limits TWAs
- U.S. Washington Permissible Exposure Limits STELs
- U.S. Washington Permissible Exposure Limits TWAs

Safety Data Sheet

SECTION 16: Other information	
Abbreviations and acronyms	: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

Full text of H-phrases::

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Carc. 1A	Carcinogenicity Category 1A
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 2	Flammable liquids Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H350	May cause cancer

HMIS III Rating		
Health	: 3 Serious given	Hazard - Major injury likely unless prompt action is taken and medical treatment is
Flammability	: 1 Slight H	lazard
Physical	: 1 Slight H	lazard
Prepared by safety and environmental affairs.		
Date of issue: 01/07/2015 Version: 1.0		
SDS US (GHS HazCom 2012) - Custom		

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2014 Gelest Inc. Morrisville, PA 19067