

Safety Data Sheet SIA0595.0

Date of issue: 11/17/2014 Revision date: 08/26/2015 Version: 1.2

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Substance
Physical state : Liquid

Substance name : N-(2-AMINOETHYL)-11-AMINOUNDECYLTRIMETHOXYSILANE

Product code : SIA0595.0 Formula : C16H38N2O3Si

Synonyms : N-[11-(TRIMETHOXYSILYL)UNDECYL]ETHYLENEDIAMINE

Chemical family : ORGANOMETHOXYSILANE

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Chemical intermediate

For research use only

#### 1.3. Details of the supplier of the safety data sheet

# **GELEST, INC.**

11 East Steel Road Morrisville, PA 19067

USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

# 1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## Classification (GHS-US)

Skin Irrit. 2 H315 Eye Irrit. 2A H319 STOT SE 3 H335

Full text of H-phrases: see section 16

# 2.2. Label elements

# **GHS-US** labeling

Hazard pictograms (GHS-US)



GHS07

Signal word (GHS-US) : Warning

Hazard statements (GHS-US)

: H315 - Causes skin irritation
H319 - Causes serious eye irritation

H319 - Causes serious eye irritation H335 - May cause respiratory irritation

Precautionary statements (GHS-US) : P280 - Wear protective gloves/protective clothing/eye protection/face protection

P264 - Wash hands thoroughly after handling

P261 - Avoid breathing vapors

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P302+P352 - If on skin: Wash with plenty of water

P332+P313 - If skin irritation occurs: Get medical advice/attention

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention

P312 - Call a doctor if you feel unwell

P362 - Take off contaminated clothing and wash before reuse

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P271 - Use only outdoors or in a well-ventilated area

P501 - Dispose of contents/container to licensed waste disposal facility.

### 2.3. Other hazards

No additional information available

08/26/2015 EN (English US) SDS ID: **SIA0595.0** Page 1

Safety Data Sheet

# **Unknown acute toxicity (GHS US)**

No data available

# **SECTION 3: Composition/information on ingredients**

#### **Substance**

Substance type : Mono-constituent

Name : N-(2-AMINOETHYL)-11-AMINOUNDECYLTRIMETHOXYSILANE

CAS No

Name	Product identifier	%	Classification (GHS-US)
N-(2-Aminoethyl)-11-aminoundecyltrimethoxysilane	(CAS No) 121772-92-7	> 95	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
Methanol	(CAS No) 67-56-1		Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 1, H370 STOT SE 3, H336

#### **Mixture**

Not applicable

#### **SECTION 4: First aid measures**

#### **Description of first aid measures**

First-aid measures general

: Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label. IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel

unwell, seek medical advice.

First-aid measures after skin contact

First-aid measures after eye contact

Wash with plenty of soap and water. Get medical advice/attention.

Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion

Never give anything by mouth to an unconscious person. Get medical advice/attention.

# Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation

May cause respiratory irritation. Overexposure may cause: Coughing. Headache. Nausea.

Symptoms/injuries after skin contact

Causes skin irritation.

Symptoms/injuries after eye contact Symptoms/injuries after ingestion

Causes serious eye irritation.

Chronic symptoms

Oral toxicity is associated with methanol, the solvent and a hydrolysis product which causes nausea, vomiting, headache, visual effects including blindness. On contact with water this compound liberates methanol which is known to have a chronic

effect on the central nervous system. Methanol may effect the central nervous system resulting

in persistent or recurring headaches or impaired vision.

Indication of any immediate medical attention and special treatment needed

NOTE TO PHYSICIAN: This product reacts with water in the acid contents of the stomach to form methanol. The combination of visual disturbances, metabolic acidosis and formic acid in urine is evidence of methanol poisoning. The therapeutic intravenous administration of ethanol (10 mls/hour) allows methanol to be preferentially oxidized and reduces production of methanol metabolites. Acidosis must be treated with intravenous administration of sodium bicarbonate and methanol elimination may be increased by hemodialysis, as indicated. Treatment should be based on blood methanol levels and acid-base balance.

# **SECTION 5: Firefighting measures**

# **Extinguishing media**

Suitable extinguishing media : Water spray. Foam. Carbon dioxide. Dry chemical.

Unsuitable extinguishing media : Do not use straight streams.

#### Special hazards arising from the substance or mixture

Fire hazard : Irritating fumes and organic acid vapors may develop when material is exposed to elevated

temperatures or open flame.

#### Advice for firefighters

Firefighting instructions : Use water spray to cool exposed surfaces. Exercise caution when fighting any chemical fire.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Avoid all eye and skin contact and do not breathe vapor and mist.

SDS ID: SIA0595.0 08/26/2015 EN (English US) 2/7

Safety Data Sheet

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment as described in Section 8.

**Emergency procedures** : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

#### 6.2. **Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### Methods and material for containment and cleaning up

: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or For containment

Methods for cleaning up Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or

shovel spills into appropriate container for disposal.

#### Reference to other sections

See Heading 8. Exposure controls and personal protection.

# **SECTION 7: Handling and storage**

# Precautions for safe handling

: Avoid all eye and skin contact and do not breathe vapor and mist. Provide good ventilation in Precautions for safe handling

process area to prevent accumulation of vapors.

Hygiene measures Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Wash contaminated clothing before reuse.

#### Conditions for safe storage, including any incompatibilities

Storage conditions Keep container tightly closed.

Incompatible materials Acids. Alcohols. Peroxides. Oxidizing agent.

Store in a well-ventilated place. Store away from heat. Storage area

#### Specific end use(s) 7.3.

No additional information available

# **SECTION 8: Exposure controls/personal protection**

### **Control parameters**

Methanol (67-56-1)		
USA ACGIH	ACGIH TWA (ppm)	200 ppm
USA ACGIH	ACGIH STEL (ppm)	250 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m³)	260 mg/m <sup>3</sup>
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm
USA NIOSH	NIOSH REL (STEL) (mg/m³)	325 mg/m³
USA NIOSH	NIOSH REL (STEL) (ppm)	250 ppm
USA OSHA	OSHA PEL (TWA) (mg/m³)	260 mg/m <sup>3</sup>
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm
USA IDLH	US IDLH (ppm)	6000 ppm

### **Exposure controls**

Appropriate engineering controls : Provide local exhaust or general room ventilation.

Personal protective equipment Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be

available in the immediate vicinity of any potential exposure.

Hand protection : Neoprene or nitrile rubber gloves.

: Chemical goggles. Contact lenses should not be worn. Eve protection

Skin and body protection : Wear suitable protective clothing.

: NIOSH-certified combination organic vapor - amine gas (brown cartridge) respirator. Respiratory protection

SDS ID: SIA0595.0 08/26/2015 EN (English US) 3/7

Safety Data Sheet

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear liquid.
Molecular mass : 334.57 g/mol
Color : Straw.

Odor : Mild. Amine. Ammonia-like.

Odor threshold : No data available

Refractive index : 1.4515

pH : No data available
Relative evaporation rate (butyl acetate=1) : No data available
Melting point : No data available

Freezing point : < 0 °C

Boiling point : 155 - 159 °C @ 0.4 mm Hg

Flash point :  $> 150 \, ^{\circ}\text{C}$ 

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapor pressure : < 0.1 mm Hg @ 25°C
Relative vapor density at 20 °C : No data available

Relative density : 0.873 VOC content : <5%

Solubility : Reacts with water. No data available Log Pow Log Kow No data available Viscosity, kinematic No data available Viscosity, dynamic No data available Explosive properties No data available Oxidizing properties No data available No data available **Explosion limits** 

### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

# 10.2. Chemical stability

Stable in sealed containers.

# 10.3. Possibility of hazardous reactions

Reacts with water and moisture in air, liberating methanol.

# 10.4. Conditions to avoid

Heat. Open flame. Sparks.

# 10.5. Incompatible materials

Acids. Alcohols. Peroxides. Oxidizing agent.

# 10.6. Hazardous decomposition products

Methanol. Organic acid vapors.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity : Not classified

Methanol (67-56-1)		
LC50 inhalation rat (ppm)	22500 ppm (Exposure time: 8 h)	
ATE US (oral)	100.000 mg/kg body weight	
ATE US (dermal)	300.000 mg/kg body weight	
ATE US (vapors)	3.000 mg/l/4h	

Skin corrosion/irritation : Causes skin irritation.

08/26/2015 EN (English US) SDS ID: **SIA0595.0** 4/7

# Safety Data Sheet

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause respiratory irritation.

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: The hydrolysis product of this compound is methanol.

Symptoms/injuries after inhalation : May cause respiratory irritation. Overexposure may cause: Coughing. Headache. Nausea.

Symptoms/injuries after skin contact Causes skin irritation.

Symptoms/injuries after eye contact Causes serious eye irritation.

Symptoms/injuries after ingestion Oral toxicity is associated with methanol, the solvent and a hydrolysis product which causes

nausea, vomiting, headache, visual effects including blindness.

On contact with water this compound liberates methanol which is known to have a chronic Chronic symptoms

effect on the central nervous system. Methanol may effect the central nervous system resulting

in persistent or recurring headaches or impaired vision.

Reason for classification : Expert judgment

# **SECTION 12: Ecological information**

#### **Toxicity** 12.1.

Methanol (67-56-1)		
LC50 fish 1	28200 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
LC50 fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	

# Persistence and degradability

No additional information available

#### 12.3. **Bioaccumulative potential**

Methanol (67-56-1)		
BCF fish 1	< 10	
Log Pow	-0.77	

# Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

Effect on ozone layer : No additional information available

Effect on the global warming : No known ecological damage caused by this product.

# **SECTION 13: Disposal considerations**

# Waste treatment methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

May be incinerated. Dispose in a safe manner in accordance with local/national regulations. Waste disposal recommendations

Dispose of contents/container to licensed waste disposal facility.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

# **UN** number

Not regulated for transport.

#### **UN proper shipping name**

Not applicable

# 14.3. Additional information

Other information : No supplementary information available.

# Transport by sea

No additional information available

08/26/2015 SDS ID: SIA0595.0 EN (English US) 5/7

# Safety Data Sheet

#### Air transport

No additional information available

# **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

# N-(2-AMINOETHYL)-11-AMINOUNDECYLTRIMETHOXYSILANE (121772-92-7)

TSCA Exemption/Exclusion CAUTION: This material is supplied for research and development purposes subject to the

R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r)

is not permitted in the United States.

#### Methanol (67-56-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on United States SARA Section 313

SARA Section 313 - Emission Reporting 1.0 %

#### N-(2-Aminoethyl)-11-aminoundecyltrimethoxysilane (121772-92-7)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. International regulations

# Methanol (67-56-1)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Sustances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Japanese Poisonous and Deleterious Substances Control Law

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

Listed on Turkish inventory of chemical

# N-(2-Aminoethyl)-11-aminoundecyltrimethoxysilane (121772-92-7)

# 15.3. US State regulations

N-(2-AMINOETHYL)-11-AMINOUNDECYLTRIMETHOXYSILANE(121772-92-7)				
U.S California - Proposition 65 - Carcinogens List	No			
U.S California - Proposition 65 - Developmental Toxicity	No			
U.S California - Proposition 65 - Reproductive Toxicity - Female	No			
U.S California - Proposition 65 - Reproductive Toxicity - Male	No			

# Methanol (67-56-1)

U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
No	Yes	No	No	

# N-(2-Aminoethyl)-11-aminoundecyltrimethoxysilane (121772-92-7)

U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
No	No	No	No	

# **SECTION 16: Other information**

Indication of changes

08/26/2015 EN (English US) SDS ID: **SIA0595.0** 6/7

<sup>:</sup> Removed methanol % from section 3. Applied changes to section 4. Added statement to sectiosn 13 and 6.3. Applied changes to section 5. . Removed pictograms from section 14 for EU.

# Safety Data Sheet

Abbreviations and acronyms

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

#### Full text of H-phrases::

kt of Fi-prilases	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapor) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 2	Flammable liquids Category 2
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 1	Specific target organ toxicity (single exposure) Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H301	Toxic if swallowed
H311	Toxic in contact with skin
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H370	Causes damage to organs

# **HMIS III Rating**

Health

3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given

Flammability : 1 Slight Hazard
Physical : 1 Slight Hazard

Prepared by safety and environmental affairs.

Date of issue: 11/17/2014 Revision date: 08/26/2015 Version: 1.2

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2015 Gelest Inc. Morrisville, PA 19067

08/26/2015 EN (English US) SDS ID: **SIA0595.0** 7/7