

Safety Data Sheet SIA0610.1 Date of issue: 01/07/2015 Version: 1.0

SECTION 1: Identification of the	substance/mixture and of the company/undertaking	
1.1. Product identifier	substance/mixture and of the company/andertaking	
Product form	: Substance	
Physical state	: Liquid	
Substance name	: 3-AMINOPROPYLTRIETHOXYSILANE 99+%	
Product code	: SIA0610.1	
Formula	: C9H23NO3Si	
Synonyms	: GAPS; AMEO; A-1100; 3-(TRIETHOXYSILYL)PROPYLAMINE	
Chemical family	: ORGANOETHOXYSILANE	
	substance or mixture and uses advised against	
Jse of the substance/mixture	: Chemical intermediate For research and industrial use only	
1.3. Details of the supplier of the safe	ety data sheet	
<b>GELEST, INC.</b> 11 East Steel Road Morrisville, PA 19067 <b>USA</b>		
T 215-547-1015 - F 215-547-2484 - (M-F): 8 <u>nfo@gelest.com</u> - <u>www.gelest.com</u> 1.4. Emergency telephone number	::00 AM - 5:30 PM EST	
Emergency telephone number	: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)	
SECTION 2: Hazards identification	n	
.1. Classification of the substance of	or mixture	
Classification (GHS-US)		
Eye Dam. 1 H318 STOT SE 3 H335 Full text of H-phrases: see section 16		
2.2. Label elements		
GHS-US labeling		
Hazard pictograms (GHS-US)		
Signal word (CHS US)	GHS05 GHS07	
Signal word (GHS-US) Hazard statements (GHS-US)	<ul> <li>Danger</li> <li>H302 - Harmful if swallowed</li> <li>H314 - Causes severe skin burns and eye damage</li> <li>H318 - Causes serious eye damage</li> <li>H335 - May cause respiratory irritation</li> </ul>	
Precautionary statements (GHS-US)	<ul> <li>P280 - Wear protective gloves/protective clothing/eye protection/face protection P260 - Do not breathe vapors</li> <li>P264 - Wash hands thoroughly after handling</li> <li>P270 - Do not eat, drink or smoke when using this product</li> <li>P271 - Use only outdoors or in a well-ventilated area</li> <li>P301+P312 - If swallowed: Call a doctor if you feel unwell</li> <li>P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting</li> <li>P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated c skin with water/shower</li> </ul>	
	P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for b P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minute contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a doctor P330 - Rinse mouth P363 - Wash contaminated clothing before reuse P403+P233 - Store in a well-ventilated place. Keep container tightly closed	

Safety Data Sheet

		P405 - Store locked up P501 - Dispose of contents/container to licensed waste disposal facility.
2.3.	Other hazards	
Other hazards not contributing to the classification		: The hydrolysis product of this compound is ethanol. Overexposure to ethanol by skin absorption, inhalation or ingestion may have a narcotic effect (headache, nausea, drowsiness). Ethanol is metabolized to acetaldehyde and acetic acid which in large quantities result in metabolic acidosis, CNS depression and death due to respiratory arrest. This product contains ethanol which is classified as a carcinogen by IARC in alcoholic beverages.
24	Unknown pouto toxicity (CHC UC)	

#### Unknown acute toxicity (GHS-US) 2.4.

No data available

SECTION 3: Composition/information on ingredients				
3.1. Substance				
Substance type	: Mono	-constituent		
Name	: 3-AM	NOPROPYLTRIETHOXYSILAN	E 99+%	
CAS No	: 919-3	0-2		
EC no	: 213-0	48-4		
EC index no	EC index no : 612-108-00-0			
Name		Product identifier	%	Classification (GHS-US)
3-Aminopropyltriethoxysilane		(CAS No) 919-30-2	> 99	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Ethanol		(CAS No) 64-17-5		Flam. Liq. 2, H225 Carc. 1A, H350 STOT SE 3, H335

#### 3.2. **Mixture**

Not applicable		
SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	:	Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.
First-aid measures after inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	:	Wash with plenty of soap and water. Get immediate medical advice/attention.
First-aid measures after eye contact	:	Immediately flush eyes thoroughly with water for at least 15 minutes. Get immediate medical advice/attention.
First-aid measures after ingestion	:	Never give anything by mouth to an unconscious person. Get medical advice/attention.
4.2. Most important symptoms and eff	ects,	, both acute and delayed
Symptoms/injuries	:	Causes severe skin burns and eye damage.
Symptoms/injuries after inhalation	:	May cause respiratory irritation. Overexposure may cause: Coughing. Headache. Nausea.
Symptoms/injuries after skin contact	:	Causes burns. Primary irritation index: 6.50.
Symptoms/injuries after eye contact	:	Causes serious eye damage.
Symptoms/injuries after ingestion	•	Harmful if swallowed. Swallowing a small quantity of this material will result in serious health hazard.
Chronic symptoms	:	On contact with water this compound liberates ethanol which is known to have a chronic effect on the central nervous system.

Indication of any immediate medical attention and special treatment needed 4.3. No additional information available

SECT	ION 5: Firefighting measure	95
5.1.	Extinguishing media	
Suitable	extinguishing media	: Water spray. Foam. Carbon dioxide. Dry chemical.
5.2.	Special hazards arising from the	e substance or mixture
Fire haz	ard	: Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.
5.3.	Advice for firefighters	
Firefigh	ting instructions	: Use water spray to cool exposed surfaces. Exercise caution when fighting any chemical fire.
Protecti	on during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapor and mist.

Safety Data Sheet

SECTION 6: Accidental					
•	ns, protective equipment and	emergency procedures			
6.1.1. For non-emergency	·				
Emergency procedures	: Evacuate	unnecessary personnel.			
6.1.2. For emergency resp	oonders				
Protective equipment	: Equip clea	anup crew with proper prote	ection.		
6.2. Environmental prec	autions				
Prevent entry to sewers and pu	blic waters. Notify authorities if	liquid enters sewers or pub	lic waters.		
6.3. Methods and mater	ial for containment and cleani	ing up			
Methods for cleaning up		any spills as soon as possit Ils into appropriate containe	ole, using an absorbent material to collect it. Sweep or er for disposal.		
6.4. Reference to other	sections				
See Heading 8. Exposure contr	rols and personal protection.				
<b>SECTION 7: Handling a</b>	nd storage				
7.1. Precautions for safe					
Precautions for safe handling			not breathe vapor and mist. Provide good ventilation in		
	•	rea to prevent accumulation	•		
Hygiene measures			s with mild soap and water before eating, drinking or sh contaminated clothing before reuse.		
7.0 Conditions for sets	5	J			
7.2. Conditions for safe Storage conditions	storage, including any incom	ainer tightly closed.			
Incompatible materials	•	ohols. Moisture. Oxidizing a	agent. Peroxides. Water		
Storage area		well-ventilated place. Store	5		
7.3. Specific end use(s) No additional information availa	able				
	controls/personal protect	ction			
8.1. Control parameters					
Ethanol (64-17-5)					
USA ACGIH	ACGIH STEL (ppm)		1000 ppm		
USA NIOSH	NIOSH REL (TWA) (mg/m <sup>3</sup> )		1900 mg/m <sup>3</sup>		
USA NIOSH	NIOSH REL (TWA) (ppm)		1000 ppm		
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )		1900 mg/m <sup>3</sup>		
USA OSHA	OSHA PEL (TWA) (ppm)		1000 ppm		
USA IDLH	US IDLH (ppm)		3300 ppm (10% LEL)		
8.2. Exposure controls					
Appropriate engineering contro	ls : Provide lo	cal exhaust or general roor	n ventilation.		
Personal protective equipment	: Avoid all u	innecessary exposure. Eme	ergency eye wash fountains and safety showers should be		
		n the immediate vicinity of			
Hand protection		or nitrile rubber gloves.	toot langes should not be were		
• •	Eye protection       : Chemical goggles or face shield. Contact lenses should not be worn.         Drive and the dependent statements of the sector shield.       Was explicitly and the sector shield.				
Skin and body protection       : Wear suitable protective clothing.         Respiratory protection       : NIOSH-certified combination organic vapor - amine gas (brown cartridge) respirator.					
	. NICOI-CE				
<b>SECTION 9: Physical a</b>	nd chemical properties				
9.1. Information on basi	c physical and chemical prop	erties			
Physical state	: Liquid				
Appearance	: Clear liqui	d.			
Molecular mass	: 221.37 g/r	nol			
Color	: Straw.				
Odor		nmonia-like.			
Odor threshold	: No data av	vailable			
Refractive index	: 1.4225				
nH	· No data av	vailabla			

pН

: No data available

Safety Data Sheet

Relative evaporation rate (butyl acetate=1)	: <1		
Melting point	: No data available		
Freezing point	: <0°C		
Boiling point	: 122 - 123 °C @ 30 mm Hg		
Flash point	: 104 °C		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: No data available		
Vapor pressure	: 10 mm Hg @ 100°C		
Relative vapor density at 20 °C	: >1		
Relative density	: 0.951		
VOC content	: < 40 %		
Solubility	: Reacts with water.		
Log Pow	: No data available		
Log Kow	: No data available		
-	: 1.6 cSt		
Viscosity, kinematic Viscosity, dynamic	: No data available		
Explosive properties	: No data available		
Oxidizing properties	: No data available		
Explosive limits	: No data available		
9.2. Other information			
No additional information available			
SECTION 10: Stability and reactivity			
10.1. Reactivity			
No additional information available			
10.2. Chemical stability			
Stable when stored in sealed containers.			
10.3. Possibility of hazardous reactions			
Reacts with water and moisture in air, liberating e	thanol.		
10.4. Conditions to avoid			
Heat. Sparks. Open flame.			
10.5. Incompatible materials			
Acids. Alcohols. Moisture. Oxidizing agent. Perox	ides. Water.		
10.6. Hazardous decomposition products			
Ethanol. Organic acid vapors.			
SECTION 11: Toxicological informati	on		
11.1. Information on toxicological effects			
Acute toxicity	: Oral: Harmful if swallowed.		
3-AMINOPROPYLTRIETHOXYSILANE 99+%	(919-30-2)		
ATE US (oral)	1873.684 mg/kg body weight		
3-Aminopropyltriethoxysilane (919-30-2)			
LD50 oral rat	1780 mg/kg		
ATE US (oral)	1780.000 mg/kg body weight		
Ethanol (64-17-5)			
LC50 inhalation rat (mg/l)	124.7 mg/l/4h		
Skin corrosion/irritation	: Causes severe skin burns and eye damage.		
Serious eye damage/irritation	: Causes serious eye damage.		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Not classified		
Ethanol (64-17-5)			
IARC group	1 - Carcinogenic to humans		
Reproductive toxicity	: Not classified		
Specific torget orgen tovicity (cingle evpequie)			

Specific target organ toxicity (single exposure) : May cause respiratory irritation.

Safety Data Sheet

Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause respiratory irritation. Overexposure may cause: Coughing. Headache. Nausea.
Symptoms/injuries after skin contact	: Causes burns. Primary irritation index: 6.50.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: Harmful if swallowed. Swallowing a small quantity of this material will result in serious health
Chronic symptoms	<ul> <li>hazard.</li> <li>On contact with water this compound liberates ethanol which is known to have a chronic effect on the central nervous system.</li> </ul>
Reason for classification	: Expert judgment
SECTION 12: Ecological information	
12.1. Toxicity	
Ethanol (64-17-5)	40.0.40.0.ml///Emergence/inc.00.h. Organize. Operative reduce reduce for fatation
LC50 fish 1	12.0 - 16.0 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1 LC50 fish 2	9268 - 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)
	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 Daphnia 2	2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
12.2. Persistence and degradability	
3-Aminopropyltriethoxysilane (919-30-2)	Net established
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
3-Aminopropyltriethoxysilane (919-30-2)	
Bioaccumulative potential	Not established.
Ethanol (64-17-5)	
Log Pow	-0.32
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Other adverse effects	: This substance may be hazardous to the environment.
Effect on ozone layer	: No additional information available
Effect on the global warming	: No known ecological damage caused by this product.
SECTION 13: Disposal consideration	ns
13.1. Waste treatment methods	
Waste disposal recommendations	: May be incinerated. Dispose of contents/container to licensed waste disposal facility. Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
14.1. UN number	
UN-No.(DOT)	: 3267
DOT NA no.	UN3267
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Corrosive liquid, basic, organic, n.o.s. (3-AMINOPROPYLTRIETHOXYSILANE)
Department of Transportation (DOT) Hazard Classes	: 8 - Class 8 - Corrosive material 49 CFR 173.136
Hazard labels (DOT)	: 8 - Corrosive
	B
DOT Symbols	: G - Identifies PSN requiring a technical name
Packing group (DOT)	: III - Minor Danger
1 $1$ $1$ $1$ $1$ $1$ $1$ $1$ $1$ $1$	

DOT Packaging Exceptions (49 CFR 173.xxx)

: 154

Safety Data Sheet

DOT Packaging Non Bulk (49 CFR 173.xxx) : 20	3	
DOT Packaging Bulk (49 CFR 173.xxx) : 24	1	
14.3. Additional information		
Other information : No	supplementary information available.	
Transport by sea		
	The material may be stowed "on deck" or "under deck" on a cargo vessel and on a ssenger vessel.	
•	- Stow "clear of living quarters",52 - Stow "separated from" acids	
Air transport		
DOT Quantity Limitations Passenger aircraft/rail : 5 L (49 CFR 173.27)	-	
DOT Quantity Limitations Cargo aircraft only (49 : 60 CFR 175.75)	L	
SECTION 15: Regulatory information		
15.1. US Federal regulations		
3-Aminopropyltriethoxysilane (919-30-2)		
Listed on the United States TSCA (Toxic Substances	Control Act) inventory	
Ethanol (64-17-5)		
Listed on the United States TSCA (Toxic Substances	Control Act) inventory	
15.2. International regulations		
3-Aminopropyltriethoxysilane (919-30-2)		
Listed on the AICS (Australian Inventory of Chemical Listed on the Canadian DSL (Domestic Sustances Lis Listed on IECSC (Inventory of Existing Chemical Sub- Listed on the EEC inventory EINECS (European Inve Listed on the Japanese ENCS (Existing & New Chem Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemical Listed on PICCS (Philippines Inventory of Chemicals	est) stances Produced or Imported in China) ntory of Existing Commercial Chemical Substances) ical Substances) inventory (s)	
Ethanol (64-17-5)		
Listed on IARC (International Agency for Research on Cancer) Listed on the AICS (Australian Inventory of Chemical Substances) Listed on the Canadian DSL (Domestic Sustances List) Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Japanese ENCS (Existing Chemicals List) Listed on the Korean ECL (Existing Chemicals List) Listed on NZIoC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Listed on the Canadian IDL (Ingredient Disclosure List)		
15.3. US State regulations		
3-AMINOPROPYLTRIETHOXYSILANE 99+%(919-30-		
U.S California - Proposition 65 - Carcinogens List	No	
U.S California - Proposition 65 - Developmental Toxicity	No	
U.S California - Proposition 65 - Reproductive Toxicity - Female	No	
U.S California - Proposition 65 - Reproductive Toxicity - Male	No	

3-Aminopropyltriethoxysilane (919-30-2)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
No	No	No	No	
Ethanol (64-17-5)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)

Safety Data Sheet

3-Aminopropyltriethoxysila	ane (919-30-2)			
Yes	Yes	No	No	
3-Aminopropyltriethoxysila	ane (919-30-2)			
U.S Texas - Effects Screen				
U.S Texas - Effects Screen				
Ethanol (64-17-5)				
U.S Idaho - Non-Carcinog U.S Idaho - Occupational I U.S Maine - Chemicals of U.S Massachusetts - Allow U.S Massachusetts - Allow U.S Massachusetts - Oil & U.S Massachusetts - Three U.S Massachusetts - Three U.S Michigan - Occupatior U.S Minnesota - Chemical U.S Minnesota - Permissit U.S Minnesota - Permissit U.S New Hampshire - Reg	enic Toxic Air Pollutants - Emis Exposure Limits - TWAs High Concern vable Ambient Limits (AALs) vable Threshold Concentrations Hazardous Material List - Gro Hazardous Material List - Gro Hazardous Material List - Rep Hazardous Material List - Soil Hazardous Material List - Soil to Know List shold Effects Exposure Limits of nal Exposure Limits - TWAs s of High Concern Is Substance List ole Exposure Limits - TWAs gulated Toxic Air Pollutants - Ar	s (ATCs) undwater Reportable Concentra undwater Reportable Concentra ortable Quantity Reportable Concentration - Re Reportable Concentration - Re (TELs)	ation - Reporting Category 1 ation - Reporting Category 2 porting Category 1 porting Category 2	
U.S New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual U.S New Jersey - Right to Know Hazardous Substance List U.S New Jersey - Special Health Hazards Substances List U.S New York - Occupational Exposure Limits - TWAs				
U.S North Dakota - Air Pol U.S Oregon - Permissible U.S Pennsylvania - RTK (F U.S Tennessee - Occupati U.S Texas - City of Austin U.S Texas - Effects Screet U.S Texas - Effects Screet U.S Vermont - Permissible U.S Washington - Permissible	lutants - Guideline Concentrati Exposure Limits - TWAs Right to Know) List onal Exposure Limits - TWAs - Aerosol Paint and Glue Restuning Levels - Long Term ning Levels - Short Term		St	

#### **SECTION 16: Other information**

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

#### Full text of H-phrases::

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Carc. 1A	Carcinogenicity Category 1A
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Liq. 2	Flammable liquids Category 2
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation
H350	May cause cancer

Safety Data Sheet

HMIS III Rating	
Health	: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given

Flammability	:	1 Slight Hazard
Physical	:	1 Slight Hazard

Prepared by safety and environmental affairs.

Date of issue: 01/07/2015 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2014 Gelest Inc. Morrisville, PA 19067

