

1,3-BIS(TRICHLOROSILYL)PROPANE

Safety Data Sheet SIB1815.0 Date of issue: 07/17/2015 Version: 1.0

SECTION 1: Identification of the su	ubstance/mixture and of the company/undertaking				
1.1. Product identifier					
Product form	: Substance				
Physical state	: Solid				
Substance name	: 1,3-BIS(TRICHLOROSILYL)PROPANE				
Product code	: SIB1815.0				
Formula	: C3H6Cl6Si2				
Synonyms	: 1,1,1,5,5,5-HEXACHLORO-1,5-DISILABUTANE				
Chemical family	: 0RGANOCHLOROSILANE				
	bstance or mixture and uses advised against				
Use of the substance/mixture	: Chemical intermediate For research use only				
1.3. Details of the supplier of the safe	ty data sheet				
GELEST, INC. 11 East Steel Road Morrisville, PA 19067 USA					
T 215-547-1015 - F 215-547-2484 - (M-F): 8:0 info@gelest.com - www.gelest.com	0 AM - 5:30 PM EST				
1.4. Emergency telephone number	: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)				
Emergency number	. CHEMTREC. 1-600-424-9300 (USA), +1703-527-3887 (International)				
SECTION 2: Hazards identification					
2.1. Classification of the substance or	mixture				
Classification (GHS-US) Skin Corr. 1B H314 Eye Dam. 1 H318 Full text of H-phrases: see section 16 2.2. Label elements					
GHS-US labeling					
Hazard pictograms (GHS-US)	GHS05				
Signal word (GHS-US)	: Danger				
Hazard statements (GHS-US)	: H314 - Causes severe skin burns and eye damage H318 - Causes serious eye damage				
Precautionary statements (GHS-US)	 P280 - Wear protective gloves/protective clothing/eye protection/face protection P260 - Do not breathe dust P264 - Wash hands thoroughly after handling P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting P303+P361+P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse skin with water/shower P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a doctor P363 - Wash contaminated clothing before reuse P405 - Store locked up P501 - Dispose of contents/container to licensed waste disposal facility. 				
2.3. Other hazards					
No additional information available					
2.4. Unknown acute toxicity (GHS US)					

No data available

SECTION 3: Composition	/information on in	gredients			
3.1. Substance					
Substance type : Mono		o-constituent			
Name	: 1,3-BIS(TRICHLOROSILYL)PROPANE				
CAS No	: 1817 ⁻	1-50-1			
Name		Product identifier	%	Classification (GHS-US)	
1,3-Bis(trichlorosilyl)propane		(CAS No) 18171-50-1	> 95	Skin Corr. 1B, H314 Eye Dam. 1, H318	
Hydrochloric acid		(CAS No) 7647-01-0		Skin Corr. 1A, H314	

3.2. Mixture

Not applicable

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if no available show packaging or label.
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Wash with plenty of soap and water. Get immediate medical advice/attention.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid measures after ingestion	: Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
4.2. Most important symptoms and effe	ects, both acute and delayed
Symptoms/injuries	: Causes severe skin burns and eye damage.
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract. Overexposure may cause: Cough. Headache. Nausea.
Symptoms/injuries after skin contact	: Causes (severe) skin burns.
Symptoms/injuries after eye contact	: Causes serious eye damage.
Symptoms/injuries after ingestion	: May be harmful if swallowed.
4.3. Indication of any immediate medica	al attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Foam. Carbon dioxide. Dry chemical.
Unsuitable extinguishing media	: Water.
5.2. Special hazards arising from the su	ubstance or mixture
Fire hazard	: Irritating fumes of hydrochloric acid and organic acid vapors may develop when material is exposed to water or open flame.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray to cool exposed surfaces. Exercise caution when fighting any chemical fire.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Avoid contact with skin and eyes. Do not breathe dust.
SECTION 6: Accidental release mea	asures
6.1. Personal precautions, protective e	quipment and emergency procedures
6.1.1. For non-emergency personnel	
Protective equipment	: Wear protective equipment as described in Section 8.
Emergency procedures	Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material f Methods for cleaning up		• •		sible, using an absorbent material to collect it. Sweep or
methods for cleaning up			ppropriate contai	
6.4. Reference to other sect	ions			
See Heading 8. Exposure controls	and personal protection	n.		
SECTION 7: Handling and	storage			
7.1. Precautions for safe ha	ndling			
Precautions for safe handling				void dust formation. Do not breathe dust. Provide local
Hygiene measures	exhaust or general room ventilation to minimize exposure to dust. : Wash hands and other exposed areas with mild soap and water before eating, drinking or			
	smol	king and wher	n leaving work. W	ash contaminated clothing before reuse.
7.2. Conditions for safe sto	rage, including any i	ncompatibilit	ies	
Storage conditions		o container tig	•	
Incompatible materials			Oxidizing agent.	
Storage area	: Store	e in a well-ver	itilated place. Sto	bre away from heat.
7.3. Specific end use(s)				
No additional information available				
SECTION 8: Exposure con	trols/personal p	otection		
8.1. Control parameters				
Hydrochloric acid (7647-01-0)				
USA ACGIH A	CGIH Ceiling (ppm)			2 ppm
USA NIOSH N	NOSH REL (ceiling) (m	ng/m³)		7 mg/m ³
USA NIOSH N	IIOSH REL (ceiling) (p	pm)		5 ppm
USA OSHA C	SHA PEL (Ceiling) (m	g/m³)		7 mg/m ³
USA OSHA C	SHA PEL (Ceiling) (p	om)		5 ppm
USA IDLH	JS IDLH (ppm)			50 ppm
B.2. Exposure controls				
Appropriate engineering controls	· Prov	ide local exha	ust or general ro	om ventilation
Personal protective equipment				mergency eye wash fountains and safety showers shou of any potential exposure.
Hand protection			rubber gloves.	
Eye protection		hemical goggles or face shield. Contact lenses should not be worn.		
Skin and body protection		: Wear suitable protective clothing.		
Respiratory protection		: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge)		
		rator.		
SECTION 9: Physical and	chemical proper	ies		
9.1. Information on basic pl				
Physical state	: Solic	1		
Appearance	: Solic	l.		
Malagular mass	: 310.	97 g/mol		
wolecular mass		vhite.		
	: Off-v			
Color Odor	: Acric			
Color Ddor Ddor threshold	: Acric : No d	ata available		
Color Ddor Ddor threshold Refractive index	: Acric : No d : 1.47	ata available 32		
Color Odor Odor threshold Refractive index oH	: Acric : No d : 1.47 : No d	ata available 32 ata available		
Color Odor Odor threshold Refractive index oH Relative evaporation rate (butyl ace	: Acric : No d : 1.47 : No d etate=1) : No d	ata available 32 ata available ata available		
Color Odor Odor threshold Refractive index pH Relative evaporation rate (butyl acc Melting point	: Acric : No d : 1.47 : No d etate=1) : No d : 29 -	ata available 32 ata available ata available 30 °C		
Color Odor Odor threshold Refractive index pH Relative evaporation rate (butyl acc Melting point Freezing point	: Acric : No d : 1.47 : No d etate=1) : No d : 29 - : No d	ata available 32 ata available ata available 30 °C ata available		
Color Odor Odor threshold Refractive index pH Relative evaporation rate (butyl ace Melting point Freezing point Boiling point	: Acric : No d : 1.47 : No d : 29 - : No d : 115	ata available 32 ata available ata available 30 °C ata available - 117 °C @ 4	mm Hg	
Molecular mass Color Odor Odor threshold Refractive index pH Relative evaporation rate (butyl ace Melting point Freezing point Boiling point Flash point	: Acric : No d : 1.47 : No d : 29 - : No d : 115 : > 65	ata available 32 ata available ata available 30 °C ata available - 117 °C @ 4 °C	mm Hg	
Color Odor Odor threshold Refractive index pH Relative evaporation rate (butyl ace Melting point Freezing point Boiling point	: Acric : No d : 1.47 : No d : 29 - : No d : 115 : > 65 : No d	ata available 32 ata available ata available 30 °C ata available - 117 °C @ 4	mm Hg	

Flammability (solid, gas)	: No data available			
Vapor pressure	: < 1 mm Hg @ 25°C			
Relative vapor density at 20 °C	: >1			
Relative density	: 1.4394			
Solubility	: Reacts with water.			
Log Pow	: No data available			
Log Kow	No data available			
Viscosity, kinematic	: No data available			
Viscosity, dynamic	: No data available			
Explosive properties	: No data available			
Oxidizing properties	: No data available			
Explosion limits	: No data available			
9.2. Other information				
No additional information available				
SECTION 10: Stability and reactivity				
10.1. Reactivity				
No additional information available				
10.2. Chemical stability				
Stable in sealed containers stored under a dry in	ert atmosphere.			
10.3. Possibility of hazardous reactions				
,	hydrogon chlorida			
Reacts with water and moisture in air, liberating h	nyarogen chionae.			
10.4. Conditions to avoid				
Heat. Open flame. Sparks.				
10.5. Incompatible materials				
Alcohols. Amines. Oxidizing agent.				
10.6. Hazardous decomposition products				
Hydrogen chloride. Organic acid vapors.				
SECTION 11: Toxicological information	ion			
11.1. Information on toxicological effects				
Acute toxicity	: Not classified			
Hydrochloric acid (7647-01-0)				
LD50 oral rat	238 - 277 mg/kg			
LD50 dermal rabbit	> 5010 mg/kg			
LC50 inhalation rat (mg/l)	1.68 mg/l (Exposure time: 1 h)			
ATE US (oral)	238.000 mg/kg body weight			
ATE US (vapors)	1.680 mg/l/4h			
ATE US (dust, mist)	1.680 mg/l/4h			
Skin corrosion/irritation	: Causes severe skin burns and eye damage.			
Serious eye damage/irritation	: Causes serious eye damage.			
Respiratory or skin sensitization	: Not classified			
Germ cell mutagenicity	: Not classified			
Carcinogenicity	: Not classified			
Hydrochloric acid (7647-01-0)				
IARC group	3 - Not classifiable			
Reproductive toxicity	: Not classified			
Specific target organ toxicity (single exposure)	: Not classified			
Specific target organ toxicity (repeated exposure)	: Not classified			
Aspiration hazard	: Not classified			
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract. Overexposure may cause: Cough. Headache. Nausea.			
Symptoms/injuries after skin contact	: Causes (severe) skin burns.			
Symptoms/injuries after eye contact	: Causes serious eye damage.			
Symptoms/injuries after ingestion	: May be harmful if swallowed.			
07/17/2015	EN (English US) SDS ID: SIB1815.0 4/7			

Reason for classification	: Expert judgment
SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Other adverse effects	: This substance may be hazardous to the environment.
Effect on ozone layer Effect on the global warming	: No additional information available : No known ecological damage caused by this product.
SECTION 13: Disposal consideration	IS
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
14.1. UN number	
UN-No.(DOT)	: 2987
DOT NA no.	UN2987
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Chlorosilanes, corrosive, n.o.s.
	(1,3-BIS(TRICHLOROSILYL)PROPANE)
Department of Transportation (DOT) Hazard Classes	: 8 - Class 8 - Corrosive material 49 CFR 173.136
Hazard labels (DOT)	: 8 - Corrosive
	8
Packing group (DOT)	: II - Medium Danger
DOT Packaging Exceptions (49 CFR 173.xxx)	: None
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 206
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
14.3. Additional information	
Other information	: No supplementary information available.
Transport by sea	
DOT Vessel Stowage Location	: C - The material must be stowed "on deck only" on a cargo vessel and on a passenger vessel.
DOT Vessel Stowage Other	: 40 - Stow "clear of living quarters"
Air transport	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: Forbidden
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 30 L

SECTION 15: Regulate	ory information				
15.1. US Federal regulation					
.		.1)			
TSCA Exemption/Exclusion	1,3-BIS(TRICHLOROSILYL)PROPANE (18171-50-1) TSCA Exemption/Exclusion CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(is not permitted in the United States.				e requirements of the dual" as defined by 40 CFR
Hydrochloric acid (7647-0	1-0)				
Listed on the United States Listed on the United States Listed on United States SAR	SARA Section 302	es Contro	I Act) inventory		
SARA Section 302 Thresho Quantity (TPQ)	Id Planning 5	500 (gas only)			
SARA Section 313 - Emissi	SARA Section 313 - Emission Reporting 1.0 % (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size)			airborne forms of any	
1,3-Bis(trichlorosilyl)prop					
Not listed on the United Sta		nces Co	ntrol Act) Inventory		
15.2. International regulation	ons				
Hydrochloric acid (7647-0	1-0)				
Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China) Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances) Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory Listed on the Korean ECL (Existing Chemicals List) Listed on NZIOC (New Zealand Inventory of Chemicals) Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances) Japanese Poisonous and Deleterious Substances Control Law Listed on the Canadian IDL (Ingredient Disclosure List) Listed on INSQ (Mexican national Inventory of Chemical Substances) Listed on Turkish inventory of chemical					
1,3-Bis(trichlorosilyl)prop	ane (18171-50-1)				
15.3. US State regulations					
1,3-BIS(TRICHLOROSILYL)	PROPANE(18171-50-1)				
U.S California - Proposition		No			
U.S California - Proposition Toxicity	65 - Developmental	No			
U.S California - Proposition Toxicity - Female	U.S California - Proposition 65 - Reproductive No Toxicity - Female				
U.S California - Proposition 65 - Reproductive No Toxicity - Male					
Hydrochloric acid (7647-01-	-0)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	y R	.S California - roposition 65 - eproductive Toxicity - emale	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
No	No	N	0	No	
1,3-Bis(trichlorosilyl)propa	ne (18171-50-1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	y P R	.S California - roposition 65 - eproductive Toxicity - emale	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
No	No	N	0	No	

1,3-BIS(TRICHLOROSILYL)PROPANE

Safety Data Sheet

Abbreviations and acronyms	: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Usetthe LADC: Interpretinged Agency for Bessarch on Concert.
	Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

Full text of H-phrases::

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Corr. 1B	Skin corrosion/irritation Category 1B
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

HMIS III Rating

Health

: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given

Flammability Physical : 2 Moderate Hazard: 1 Slight Hazard

Prepared by safety and environmental affairs.

Date of issue: 07/17/2015 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2015 Gelest Inc. Morrisville, PA 19067