

Safety Data Sheet SIC2455.0 Date of issue: 09/22/2015 Version: Version: 1.0

SECTION 1: Identification of the sub	stance/mixture and of the cor	mony/undortaking	
	stance/mixture and of the cor	npany/undertaking	
	. Cubatanaa		
Product form	: Substance		
Physical state			
Substance name	: 3-CYANOPROPYLTRIETHOXYSIL	ANE	
Product code	: SIC2455.0		
Formula			
Synonyms	: 4-(TRIETHOXYSILYL)BUTYRONIT	RILE	
Chemical family	: ORGANOETHOXYSILANE		
	tance or mixture and uses advised a	gainst	
Use of the substance/mixture	: Chemical intermediate For research and industrial use only	1	
1.3. Details of the supplier of the safety	data sheet		
GELEST, INC. 11 East Steel Road Morrisville, PA 19067 USA T 215-547-1015 - F 215-547-2484 - (M-F): 8:00	AM - 5:30 PM EST		
info@gelest.com - www.gelest.com			
1.4. Emergency telephone number			
Emergency number	: CHEMTREC: 1-800-424-9300 (USA	(1); +1 703-527-3887 (International)	
SECTION 2: Hazards identification			
2.1. Classification of the substance or n	ixture		
Classification (GHS-US)			
Flam. Liq. 4 H227 Skin Irrit. 2 H315			
Eye Irrit. 2A H319			
Full text of H-phrases: see section 16			
2.2. Label elements			
GHS-US labeling			
Hazard pictograms (GHS-US)			
	GHS07		
Signal word (GHS-US)	: Warning		
Hazard statements (GHS-US)	: H227 - Combustible liquid		
	H315 - Causes skin irritation H319 - Causes serious eye irritatior	1	
Precautionary statements (GHS-US)		ective clothing/eye protection/face protection	
, , ,	P210 - Keep away from heat, open	flames, sparks No smoking	
	P264 - Wash hands thoroughly afte		
	P302+P352 - If on skin: Wash with P332+P313 - If skin irritation occurs		
		nse cautiously with water for several minutes. Remove	Э
	contact lenses, if present and easy		
	P337+P313 - If eye irritation persist P321 - Specific treatment (see first	s: Get medical advice/attention	
	P362+P364 - Take off contaminated		
	P370+P378 - In case of fire: Use wa	ater spray, foam, carbon dioxide, dry chemical to exting	guish
	P403+P235 - Keep in a cool place	ar to licensed waste dispaced facility	
2.3. Other hazards		er to licensed waste disposal facility.	
	· Additional ethanol may be formed b	w reaction with moisture and water. The hydrolygic are	duct
Other hazards not contributing to the classification	of this compound is ethanol. Overex	y reaction with moisture and water. The hydrolysis pro posure to ethanol by skin absorption, inhalation or t (headache, nausea, drowsiness). Ethanol is metaboli	
09/22/2015	EN (English US)	SDS ID: SIC2455.0 Pa	age 1

Unknown acute toxicity (GHS US)

SECTION 3: Composition/information on ingredients

Safety Data Sheet

2.4.

No data available

to acetaldehyde and acetic acid which in large quantities result in metabolic acidosis, CNS depression and death due to respiratory arrest. The US OSHA PEL (TWA) for ethanol is 1000 ppm. This product contains ethanol which is classified as a carcinogen by IARC in alcoholic beverages.

3.1. Substance			
Substance type	: Mono-constituent		
Name	: 3-CYANOPROPYLTRIETHOXYSILANE		
CAS No	: 1067-47-6		
EC no	: 213-931-4		
Name	Product identifier	%	Classification (GHS-US)
3-Cyanopropyltriethoxysilane	(CAS No) 1067-47-6	95 - 100	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measur	es		
First-aid measures general	: Remove contaminated clothing and shoes. In medical advice immediately (show the label w available show packaging or label. IF exposed	here possible).	If possible show this sheet; if not
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in unwell, seek medical advice.	a position com	fortable for breathing. If you feel
First-aid measures after skin contact	: Wash with plenty of soap and water. Get med	ical advice/atte	ntion.
First-aid measures after eye contact	: Immediately flush eyes thoroughly with water present and easy to do. Continue rinsing. Cor		
First-aid measures after ingestion	: Never give anything by mouth to an unconsci	ous person. Ge	t medical advice/attention.
4.2. Most important symptoms and	effects, both acute and delayed		
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract.		
Symptoms/injuries after skin contact	: Causes skin irritation.		
Symptoms/injuries after eye contact	: Causes serious eye irritation.		
Symptoms/injuries after ingestion	: May be harmful if swallowed.		
Chronic symptoms	: On contact with water this compound liberates on the central nervous system.	s ethanol which	is known to have a chronic effect
4.3. Indication of any immediate m	edical attention and special treatment needed		
NOTE TO PHYSICIAN: This product reacts	s with water in the acid contents of the stomach to form	ethanol.	
SECTION 5: Firefighting measur	res		
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Foam. Carbon dioxide. Dry cher	nical.	
Jnsuitable extinguishing media	: Do not use straight streams.		
5.2. Special hazards arising from the second	ne substance or mixture		
Fire hazard	: Combustible liquid. Irritating fumes and organ exposed to water or open flame.	ic acid vapors n	nay develop when material is
5.3. Advice for firefighters			
Firefighting instructions	: Use water spray to cool exposed surfaces. Ex	ercise caution	when fighting any chemical fire.
Protection during firefighting	: Do not enter fire area without proper protectiv Avoid all eye and skin contact and do not brea		
SECTION 6: Accidental release	measures		
6.1. Personal precautions, protecti	ve equipment and emergency procedures		
General measures	: Remove ignition sources. Use special care to	avoid static ele	ctric charges.
6.1.1. For non-emergency personnel			
Protective equipment	: Wear protective equipment as described in Se	ection 8.	

Emergency procedures

Safety Data Sheet

6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with
	proper protection. For further information refer to section 8: "Exposure controls/personal
	protection".
6.2. Environmental precautions	
Prevent entry to sewers and public waters. Notify	authorities if liquid enters sewers or public waters.
6.3. Methods and material for containment	nt and cleaning up
For containment	: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up	 Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or shovel spills into appropriate container for disposal. Use only non-sparking tools.
6.4. Reference to other sections	
See Heading 8. Exposure controls and personal p	rotection.
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed	: Keep away from heat/sparks/open flames/hot surfaces No smoking.
Precautions for safe handling	: Avoid all eye and skin contact and do not breathe vapor and mist. Provide good ventilation in process area to prevent accumulation of vapors. Ground/bond container and receiving equipment. Use only non-sparking tools.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including	g any incompatibilities
Storage conditions	: Keep container tightly closed. Keep in a cool place.
Incompatible materials	: Moisture. Water.
Storage area	: Store in a well-ventilated place. Store away from heat.
7.3. Specific end use(s)	
No additional information available	
SECTION 8: Exposure controls/perso	nal protection
8.1. Control parameters	
No additional information available	
8.2. Exposure controls	
	: Provide local exhaust or general room ventilation.
Personal protective equipment	: Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Neoprene or nitrile rubber gloves.
Eye protection	: Chemical goggles. Contact lenses should not be worn.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Where exposure through inhalation may occur from use, respiratory protection equipment is
	recommended. NIOSH-certified combination organic vapor - amine gas (brown cartridge) respirator.
SECTION 9: Physical and chemical p	roperties
9.1. Information on basic physical and ch	emical properties
Physical state	: Liquid
Appearance	: Clear liquid.
Molecular mass	: 231.37 g/mol
Color	: Straw.
Odor	: Mild.
Odor threshold	: No data available
Refractive index	: 1.4174
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: <0°C
Boiling point	: 79 - 80 °C @ 0.6 mm Hg
Flash point	: 74 °C

Safety Data Sheet

Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Combustible liquid
Vapor pressure	: No data available
Relative vapor density at 20 °C	: >1
Relative density	: 0.961
Solubility	: Insoluble in water. Reacts with water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: 2.3 cSt
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	,
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable in sealed containers.	
10.3. Possibility of hazardous reactions	
Reacts with water and moisture in air liberating e	ethanol.
10.4. Conditions to avoid	
Heat. Open flame. Sparks.	

Tieat. Open hame. Sparks.	
10.5. Incompatible materials	
Moisture. Water.	
10.6. Hazardous decomposition products	
Ethanol. Organic acid vapors.	
SECTION 11: Toxicological information	

11.1. Information on toxicological effects

Acute toxicity	: Not classified
3-Cyanopropyltriethoxysilane (1067-47-6)	
LD50 oral rat	2460 mg/kg
ATE US (oral)	2460.000 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: This compound liberates ethanol on contact with moisture. Material generates ethanol on contact with water or moisture in skin, eyes and mucous membranes and has an irritating, dehydrating effect on overexposed tissue.
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract.
Symptoms/injuries after skin contact	: Causes skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: May be harmful if swallowed.
Chronic symptoms	: On contact with water this compound liberates ethanol which is known to have a chronic effect on the central nervous system.

Safety Data Sheet

Reason for classification	: Expert judgment
SECTION 12: Ecological information	
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Other adverse effects	: This substance may be hazardous to the environment.
Effect on ozone layer	: No additional information available
Effect on the global warming	: No known ecological damage caused by this product.
SECTION 13: Disposal consideration	IS
13.1. Waste treatment methods	
Sewage disposal recommendations	: Do not dispose of waste into sewer.
Waste disposal recommendations	: May be incinerated. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.
Ecology - waste materials	: Avoid release to the environment.
SECTION 14: Transport information	
14.1. UN number	
DOT NA no.	NA1993
14.2. UN proper shipping name	
Proper Shipping Name (DOT)	: Combustible liquid, n.o.s. (3-CYANOPROPYLTRIETHOXYSILANE)
Department of Transportation (DOT) Hazard Classes	: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
DOT Symbols	: D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical name
Packing group (DOT)	: III - Minor Danger
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 203
DOT Packaging Bulk (49 CFR 173.xxx)	: 241
14.3. Additional information	
Other information	: No supplementary information available.
Special transport precautions	: This product is Combustible as defined by the US Department of Transportation (DOT). It is regulated for transport in the US in container > 119 gallons. The product is not regulated for transport by the IATA, ADR/RID, ADNR or the IMDG regulations.
Transport by sea	
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
Air transport	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 60 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 220 L
SECTION 15: Regulatory information	
15.1. US Federal regulations	
3-Cyanopropyltriethoxysilane (1067-47-6)	
Listed on the United States TSCA (Toxic Subst	ances Control Act) inventory
15.2. International regulations	

Safety Data Sheet

3-Cyanopropyltriethoxysilane (1067-47-6)
Listed on the ALCC (Australian Inventory of Chamical)

Listed on the AICS (Australian Inventory of Chemical Substances) Listed on the Canadian NDSL (Non-Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Japanese Poisonous and Deleterious Substances Control Law

15.3. US State regulations

3-CYANOPROPYLTRIETH	OXYSILANE(1067-47-6)			
U.S California - Propositio	n 65 - Carcinogens List	No		
U.S California - Propositio Toxicity	n 65 - Developmental	No		
U.S California - Propositio Toxicity - Female	n 65 - Reproductive	No		
U.S California - Propositio Toxicity - Male	n 65 - Reproductive	No		
3-Cyanopropyltriethoxysil	ane (1067-47-6)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
No	No	No	No	

SECTION 16: Other information Abbreviations and acronyms : Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal

Full tex	threshold Health; IA Program; Registrati	limit value; TG: RC: Internation HMIS: Hazardo on Number; EC Commission Ir	permissible exposure level; TWA: time weighted average; TLV: Test Guideline; NIOSH: National Institute for Occupational Safety and al Agency for Research on Cancer; NTP: National Toxicology bus Material Information System; CAS No.: Chemcial Abstract Service No.: European Commission Registration Number; EC Index No.: Idex Number; OECD: The Organisation for Economic Co-operation
i un tox			
i un tox	Eye Irrit. 2A		Serious eye damage/eye irritation Category 2A
i un tox			Serious eye damage/eye irritation Category 2A Flammable liquids Category 4
	Eye Irrit. 2A		, , , , , , , , , , , , , , , , , , , ,
	Eye Irrit. 2A Flam. Liq. 4		Flammable liquids Category 4
	Eye Irrit. 2A Flam. Liq. 4 Skin Irrit. 2		Flammable liquids Category 4 Skin corrosion/irritation Category 2

HMIS III Rating

Health

: 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given

Flammability Physical

- : 2 Moderate Hazard
- : 1 Slight Hazard

Prepared by safety and environmental affairs.

Date of issue: 09/22/2015 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2015 Gelest Inc. Morrisville, PA 19067