

Safety Data Sheet SID3546.5 Date of issue: 10/01/2015 Version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **Product identifier**

Product form : Substance Physical state : Liquid

Substance name : (N,N-DIMETHYLAMINO)DIMETHYLCHLOROSILANE, 95%

Product code : SID3546.5 : C4H12CINSi Formula

(DIMETHYLAMIDO)DIMETHYLSILYLCHLORIDE; 1-CHLORO-N,N,1,1-Synonyms

**TETRAMETHYLSILYLAMINE** 

: ORGANOCHLOROSILANE Chemical family

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Chemical intermediate

For research and industrial use only

#### Details of the supplier of the safety data sheet 1.3.

# **GELEST, INC.**

11 East Steel Road Morrisville, PA 19067

USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

## **Emergency telephone number**

**Emergency number** : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

## SECTION 2: Hazards identification

#### Classification of the substance or mixture 2.1.

# **GHS-US** classification

Flam. Liq. 2 H225 Skin Corr. 1B H314 Eye Dam. 1 H318

Full text of H-phrases: see section 16

#### 2.2. **Label elements**

# **GHS-US** labeling

Hazard pictograms (GHS-US)





GHS05

Signal word (GHS-US) : Danger

: H225 - Highly flammable liquid and vapor Hazard statements (GHS-US)

H314 - Causes severe skin burns and eye damage

: P280 - Wear protective gloves/protective clothing/eye protection/face protection Precautionary statements (GHS-US)

P210 - Keep away from heat, open flames, sparks. - No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P260 - Do not breathe vapors

P264 - Wash hands thoroughly after handling

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a doctor

P321 - Specific treatment (see first aid instructions on this label)

P363 - Wash contaminated clothing before reuse

EN (English US) SDS ID: SID3546.5 10/01/2015 Page 1

# Safety Data Sheet

P370+P378 - In case of fire: Use water spray, foam, carbon dioxide, dry chemical to extinguish

P403+P235 - Keep in a cool place

P405 - Store locked up

P501 - Dispose of contents/container to licensed waste disposal facility.

### Other hazards

Other hazards not contributing to the classification

: Additional dimethylamine may be formed by reaction with moisture and water. The US OSHA PEL (TWA) for dimethylamine is 10 ppm.

### **Unknown acute toxicity (GHS US)**

No data available

# **SECTION 3: Composition/Information on ingredients**

### **Substance**

Substance type : Multi-constituent

(N,N-DIMETHYLAMINO)DIMETHYLCHLOROSILANE, 95% Name

CAS No : 18209-60-4 EC no : 242-095-3

Name	Product identifier	%	GHS-US classification
(N, N-Dimethylamino)dimethylchlorosilane	(CAS No) 18209-60-4	90 - 100	Flam. Liq. 2, H225 Skin Corr. 1B, H314 Eye Dam. 1, H318
Bis(dimethylamino)dimethylsilane	(CAS No) 3768-58-9	0 - 10	Flam. Liq. 2, H225 Skin Corr. 1B, H314 Eye Dam. 1, H318

### **Mixture**

Not applicable

# **SECTION 4: First aid measures**

### **Description of first aid measures**

First-aid measures general

Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.

First-aid measures after inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact

First-aid measures after eye contact

Wash with plenty of soap and water. Get immediate medical advice/attention.

Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion

Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

# Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage. Symptoms/injuries after inhalation : May cause irritation to the respiratory tract.

Symptoms/injuries after skin contact : Causes (severe) skin burns. Symptoms/injuries after eye contact : Causes serious eye damage. Symptoms/injuries after ingestion : May be harmful if swallowed.

### Indication of any immediate medical attention and special treatment needed

No additional information available

# **SECTION 5: Firefighting measures**

# **Extinguishing media**

: Water spray. Foam. Carbon dioxide. Dry chemical. Suitable extinguishing media

Unsuitable extinguishing media : Water.

# Special hazards arising from the substance or mixture

Fire hazard : Highly flammable liquid and vapor. Irritating fumes of dimethylamine and organic acid vapors

may develop when material is exposed to water or open flame.

Explosion hazard : May form flammable/explosive vapor-air mixture.

### Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray to cool exposed surfaces.

: Do not enter fire area without proper protective equipment, including respiratory protection. Protection during firefighting

Avoid all eye and skin contact and do not breathe vapor and mist.

SDS ID: SID3546.5 10/01/2015 EN (English US) 2/7

Safety Data Sheet

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Eliminate every possible source of ignition. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or

shovel spills into appropriate container for disposal. Use only non-sparking tools.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable. Keep away from

heat/sparks/open flames/hot surfaces. - No smoking.

Precautions for safe handling : Avoid all eye and skin contact and do not breathe vapor and mist. Ground/bond container and receiving equipment. Take precautionary measures against static discharge. Provide good

ventilation in process area to prevent accumulation of vapors. Use only non-sparking tools.

: Wash hands and other exposed areas with mild soap and water before eating, drinking or

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating smoking and when leaving work. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Use explosion-proof

electrical equipment.

Storage conditions : Keep container tightly closed. Keep in a cool place. Store locked up.

Incompatible materials : Acids. Alcohols. Oxidizing agent.

Storage area : Store in a well-ventilated place. Store away from heat.

# 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

No additional information available

# 8.2. Exposure controls

Appropriate engineering controls : Provide local exhaust or general room ventilation.

Personal protective equipment : Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be

available in the immediate vicinity of any potential exposure.

Hand protection : Neoprene or nitrile rubber gloves.

Eye protection : Chemical goggles or face shield. Contact lenses should not be worn.

Skin and body protection : Wear suitable protective clothing

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended. NIOSH-certified combination organic vapor - amine gas (brown cartridge) respirator.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: LiquidAppearance: Hazy liquid.Molecular mass: 137.68 g/molColor: Cloudy.

10/01/2015 EN (English US) SDS ID: **SID3546.5** 3/7

# Safety Data Sheet

Odor : Acrid. Amine. No data available Odor threshold Refractive index : No data available рΗ No data available Relative evaporation rate (butyl acetate=1) No data available Melting point : No data available

: < 0 °C Freezing point Boiling point 108 - 109 °C Flash point 7°C

Auto-ignition temperature

No data available Decomposition temperature : No data available

Flammability (solid, gas) : Highly flammable liquid and vapor

Vapor pressure No data available

Relative vapor density at 20 °C Relative density : 0.908

Solubility Reacts violently with water.

Log Pow No data available Log Kow No data available Viscosity, kinematic No data available Viscosity, dynamic No data available Explosive properties No data available Oxidizing properties No data available **Explosion limits** : No data available

### Other information

No additional information available

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. **Chemical stability**

Stable in sealed containers stored under a dry inert atmosphere.

# Possibility of hazardous reactions

Reacts vigorously with water and moisture in air liberating dimethylamine. In combination with combustible materials such as paper in moist air, reaction has been vigorous enough to char paper.

# **Conditions to avoid**

Heat. Open flame. Sparks.

# Incompatible materials

Acids. Alcohols. Oxidizing agent.

# **Hazardous decomposition products**

Dimethylamine. Organic acid vapors.

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin sensitization Not classified Germ cell mutagenicity Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified : Not classified Specific target organ toxicity (repeated

exposure)

Aspiration hazard

: Not classified

Symptoms/injuries after inhalation

: May cause irritation to the respiratory tract. Symptoms/injuries after skin contact : Causes (severe) skin burns.

10/01/2015 SDS ID: SID3546.5 EN (English US) 4/7

# Safety Data Sheet

Symptoms/injuries after eye contact : Causes serious eye damage. Symptoms/injuries after ingestion : May be harmful if swallowed.

Reason for classification : Expert judgment

## **SECTION 12: Ecological information**

### 12.1. Toxicity

No additional information available

### 12.2. Persistence and degradability

No additional information available

## 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

Effect on ozone layer : No additional information available

Effect on the global warming : No known ecological damage caused by this product.

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to licensed waste disposal facility.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

## 14.1. UN number

UN-No.(DOT) : 2985 DOT NA no. UN2985

# 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Chlorosilanes, flammable, corrosive, n.o.s.

((N,N-DIMETHYLAMINO)DIMETHYLCHLOROSILANE)

Transport hazard class(es) (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Hazard labels (DOT) : 3 - Flammable liquid

8 - Corrosive





Packing group (DOT) : II - Medium Danger

DOT Packaging Exceptions (49 CFR 173.xxx) : none
DOT Packaging Non Bulk (49 CFR 173.xxx) : 206
DOT Packaging Bulk (49 CFR 173.xxx) : 243

# 14.3. Additional information

Other information : No supplementary information available.

### Transport by sea

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

### Air transport

DOT Quantity Limitations Passenger aircraft/rail : Forbidden

(49 CFR 173.27)

10/01/2015 EN (English US) SDS ID: **SID3546.5** 5/7

Safety Data Sheet

DOT Quantity Limitations Cargo aircraft only (49 : 5 L CFR 175.75)

# **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

# (N, N-Dimethylamino)dimethylchlorosilane (18209-60-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

## Bis(dimethylamino)dimethylsilane (3768-58-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

### 15.2. International regulations

## (N, N-Dimethylamino)dimethylchlorosilane (18209-60-4)

Listed on the Canadian NDSL (Non-Domestic Substances List)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### Bis(dimethylamino)dimethylsilane (3768-58-9)

Listed on the Canadian NDSL (Non-Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

### 15.3. US State regulations

(N,N-DIMETHYLAMINO)DIMETHYLCHLOROSILANE, 95%(18209-60-4)						
U.S California - Proposition	n 65 - Carcinogens List	)				
U.S California - Proposition Toxicity	n 65 - Developmental	)				
U.S California - Proposition Toxicity - Female	n 65 - Reproductive	)				
U.S California - Proposition Toxicity - Male	n 65 - Reproductive	)				
(N, N-Dimethylamino)dimethylchlorosilane (18209-60-4)						
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S Califor Proposition 6 Reproductive Female	65 -	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)	
No	No	No		No		
Bis(dimethylamino)dimethylsilane (3768-58-9)						
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S Califor Proposition 6 Reproductive Female	65 -	U.S California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)	
No	No	No		No		

# **SECTION 16: Other information**

Abbreviations and acronyms

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

# Full text of H-phrases::

<u> </u>	
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Flam. Liq. 2	Flammable liquids Category 2
Skin Corr. 1B	Skin corrosion/irritation Category 1B
H225	Highly flammable liquid and vapor
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

10/01/2015 EN (English US) SDS ID: **SID3546.5** 6/7

# Safety Data Sheet

### **HMIS III Rating**

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

given

Flammability : 4 Severe Hazard
Physical : 2 Moderate Hazard

Prepared by safety and environmental affairs.


Date of issue: 10/01/2015 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2015 Gelest Inc. Morrisville, PA 19067



10/01/2015 EN (English US) SDS ID: **SID3546.5** 7/7