

Safety Data Sheet SID4626.0
Date of issue: 11/04/2014 Version: 1.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Substance
Physical state : Liquid

Substance name : DODECAMETHYLPENTASILOXANE

Product code : SID4626.0
Formula : C12H36O4Si5

Synonyms : MD3M; POLY(DIMETHYLSILOXANE), TRIMETHYLSILOXY TERMINATED

Chemical family : ORGANOSILOXANE

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Chemical intermediate

For research and industrial use only

### 1.3. Details of the supplier of the safety data sheet

### **GELEST, INC.**

11 East Steel Road Morrisville, PA 19067

USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

### 1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification (GHS-US)

Flam. Liq. 4 H227

Full text of H-phrases: see section 16

### 2.2. Label elements

### **GHS-US labeling**

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H227 - Combustible liquid

Precautionary statements (GHS-US) : P280 - Wear protective gloves/protective clothing/eye protection/face protection

P210 - Keep away from heat, open flames, sparks. - No smoking

P370+P378 - In case of fire: Use water spray or fog, foam, carbon dioxide, dry chemical to

extinguish

P403+P235 - Keep in a cool place

P501 - Dispose of contents/container to licensed waste disposal facility.

### 2.3. Other hazards

No additional information available

# 2.4. Unknown acute toxicity (GHS-US)

No data available

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substance

Substance type : Multi-constituent

Name : DODECAMETHYLPENTASILOXANE

CAS No : 141-63-9 EC no : 205-492-2

Name	Product identifier	%	Classification (GHS-US)
Dodecamethylpentasiloxane	(CAS No) 141-63-9	> 90	Flam. Liq. 4, H227
Decamethyltetrasiloxane	(CAS No) 141-62-8	< 5	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302
Octamethylcyclotetrasiloxane	(CAS No) 556-67-2	< 3	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Eye Irrit. 2B, H320

11/04/2014 EN (English US) SDS ID: **SID4626.0** Page 1

# Safety Data Sheet

### 3.2. Mixture

Not applicable

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general

: Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.

First-aid measures after inhalation

: Remove to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell,

seek medical advice.

First-aid measures after skin contact

: Wash with plenty of soap and water.

First-aid measures after eye contact

: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion

: Never give anything by mouth to an unconscious person. Get medical advice/attention.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : No information available.

Symptoms/injuries after skin contact : May cause skin irritation.

Symptoms/injuries after eye contact : May cause eye irritation.

Symptoms/injuries after ingestion : May be harmful if swallowed.

# 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media
Unsuitable extinguishing media

: Water spray. Water fog. Foam. Carbon dioxide. Dry chemical.

: None known.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard

: Combustible liquid. Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.

# 5.3. Advice for firefighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire.

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapor and mist.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

## 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or shovel spills into appropriate container for disposal. Use only non-sparking tools.

# 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

Additional hazards when processed

- : Keep away from heat, open flames, sparks. No smoking.
- Precautions for safe handling
- : Avoid all eye and skin contact and do not breathe vapor and mist. Provide good ventilation in process area to prevent accumulation of vapors. Containers must be properly grounded before beginning transfer. Take precautionary measures against static discharge. Use only nonsparking tools.

11/04/2014 EN (English US) SDS ID: **SID4626.0** 2/7

# Safety Data Sheet

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep container tightly closed.

Incompatible materials : Oxidizing agent.

Storage area : Store in a well-ventilated place. Store away from heat.

7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls : Provide local exhaust or general room ventilation.

Personal protective equipment : Emergency eye wash fountains and safety showers should be available in the immediate

vicinity of any potential exposure. Avoid all unnecessary exposure.

Hand protection : Neoprene or nitrile rubber gloves.

Eye protection : Chemical goggles. Contact lenses should not be worn.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : NIOSH-certified organic vapor (black cartridge) respirator.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear liquid.
Molecular mass : 384.84 g/mol
Color : No data available

Odor : No data available Odor threshold : No data available

Refractive index : 1.3925

pH : No data available

Relative evaporation rate (butyl acetate=1) : < 1 Melting point :  $-80 \, ^{\circ}\text{C}$ 

Freezing point : No data available
Boiling point : 91 °C @ 3 mm Hg

Flash point :  $70 \, ^{\circ}\text{C}$ Auto-ignition temperature :  $430 \, ^{\circ}\text{C}$ 

Decomposition temperature : No data available
Flammability (solid, gas) : Combustible liquid
Vapor pressure : 3 mm Hg @ 91°C

Relative vapor density at 20 °C :> 1Relative density : 0.876VOC content : 100 %

Solubility : Insoluble in water.

Water: Solubility parameter: 7.1

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : 2.06 cSt @ 25°C
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosive limits : No data available

## 9.2. Other information

No additional information available

11/04/2014 EN (English US) SDS ID: **SID4626.0** 3/7

# Safety Data Sheet

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

#### 10.2. **Chemical stability**

Stable.

#### 10.3. Possibility of hazardous reactions

No additional information available

### **Conditions to avoid**

Heat. Open flame. Sparks.

### Incompatible materials

Oxidizing agent.

### **Hazardous decomposition products**

Formaldehyde. Organic acid vapors. Silicon dioxide.

# **SECTION 11: Toxicological information**

### Information on toxicological effects

Acute toxicity : Not classified

Decamethyltetrasiloxane (141-62-8)		
LD50 oral rat	> 1000 mg/kg	
Octamethylcyclotetrasiloxane (556-67-2)		
LD50 oral rat	1540 mg/kg	
LD50 dermal rat	1770 mg/kg	
LD50 dermal rabbit	794 μl/kg	
LC50 inhalation rat (mg/l)	36 g/m³ (Exposure time: 4 h)	
ATE US (oral)	1540.000 mg/kg body weight	
ATE US (dermal)	1770.000 mg/kg body weight	
ATE US (vapors)	36.000 mg/l/4h	
ATE US (dust, mist)	36.000 mg/l/4h	
Skin corrosion/irritation	: Not classified	

Serious eye damage/irritation Not classified Respiratory or skin sensitization Not classified Germ cell mutagenicity Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified exposure)

: Not classified Aspiration hazard

Symptoms/injuries after inhalation : No information available. Symptoms/injuries after skin contact : May cause skin irritation. Symptoms/injuries after eye contact : May cause eye irritation. Symptoms/injuries after ingestion : May be harmful if swallowed.

# **SECTION 12: Ecological information**

#### 12.1. **Toxicity**

Octamethylcyclotetrasiloxane (556-67-2)	
LC50 fish 1	> 500 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)
LC50 fish 2	> 1000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)

#### Persistence and degradability 12.2.

Octamethylcyclotetrasiloxane (556-67-2)	
Persistence and degradability	May cause long-term adverse effects in the environment.

#### 12.3. **Bioaccumulative potential**

Octamethylcyclotetrasiloxane (556-67-2)		
BCF fish 1	12400	
Log Pow	5.1	

11/04/2014 EN (English US) SDS ID: SID4626.0 4/7

# Safety Data Sheet

### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Effect on ozone layer : No additional information available

Effect on the global warming : No known ecological damage caused by this product.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste disposal recommendations : Incinerate. Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to licensed waste disposal facility.

Ecology - waste materials : Avoid release to the environment.

# **SECTION 14: Transport information**

#### 14.1. UN number

DOT NA no. NA1993

### 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Combustible liquid, n.o.s.

(DODECAMETHYLPENTASILOXANE)

Department of Transportation (DOT) Hazard

Classes

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

DOT Symbols : D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN

requiring a technical name

Packing group (DOT) : III - Minor Danger

DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
DOT Packaging Bulk (49 CFR 173.xxx) : 241

# 14.3. Additional information

Other information : No supplementary information available.

## Transport by sea

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

## Air transport

DOT Quantity Limitations Passenger aircraft/rail : 60 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)

# **SECTION 15: Regulatory information**

# 15.1. US Federal regulations

# Dodecamethylpentasiloxane (141-63-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# Decamethyltetrasiloxane (141-62-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

# Octamethylcyclotetrasiloxane (556-67-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

EPA TSCA Regulatory Flag T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.

# 15.2. International regulations

# Dodecamethylpentasiloxane (141-63-9)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Sustances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

11/04/2014 EN (English US) SDS ID: **SID4626.0** 5/7

# Safety Data Sheet

### Decamethyltetrasiloxane (141-62-8)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Sustances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

# Octamethylcyclotetrasiloxane (556-67-2)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Sustances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

# 15.3. US State regulations

DODECAMETHYLPENTAS	DODECAMETHYLPENTASILOXANE(141-63-9)			
U.S California - Proposition	n 65 - Carcinogens List	No		
U.S California - Proposition Toxicity	n 65 - Developmental	No		
U.S California - Proposition Toxicity - Female	n 65 - Reproductive	No		
U.S California - Proposition Toxicity - Male	n 65 - Reproductive	No		
Dodecamethylpentasiloxar	ne (141-63-9)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
No	No	No	No	
Decamethyltetrasiloxane (*	141-62-8)			
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
No	No	No	No	
Octamethylcyclotetrasiloxane (556-67-2)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
No	No	No	No	

# Decamethyltetrasiloxane (141-62-8)

- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

## Octamethylcyclotetrasiloxane (556-67-2)

- U.S. Maine Chemicals of High Concern
- U.S. Minnesota Chemicals of High Concern
- U.S. Minnesota Chemicals of High Concern Persistent Bioaccumulative Toxins
- U.S. Oregon Priority Persistent Pollutant Tier I Persistent Pollutants
- U.S. Texas Effects Screening Levels Long Term
- U.S. Texas Effects Screening Levels Short Term

11/04/2014 EN (English US) SDS ID: **SID4626.0** 6/7

# Safety Data Sheet

# **SECTION 16: Other information**

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

### Full text of H-phrases::

or it princeson.	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
Flam. Liq. 3	Flammable liquids Category 3
Flam. Liq. 4	Flammable liquids Category 4
H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H312	Harmful in contact with skin
H320	Causes eye irritation

### **HMIS III Rating**

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 2 Moderate Hazard
Physical : 0 Minimal Hazard

Prepared by safety and environmental affairs.

Date of issue: 11/04/2014 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2014 Gelest Inc. Morrisville, PA 19067

11/04/2014 EN (English US) SDS ID: **SID4626.0** 7/7