

GELEST, INC.

11 East Steel Rd. Morrisville, PA 19067 Phone: (215) 547-1015

MATERIAL SAFETY DATA SHEET EMERGENCY TELEPHONE CHEMTREC: 1-800-424-9300

NAME USED ON LABEL: 1,1,1,5,5,5-HEXAMETHYLTRISILOXANE - SIH6116.6

CHEMICAL NAME: 1,1,1,5,5,5-HEXAMETHYLTRISILOXANE

SYNONYMS: METHYL 3,3-DIHYDRO-1,1,1,5,5,5-HEXAMETHYLTRSILOXANE; MD"M

CHEMICAL FAMILY: POLYSILOXANE

HMIS CODES HEALTH: 3 FLAMMABILITY: 4 REACTIVITY: 1

INGREDIENTS

IDENTITY CAS NO. % TLV OSHA PEL

1,1,1,5,5,5-HEXAMETHYLTRISILOXANE 93254-88-7 >95 not established

PHYSICAL DATA

Boiling Point: 135°C

Specific Gravity: 0.819 Vapor Density (air = 1): >1

% volatiles: > 95

Molecular Weight: 208.48

Appearance & Color: Clear liquid

Melting Point: <-20°C

Vapor Pressure: not determined Solubility in water: insoluble

Evaporation rate (butyl acetate = 1): >1

Other: N/A

FIRE & EXPLOSION DATA

Flash Point, COC: 21°C (70°F) Autoignition Temp.: not determined

Flammability Limits: not determined

Extinguishing Media: Water spray or fog, foam, carbon dioxide, dry chemical.

Special Fire Fighting Procedures: Avoid eye and skin contact. Do not breathe fumes or inhale

vapors.

Unusual Fire and Explosion Hazards: Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.

-1-(SIH6116.6)

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose, LC: Lethal Concentration; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; HMIS: Hazardous Material information System; CAS No.: Chemcial Abstract Service Registration Number Gelest, Inc. © 2008



ENVIRONMENTAL INFORMATION

Spill response: Sweep material and transfer to a suitable container for disposal.

Recommended Disposal: Incinerate. Follow all chemical pollution control regulations.

HEALTH HAZARD DATA

Eye Contact: May cause immediate or delayed severe eye irritation.

Skin contact: No information available. Avoid Contact.

Inhalation: No information available. Avoid inhalation.

Oral Toxicity: not determined

Inhalation Toxicity: not determined

SUGGESTED FIRST AID

EYES: In case of contact, immediately flush eyes with flowing water for at least 15 minutes. Get medical attention.

SKIN: Flush with water, then wash with soap and water.

INHALATION: Move exposed individual to fresh air. Administer oxygen if needed. Call a physician.

INGESTION: Never give fluids or induce vomiting if patient is unconscious or having convulsions. To conscious individual give one full cup of water to dilute ingested material. Get medical attention.

REACTIVITY DATA

Stability: Stable in sealed containers under dry inert atmosphere. The product can generate small amounts of hydrogen when exposed to alkalis and protic materials such as water and alcohol in combination with metal salts such as aluminum chloride or precious metals such as platinum. Conditions to avoid: Store away from alkalis, oxidizers, metal salts, precious metals. Hazardous decomposition products: Hydrogen, formaldehyde, carbon monoxide, organic acid vapors and silicon dioxide.

-2-(SIH6116.6)



SPECIAL PROTECTION INFORMATION

Ventilation: Local exhaust is required. Mechanical is recommended.

Respiratory Protection: If exposure exceeds TLV, NIOSH approved organic vapor respirator.

Eye and Face Protection: Chemical worker's goggles. Do not wear contact lenses.

Other Clothing and Equipment: Rubber, neoprene or nitrile gloves. An eyewash and emergency

shower should be available. Launder clothing before reuse.

OTHER PRECAUTIONS

For research use only.

Storage and Handling: Store in sealed containers.

Containers require grounding during use.

TRANSPORTATION

DOT SHIPPING NAME: FLAMMABLE LIQUID, N.O.S.

(1,1,1,5,5,5-HEXAMETHYLTRISILOXANE)

DOT HAZARD CLASS: 3

DOT LABEL: Flammable Liquid

DOT ID No: UN1993 PG: II

Prepared by safety and environmental affairs ISSUE DATE: SIH6116.6: 4/19/04

SUPERSEDES: none

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore.

-3-(SIH6116.6)