

GELEST, INC.

11 East Steel Rd. Morrisville, PA 19067
Phone: (215) 547-1015

MATERIAL SAFETY DATA SHEET

EMERGENCY TELEPHONE
CHEMTREC: 1-800-424-9300

NAME USED ON LABEL: **HEXAPHENYLDISILOXANE - SIH6161.0**

CHEMICAL NAME: HEXAPHENYLDISILOXANE

SYNONYMS: BIS(TRIPHENYLSILYL)OXIDE

CHEMICAL FAMILY: ORGANOSILANE

FORMULA: C₃₆H₃₀OSi₂

HMIS CODES HEALTH: 1 FLAMMABILITY: 1 REACTIVITY: 0

INGREDIENTS

IDENTITY	CAS NO.	%	TLV	OSHA PEL
HEXAPHENYLDISILOXANE	1829-40-9	>95		not determined (OSHA PEL, nuisance dust: 15mg/m ³)

PHYSICAL DATA

Boiling Point: 494°C Melting Point: 224-5°C

Specific Gravity: ~1.2

Vapor Density: NA

% volatiles: <1

Molecular Weight: 534.80

Appearance & Color: Off-white solid

Vapor Pressure at 25°C: <0.01mm

Solubility in water: insoluble

Evaporation rate: NA

Other: N/A

FIRE & EXPLOSION DATA

Flash Point, COC : >200°C (>392°F) Autoignition Temp.: not determined

Flammability Limits- LEL: NA UEL: NA

Extinguishing Media: Water spray, foam, carbon dioxide, dry chemical.

Special Fire Fighting Procedures: Avoid eye and skin contact. Do not breathe fumes or inhale vapors.

Unusual Fire and Explosion Hazards: Irritating fumes and organic acid vapors may develop when material is exposed to water or open flame.

-1-(SIH6161.0)

ENVIRONMENTAL INFORMATION

Spill response: May be hazardous to aquatic life if released to open waters. Cover spill with absorbent material. Transfer to a suitable container for disposal.

Recommended Disposal: May be incinerated. Alternately, mix with clay or vermiculite and dispose of absorbent material as solid waste. Follow all chemical pollution control regulations.

HEALTH HAZARD DATA

Eye Contact: May cause immediate or delayed severe eye irritation.

Skin contact: A single relatively short exposure causes no adverse effect. Several or prolonged exposures may cause mild irritation. Avoid Contact.

Inhalation: Inhalation of vapors or particulates of may irritate the respiratory tract. Overexposure may produce coughing, headache and nausea.

Oral Toxicity: Not determined.

Chronic Toxicity: There are no known chronic effects related to this compound.

SUGGESTED FIRST AID

EYES: In case of contact, immediately flush eyes with flowing water for at least 15 minutes. Get medical attention.

SKIN: Flush with water, then wash with soap and water.

INHALATION: Move exposed individual to fresh air. Call a physician.

INGESTION: Never give fluids or induce vomiting if patient is unconscious or having convulsions. Get medical attention.

REACTIVITY DATA

Stability: Stable in sealed containers.

Conditions to avoid: Store away from oxidizers, strong acids.

Hazardous decomposition products: Carbon monoxide, organic acid vapors and silicon dioxide.

-2-(SIH6161.0)

SPECIAL PROTECTION INFORMATION

Ventilation: Local exhaust is required. Mechanical is recommended.

Respiratory Protection: If exposure exceeds TLV air-supplied or combination organic vapor/acid gas respirator.

Eye and Face Protection: Chemical worker's goggles. Do not wear contact lenses.

Other Clothing and Equipment: Rubber, neoprene or nitrile gloves. An eyewash and emergency shower should be available. Launder clothing before reuse.

OTHER PRECAUTIONS

For research and industrial use only.

Storage and Handling: Store in sealed containers.

TRANSPORTATION

DOT SHIPPING NAME: CHEMICALS, NOI

DOT HAZARD CLASS: Not Regulated

DOT LABEL: Not Required

DOT ID No: Not Required

Prepared by safety and environmental affairs

ISSUE DATE SIH6161.0: 7/21/03

SUPERSEDES: 9/18/98

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore.