

2-[METHOXYPOLY(ETHYLENOXY)6-9PROPYL]DIMETHYLMETHOXYSILANE, tech-90 Safety Data Sheet SIM6492.58 Date of issue: 07/21/2015 Version: 1.0

SECTION 1: Identification of the sub	ostance/mixture and of the company/undertaking
1.1. Product identifier	
Product form	: Substance
Physical state	: Liquid
Substance name	: 2-[METHOXYPOLY(ETHYLENOXY)6-9PROPYL]DIMETHYLMETHOXYSILANE, tech-90
Product code	: SIM6492.58
Formula	: CH3O(C2H4O)6-9(CH2)3(CH3)2Si(OCH3)
Synonyms	: DIMETHYLMETHOXYSILYLPROPYLPOLYETHYLENEOXIDE METHYL ETHER
Chemical family	: ORGANOMETHOXYSILANE
1.2. Relevant identified uses of the sub	stance or mixture and uses advised against
Use of the substance/mixture	: Chemical intermediate For research use only
1.3. Details of the supplier of the safety GELEST, INC. 11 East Steel Road Morrisville, PA 19067 19067	data sheet
USA T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 info@gelest.com - www.gelest.com	AM - 5:30 PM EST
1.4. Emergency telephone number	
Emergency number	: CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)
SECTION 2: Hazards identification	
2.1. Classification of the substance or r	nixture
Classification (GHS-US)	
Flam. Liq. 4 H227	
Eye Irrit. 2A H319	
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS07
Signal word (GHS-US)	: Warning
Hazard statements (GHS-US)	: H227 - Combustible liquid H319 - Causes serious eye irritation
Precautionary statements (GHS-US)	 P280 - Wear protective gloves/protective clothing/eye protection/face protection P210 - Keep away from heat, open flames, sparks No smoking P264 - Wash hands thoroughly after handling P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention P370+P378 - In case of fire: Use water spray, foam, carbon dioxide, dry chemical to extinguish P403+P235 - Keep in a cool place P501 - Dispose of contents/container to licensed waste disposal facility.
2.3. Other hazards	
No additional information available	
2.4. Unknown acute toxicity (GHS US)	
No data available	
SECTION 3: Composition/information	on on ingredients
3.1. Substance	
Substance type	: Mono-constituent
07/21/2015	EN (English US) SDS ID: SIM6492.58 Page 1

Safety Data Sheet

First-aid measures after skin contact

Name	: 2-[METHOXYPOLY(ETHYLENOXY)6-9PROPYL]DIMETHYLMETHOXYSILANE, tech-90			
CAS No	: Not fo	bund		
Name		Product identifier	%	Classification (GHS-US)
2-[METHOXYPOLY(ETHYLENOXY)6- 9PROPYL]DIMETHYLMETHOXYSILANE, tech-90			> 95	Eye Irrit. 2A, H319
methanol		(CAS No) 67-56-1		Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapour), H331 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 1, H370 STOT SE 3, H336
3.2. Mixture				
Not applicable				
SECTION 4: First aid measures				
4.1. Description of first aid measures				
First-aid measures general	media	ove contaminated clothing and shoes. I cal advice immediately (show the label able show packaging or label.		
First-aid measures after inhalation		ove victim to fresh air and keep at rest e/attention if you feel unwell.	in a position com	fortable for breathing. Get medical

: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to First-aid measures after eye contact do. Continue rinsing. Get medical advice/attention. : Never give anything by mouth to an unconscious person. Get medical advice/attention. First-aid measures after ingestion 4.2. Most important symptoms and effects, both acute and delayed Symptoms/injuries after inhalation May cause irritation to the respiratory tract. Overexposure may cause: Cough. Headache. : Nausea. Symptoms/injuries after skin contact May cause skin irritation. Symptoms/injuries after eye contact Causes serious eye irritation. Symptoms/injuries after ingestion Oral toxicity is associated with methanol, the solvent and a hydrolysis product which causes nausea, vomiting, headache, visual effects including blindness. Chronic symptoms On contact with water this compound liberates methanol which is known to have a chronic effect on the central nervous system. Methanol may effect the central nervous system resulting in persistent or recurring headaches or impaired vision.

: Wash with plenty of soap and water.

4.3. Indication of any immediate medical attention and special treatment needed

NOTE TO PHYSICIAN: This product reacts with water in the acid contents of the stomach to form methanol. The combination of visual disturbances, metabolic acidosis and formic acid in urine is evidence of methanol poisoning. The therapeutic intravenous administration of ethanol (10 mls/hour) allows methanol to be preferentially oxidized and reduces production of methanol metabolites. Acidosis must be treated with intravenous administration of sodium bicarbonate and methanol elimination may be increased by hemodialysis, as indicated. Treatment should be based on blood methanol levels and acid-base balance.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Foam. Carbon dioxide. Dry chemical.
Unsuitable extinguishing media	: None known.
5.2. Special hazards arising from the su	ibstance or mixture
Fire hazard	: Combustible liquid. Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.
5.3. Advice for firefighters	
Firefighting instructions Protection during firefighting	 Use water spray to cool exposed surfaces. Exercise caution when fighting any chemical fire. Do not enter fire area without proper protective equipment, including respiratory protection. Avoid all eye and skin contact and do not breathe vapor and mist.

Safety Data Sheet

6.1.1. For non-emergency	percennel	
6.1.1. For non-emergency Protective equipment		ctive equipment as described in Section 8.
Emergency procedures		nnecessary personnel.
6.1.2. For emergency responses Protective equipment		npt to take action without suitable protective equipment. Equip cleanup crew with
		ection. For further information refer to section 8: "Exposure controls/personal
6.2. Environmental preca	utions	
Prevent entry to sewers and pub	lic waters. Notify authorities if lic	quid enters sewers or public waters.
6.3. Methods and materia	al for containment and cleaning	g up
Methods for cleaning up		ny spills as soon as possible, using an absorbent material to collect it. Sweep or s into appropriate container for disposal. Use only non-sparking tools.
6.4. Reference to other set	ections	
See Heading 8. Exposure contro	ols and personal protection.	
SECTION 7: Handling ar	id storage	
7.1. Precautions for safe	handling	
Additional hazards when proces	, ,	from heat, open flames, sparks No smoking.
Precautions for safe handling	process area	e and skin contact and do not breathe vapor and mist. Provide good ventilation in the to prevent accumulation of vapors. Take precautionary measures against static Use only in well ventilated areas.
Hygiene measures		s and other exposed areas with mild soap and water before eating, drinking or d when leaving work. Wash contaminated clothing before reuse.
7.2. Conditions for safe s	storage, including any incompa	atibilities
Technical measures		inding procedures to avoid static electricity should be followed.
Storage conditions		iner tightly closed.
ncompatible materials	: Moisture. W	
Storage area	: Store in a w	ell-ventilated place. Store away from heat.
7.3. Specific end use(s)		
No additional information availab		
SECTION 8: Exposure c	ontrols/personal protect	lion
3.1. Control parameters		
methanol (67-56-1)		
USA ACGIH	ACGIH TWA (ppm)	200 ppm
USA ACGIH	ACGIH STEL (ppm)	250 ppm
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	260 mg/m ³
USA NIOSH	NIOSH REL (TWA) (ppm)	200 ppm
USA NIOSH	NIOSH REL (STEL) (mg/m ³)	325 mg/m³
USA NIOSH	NIOSH REL (STEL) (ppm)	250 ppm
USA OSHA	OSHA PEL (TWA) (mg/m ³)	260 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	200 ppm
USA IDLH	US IDLH (ppm)	6000 ppm
8.2. Exposure controls		
Appropriate engineering controls	: Provide loca	al exhaust or general room ventilation.
Personal protective equipment	: Avoid all un	necessary exposure. Emergency eye wash fountains and safety showers should to the immediate vicinity of any potential exposure.
Hand protection	: Neoprene of	r nitrile rubber gloves.

Hand protection: Neoprene or nitrile rubber gloves.Eye protection: Chemical goggles. Contact lenses should not be worn.Skin and body protection: Wear suitable protective clothing.Respiratory protection: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified organic vapor (black cartridge) respirator.

Safety Data Sheet

Salety Data Sheet	
SECTION 9: Physical and chemical	properties
9.1. Information on basic physical and o	chemical properties
Physical state	: Liquid
Appearance	: Clear liquid.
Molecular mass	: 427 - 559 g/mol
Color	: Straw.
Odor	: Mild.
Odor threshold	: No data available
Refractive index	: 1.444
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: <0°C
Boiling point	: > 250 °C
Flash point	: >65 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Combustible liquid
Vapor pressure	: No data available
Relative vapor density at 20 °C	: >1
Relative density	: 1.01
Solubility	: Soluble in water. Reacts with water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: 20 - 35 cSt
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosion limits	: No data available
9.2. Other information	
No additional information available	
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
Stable in sealed containers.	
10.3. Possibility of hazardous reactions	
Reacts with water and moisture in air, liberating	methanol.
10.4. Conditions to avoid	
Heat. Sparks. Open flame.	
10.5. Incompatible materials	
Moisture. Water.	
10.6. Hazardous decomposition products	
Methanol. Organic acid vapors.	
SECTION 11: Toxicological informat	
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
methanol (67-56-1)	
LC50 inhalation rat (ppm)	22500 ppm (Exposure time: 8 h)
ATE US (oral)	100.000 mg/kg body weight
ATE US (dermal)	300.000 mg/kg body weight
ATE US (vapors)	3.000 mg/l/4h

2-[METHOXYPOLY(ETHYLENOXY)6-9PROPYL]DIMETHYLMETHOXYSILANE, tech-90 Safety Data Sheet

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: May cause irritation to the respiratory tract. Overexposure may cause: Cough. Headache. Nausea.
Symptoms/injuries after skin contact	: May cause skin irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: Oral toxicity is associated with methanol, the solvent and a hydrolysis product which causes nausea, vomiting, headache, visual effects including blindness.
Chronic symptoms	On contact with water this compound liberates methanol which is known to have a chronic effect on the central nervous system. Methanol may effect the central nervous system resulting in persistent or recurring headaches or impaired vision.
Reason for classification	: Expert judgment
SECTION 12: Ecological information	n

12.1. Toxicity methanol (67-56-1) LC50 fish 1 28200 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) LC50 fish 2 > 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) 12.2. Persistence and degradability No additional information available 12.3. Bioaccumulative potential methanol (67-56-1) BCF fish 1 < 10 Log Pow -0.77 12.4. Mobility in soil No additional information available 12.5. Other adverse effects Cher adverse effects You could layer Effect on ozone layer You Known ecological damage caused by this product. SECTION 13: Disposal considerations
LC50 fish 1 28200 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) LC50 fish 2 > 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) 12.2. Persistence and degradability No additional information available 12.3. Bioaccumulative potential methanol (67-56-1) BCF fish 1 < 10
LC50 fish 2 > 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) 12.2. Persistence and degradability No additional information available 12.3. Bioaccumulative potential methanol (67-56-1) BCF fish 1 < 10
12.2. Persistence and degradability No additional information available 12.3. Bioaccumulative potential methanol (67-56-1) BCF fish 1 < 10
No additional information available 12.3. Bioaccumulative potential methanol (67-56-1) BCF fish 1 < 10
12.3. Bioaccumulative potential methanol (67-56-1) BCF fish 1 < 10
methanol (67-56-1) BCF fish 1 < 10
BCF fish 1 < 10
Log Pow -0.77 12.4. Mobility in soil No additional information available 12.5. Other adverse effects Other adverse effects : This substance may be hazardous to the environment. Effect on ozone layer : No additional information available Effect on the global warming : No known ecological damage caused by this product.
12.4. Mobility in soil No additional information available 12.5. Other adverse effects Other adverse effects : This substance may be hazardous to the environment. Effect on ozone layer : No additional information available Effect on the global warming : No known ecological damage caused by this product.
No additional information available 12.5. Other adverse effects Other adverse effects Effect on ozone layer Effect on the global warming : No known ecological damage caused by this product.
12.5. Other adverse effects Other adverse effects : This substance may be hazardous to the environment. Effect on ozone layer : No additional information available Effect on the global warming : No known ecological damage caused by this product.
Other adverse effects : This substance may be hazardous to the environment. Effect on ozone layer : No additional information available Effect on the global warming : No known ecological damage caused by this product.
Effect on ozone layer : No additional information available Effect on the global warming : No known ecological damage caused by this product.
Effect on the global warming : No known ecological damage caused by this product.
SECTION 13: Disposal considerations
13.1. Waste treatment methods
Waste disposal recommendations : May be incinerated. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to licensed waste disposal facility.
Ecology - waste materials : Avoid release to the environment.
SECTION 14: Transport information
14.1. UN number
DOT NA no. NA1993
14.2. UN proper shipping name
Proper Shipping Name (DOT) : COMBUSTIBLE LIQUID, N.O.S.
(2-[METHOXY(POLYETHYLENEOXY)9-12PROPYL]TRIMETHOXYSILANE)
Department of Transportation (DOT) Hazard : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120 Classes
DOT Symbols : D - Proper shipping name for domestic use only, or to and from Canada,G - Identifies PSN requiring a technical name
Packing group (DOT) : III - Minor Danger

2-[METHOXYPOLY(ETHYLENOXY)6-9PROPYL]DIMETHYLMETHOXYSILANE, tech-90 Safety Data Sheet

DOT Packaging Exceptions (4 DOT Packaging Non Bulk (49	,				
DOT Packaging Bulk (49 CFR	. 173.xxx) : 24	1			
14.3. Additional informatio	n				
Other information	: No	supple	ementary information availab	le.	
Transport by sea					
DOT Vessel Stowage Locatior			aterial may be stowed "on d r vessel.	leck" or "under deck" on a car	go vessel and on a
Air transport					
DOT Quantity Limitations Pass (49 CFR 173.27)	C C				
DOT Quantity Limitations Carc CFR 175.75)	go aircraft only (49 : 22	0 L			
SECTION 15: Regulato	ory information				
15.1. US Federal regulations	3				
2-[METHOXYPOLY(ETHYL					
TSCA Exemption/Exclusion	R& ex 72	D exer emptior 0.3(ee)	nption under TSCA, 40 CFR n, including supervision by a	or research and development p 720.36, and must meet the re "technically qualified individua r "commercial purposes" as de	quirements of the I" as defined by 40 CFR
methanol (67-56-1)					
Listed on the United States T Listed on United States SAR		Contro	Act) inventory		
SARA Section 313 - Emissio	on Reporting 1.0) %			
2-[METHOXYPOLY(ETHYL				00	
Not listed on the United State		ces Cor	ntrol Act) inventory		
15.2. International regulation	าร				
methanol (67-56-1)					
Listed on the AICS (Australia Listed on the Canadian DSL Listed on IECSC (Inventory of Listed on the EEC inventory	(Domestic Sustances Lis of Existing Chemical Sub	st) stances	Produced or Imported in Cl		
Listed on the Japanese ENC	S (Existing & New Chem			ical Substances)	
Listed on the Korean ECL (E Listed on NZIoC (New Zeala		c)			
Listed on PICCS (Philippines	s Inventory of Chemicals	and Ch			
Japanese Poisonous and De Listed on the Canadian IDL (IW		
Listed on INSQ (Mexican nat	tional Inventory of Chemi		stances)		
Listed on Turkish inventory of					
2-[METHOXYPOLY(ETHYL	ΕΝΟΛΤΙΟ-9PKOPYLJDI	ΛΕΙΗΎ	LIVIE I HOXY SILANE, tech-S		
15.3. US State regulations					
2-[METHOXYPOLY(ETHYLE] U.S California - Proposition		ETHYL No	WEIHOXYSILANE, tech-90	(Not Tound)	
U.S California - Proposition Toxicity	3	No			
U.S California - Proposition Toxicity - Female	65 - Reproductive	No	No		
U.S California - Proposition Toxicity - Male	65 - Reproductive	No			
methanol (67-56-1)		1			
U.S California -	U.S California -		.S California -	U.S California -	No significance risk level
Proposition 65 - Carcinogens List	Proposition 65 - Developmental Toxicity	R	roposition 65 - eproductive Toxicity - emale	Proposition 65 - Reproductive Toxicity - Male	(NSRL)
No	Yes	N	0	No	
07/21/2015	EN (English	US)	SDS ID: SIM6492.58	6/7

Safety Data Sheet

2-[METHOXYPOLY(ETHYLENOXY)6-9PROPYL]DIMETHYLMETHOXYSILANE, tech-90				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
No	No	No	No	

SECTION 16: Other information

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

Full text of H-phrases::

Acute Tox. 3 (Dermal)	Acute toxicity (dermal) Category 3
Acute Tox. 3 (Inhalation:vapour)	Acute toxicity (inhalation:vapor) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Liq. 2	Flammable liquids Category 2
Flam. Liq. 4	Flammable liquids Category 4
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 1	Specific target organ toxicity (single exposure) Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H225	Highly flammable liquid and vapor
- H227	Combustible liquid
H301	Toxic if swallowed
- H311	Toxic in contact with skin
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H336	May cause drowsiness or dizziness
H370	Causes damage to organs

HMIS III Rating

Health	
Flammability	
Physical	

: 2 Moderate Hazard - Temporary or minor injury may occur

- : 2 Moderate Hazard
- : 1 Slight Hazard

Prepared by safety and environmental affairs.

Date of issue: 07/21/2015 Version: 1.0

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2015 Gelest Inc. Morrisville, PA 19067