

Safety Data Sheet SIP6722.0 Date of issue: 08/07/2015 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Product form : Substance Physical state : Liquid

Substance name : PHENETHYLTRICHLOROSILANE

Product code · SIP6722 0 Formula : C8H9Cl3Si

: 2-(TRICHLOROSILYLETHYL) BENZENE; TRICHLORO(2-PHENYLETHYL)SILANE Synonyms

: ORGANOCHLOROSILANE Chemical family

Relevant identified uses of the substance or mixture and uses advised against

: Chemical intermediate Use of the substance/mixture

For research and industrial use only

Details of the supplier of the safety data sheet

GELEST, INC.

11 East Steel Road Morrisville, PA 19067

USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

SECTION 2: Hazards identification

Classification of the substance or mixture

Classification (GHS-US)

Flam. Liq. 4 H227 Acute Tox. 3 (Dermal) H311 Skin Corr. 1B H314 Eye Dam. 1 H318

Full text of H-phrases: see section 16

2.2. **Label elements**

GHS-US labeling

Hazard pictograms (GHS-US)





GHS05 GHS06

Signal word (GHS-US) : Danger

: H227 - Combustible liquid Hazard statements (GHS-US)

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

Precautionary statements (GHS-US) : P280 - Wear protective gloves/protective clothing/eye protection/face protection

P210 - Keep away from heat, open flames, sparks. - No smoking

P260 - Do not breathe vapors

P264 - Wash hands thoroughly after handling

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a doctor

P321 - Specific treatment (see first aid instructions on this label)

P361 - Take off immediately all contaminated clothing P363 - Wash contaminated clothing before reuse

P370+P378 - In case of fire: Use water spray, foam, carbon dioxide, dry chemical to extinguish P403+P235 - Keep in a cool place

P405 - Store locked up

SDS ID: SIP6722.0 EN (English US) 08/07/2015 Page 1

Safety Data Sheet

P501 - Dispose of contents/container to licensed waste disposal facility.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substance

Substance type : Multi-constituent

Name : PHENETHYLTRICHLOROSILANE

CAS No : 940-41-0 EC no : 213-371-0

| Name | Product identifier | % | Classification (GHS-US) |
|--|--------------------|------|--|
| Phenylethyltrichlorosilane | (CAS No) 940-41-0 | > 80 | Flam. Liq. 4, H227 Acute Tox. 3 (Dermal), H311 Skin Corr. 1B, H314 Eye Dam. 1, H318 |
| Other phenethyltrichlorosilane isomers | (CAS No) Not found | < 20 | Skin Corr. 1B, H314 Eye Dam. 1, H318 |
| Hydrochloric acid | (CAS No) 7647-01-0 | | Skin Corr. 1A, H314 Eye Dam. 1, H318 |

3.2. Mixture

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label.

First-aid measures after inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

First-aid measures after skin contact

: Wash with plenty of soap and water. Get immediate medical advice/attention.

First-aid measures after eye contact

: Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion

Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after inhalation : May cause irritation to the respiratory tract. Overexposure may cause: Cough. Headache.

Nausea.

Symptoms/injuries after skin contact : Causes (severe) skin burns. Toxic in contact with skin.

Symptoms/injuries after eye contact : Causes serious eye damage.
Symptoms/injuries after ingestion : May be harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Foam. Carbon dioxide. Dry chemical.

Unsuitable extinguishing media : Water.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Combustible liquid. Irritating fumes of hydrochloric acid and organic acid vapors may develop

when material is exposed to water or open flame.

5.3. Advice for firefighters

Firefighting instructions : Use water spray to cool exposed surfaces. Exercise caution when fighting any chemical fire.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Avoid all eye and skin contact and do not breathe vapor and mist.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges.

08/07/2015 EN (English US) SDS ID: **SIP6722.0** 2/8

Safety Data Sheet

6.1.1. For non-emergency personnel

Protective equipment : Wear protective equipment as described in Section 8.

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. Equip cleanup crew with

proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or

shovel spills into appropriate container for disposal. Use only non-sparking tools.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid all eye and skin contact and do not breathe vapor and mist. Provide good ventilation in

process area to prevent accumulation of vapors. Take precautionary measures against static discharge. Containers must be properly grounded before beginning transfer. Use only non-

sparking tools.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment. Proper grounding procedures to avoid static

electricity should be followed.

Storage conditions : Keep container tightly closed.

Incompatible materials : Acids. Alcohols. Oxidizing agent.

Storage area : Store in a well-ventilated place. Store away from heat.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Hydrochloric acid (7647-01-0) | | |
|-------------------------------|-----------------------------|---------------------|
| USA ACGIH | ACGIH Ceiling (ppm) | 2 ppm |
| USA NIOSH | NIOSH REL (ceiling) (mg/m³) | 7 mg/m ³ |
| USA NIOSH | NIOSH REL (ceiling) (ppm) | 5 ppm |
| USA OSHA | OSHA PEL (Ceiling) (mg/m³) | 7 mg/m³ |
| USA OSHA | OSHA PEL (Ceiling) (ppm) | 5 ppm |
| USA IDLH | US IDLH (ppm) | 50 ppm |

8.2. Exposure controls

Appropriate engineering controls : Provide local exhaust or general room ventilation.

Personal protective equipment : Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be

available in the immediate vicinity of any potential exposure.

Hand protection : Neoprene or nitrile rubber gloves.

Eye protection : Chemical goggles or face shield. Contact lenses should not be worn.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Where exposure through inhalation may occur from use, respiratory protection equipment is

recommended. NIOSH-certified combination organic vapor/acid gas (yellow cartridge)

respirator

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Clear liquid.
Molecular mass : 239.6 g/mol

08/07/2015 EN (English US) SDS ID: **SIP6722.0** 3/8

Safety Data Sheet

Color : Pale yellow.

Odor : Acrid. Similar to hydrogen chloride.

Odor threshold : No data available

Refractive index : 1.5395

pH : No data available Relative evaporation rate (butyl acetate=1) : No data available Melting point : No data available

Freezing point : < 0 °C

Boiling point : 93 - 96 °C @ 3 mm Hg

Flash point : 91 °C

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Combustible liquid
Vapor pressure : No data available

Relative vapor density at 20 °C : > 1
Relative density : 1.24

Solubility : Insoluble in water. Reacts with water.

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable in sealed containers stored under a dry inert atmosphere.

10.3. Possibility of hazardous reactions

Reacts with water and moisture in air, liberating hydrogen chloride.

10.4. Conditions to avoid

Heat. Open flame. Sparks.

10.5. Incompatible materials

Acids. Alcohols. Oxidizing agent.

10.6. Hazardous decomposition products

Hydrogen chloride. Organic acid vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Dermal: Toxic in contact with skin.

| PHENETHYLTRICHLOROSILANE (940-41-0) | | |
|-------------------------------------|--------------------------------|--|
| ATE US (dermal) | 925.000 mg/kg body weight | |
| Hydrochloric acid (7647-01-0) | | |
| LD50 oral rat | 238 - 277 mg/kg | |
| LD50 dermal rabbit | > 5010 mg/kg | |
| LC50 inhalation rat (mg/l) | 1.68 mg/l (Exposure time: 1 h) | |
| ATE US (oral) | 238.000 mg/kg body weight | |
| ATE US (vapors) | 1.680 mg/l/4h | |
| ATE US (dust, mist) | 1.680 mg/l/4h | |
| | | |

| Phenylethyltrichlorosilane (940-41-0) | |
|---------------------------------------|------------|
| LD50 oral rat | 2830 mg/kg |
| LD50 dermal rat | 740 mg/kg |

08/07/2015 EN (English US) SDS ID: **SIP6722.0** 4/8

Safety Data Sheet

| Phenylethyltrichlorosilane (940-41-0) | _ |
|--|---|
| ATE US (oral) | 2830.000 mg/kg body weight |
| ATE US (dermal) | 740.000 mg/kg body weight |
| Skin corrosion/irritation | : Causes severe skin burns and eye damage. |
| Serious eye damage/irritation | : Causes serious eye damage. |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Hydrochloric acid (7647-01-0) | |
| IARC group | 3 - Not classifiable |
| Reproductive toxicity | : Not classified |
| Specific target organ toxicity (single exposure) | : Not classified |
| Specific target organ toxicity (repeated exposure) | : Not classified |
| Aspiration hazard | : Not classified |
| Symptoms/injuries after inhalation | : May cause irritation to the respiratory tract. Overexposure may cause: Cough. Headache. Nausea. |
| Symptoms/injuries after skin contact | : Causes (severe) skin burns. Toxic in contact with skin. |
| Symptoms/injuries after eye contact | : Causes serious eye damage. |
| Symptoms/injuries after ingestion | : May be harmful if swallowed. |

SECTION 12: Ecological information

12.1. Toxicity

Reason for classification

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

: Expert judgment

Effect on ozone layer : No additional information available

Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to licensed waste disposal facility.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

UN-No.(DOT) : 2922 DOT NA no. UN2922

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Corrosive liquids, toxic, n.o.s.

(PHENETHYLTRICHLOROSILANE)

Department of Transportation (DOT) Hazard

Classes

: 8 - Class 8 - Corrosive material 49 CFR 173.136

Hazard labels (DOT) : 8 - Corrosive 6.1 - Poison



08/07/2015 EN (English US) SDS ID: **SIP6722.0** 5/8

Safety Data Sheet

DOT Symbols : G - Identifies PSN requiring a technical name

Packing group (DOT) : II - Medium Danger

DOT Packaging Exceptions (49 CFR 173.xxx) : 154
DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
DOT Packaging Bulk (49 CFR 173.xxx) : 243

14.3. Additional information

Emergency Response Guide (ERG) Number : 60

Other information : No supplementary information available.

Transport by sea

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this

section is exceeded.

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 1 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 30 L

CFR 175.75)

SECTION 15: Regulatory information

15.1. US Federal regulations

| Hydrochloric acid (7647-01-0) | |
|--|--|
| Listed on the United States TSCA (Toxic Substantisted on the United States SARA Section 302 Listed on United States SARA Section 313 | nces Control Act) inventory |
| SARA Section 302 Threshold Planning Quantity (TPQ) | 500 (gas only) |
| SARA Section 313 - Emission Reporting | 1.0 % (acid aerosols including mists, vapors, gas, fog, and other airborne forms of any particle size) |

Phenylethyltrichlorosilane (940-41-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Other phenethyltrichlorosilane isomers (Not found)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

Hydrochloric acid (7647-01-0)

Listed on the AICS (Australian Inventory of Chemical Substances)

Listed on the Canadian DSL (Domestic Sustances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory

Listed on the Korean ECL (Existing Chemicals List)

Listed on NZIoC (New Zealand Inventory of Chemicals)

Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

Japanese Poisonous and Deleterious Substances Control Law

Listed on the Canadian IDL (Ingredient Disclosure List)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

Listed on Turkish inventory of chemical

Phenylethyltrichlorosilane (940-41-0)

Listed on the Canadian NDSL (Non-Domestic Substances List)

Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Listed on the Korean ECL (Existing Chemicals List)

Other phenethyltrichlorosilane isomers (Not found)

15.3. US State regulations

| PHENETHYLTRICHLOROSILANE(940-41-0) | | |
|--|----|--|
| U.S California - Proposition 65 - Carcinogens List | No | |
| U.S California - Proposition 65 - Developmental | No | |

08/07/2015 EN (English US) SDS ID: **SIP6722.0** 6/8

Safety Data Sheet

| PHENETHYLTRICHLOR | OSILANE(940-41-0) | | | | |
|--|--|---|---|-----------------------------------|--|
| Toxicity | | | | | |
| U.S California - Proposition 65 - Reproductive Toxicity - Female | | No | | | |
| U.S California - Propos Toxicity - Male | ition 65 - Reproductive | No | | | |
| Hydrochloric acid (7647 | 7-01-0) | | | | |
| U.S California - Proposition 65 - Carcinogens List | U.S California - Proposition 65 - Developmental Toxicity | U.S California - Proposition 65 - Reproductive Toxicity - Female | U.S California - Proposition 65 - Reproductive Toxicity - Male | No significance risk level (NSRL) | |
| No | No | No | No | | |
| Phenylethyltrichlorosila | ane (940-41-0) | | | | |
| U.S California - Proposition 65 - Carcinogens List | U.S California - Proposition 65 - Developmental Toxicity | U.S California - Proposition 65 - Reproductive Toxicity - Female | U.S California - Proposition 65 - Reproductive Toxicity - Male | No significance risk level (NSRL) | |
| No | No | No | No | | |
| Other phenethyltrichlor | osilane isomers (Not found) | | | | |
| U.S California - Proposition 65 - Carcinogens List | U.S California - Proposition 65 - Developmental Toxicity | U.S California - Proposition 65 - Reproductive Toxicity - Female | U.S California - Proposition 65 - Reproductive Toxicity - Male | No significance risk level (NSRL) | |
| No | No | No | No | | |

SECTION 16: Other information

Abbreviations and acronyms

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal Concentration; ATE: Acute Toxicity Estimates; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number; EC No.: European Commission Registration Number; EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

Full text of H-phrases::

| At of 11 prinadoo | |
|-----------------------|--|
| Acute Tox. 3 (Dermal) | Acute toxicity (dermal) Category 3 |
| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
| Flam. Liq. 4 | Flammable liquids Category 4 |
| Skin Corr. 1A | Skin corrosion/irritation Category 1A |
| Skin Corr. 1B | Skin corrosion/irritation Category 1B |
| H227 | Combustible liquid |
| H311 | Toxic in contact with skin |
| H314 | Causes severe skin burns and eye damage |
| H318 | Causes serious eye damage |

HMIS III Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

given

Flammability : 2 Moderate Hazard Physical : 1 Slight Hazard

Prepared by safety and environmental affairs.

SDS US (GHS HazCom 2012) - Custom


According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

08/07/2015 EN (English US) SDS ID: **SIP6722.0** 7/8

Safety Data Sheet

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2015 Gelest Inc. Morrisville, PA 19067



08/07/2015 EN (English US) SDS ID: **SIP6722.0** 8/8