

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
Physical state : Liquid

Substance name : BIS[BIS(TRIMETHYLSILYL)AMINO]TIN(II), 95%

Product code : SNB1025 Formula : C12H36N2Si4Sn

Synonyms : TRIBUTYLSTANNANE; TRIBUTYLHYDRIDOTIN; TRIBUTYLTIN

Chemical family : ORGANOTIN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Chemical intermediate

For research use only

1.3. Details of the supplier of the safety data sheet

GELEST, INC.

11 East Steel Road Morrisville, PA 19067

USA

T 215-547-1015 - F 215-547-2484 - (M-F): 8:00 AM - 5:30 PM EST

info@gelest.com - www.gelest.com

1.4. Emergency telephone number

Emergency number : CHEMTREC: 1-800-424-9300 (USA); +1 703-527-3887 (International)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Flam. Liq. 3 H226 Skin Irrit. 2 H315 Eye Irrit. 2A H319

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)





GHS02

GHS07

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H226 - Flammable liquid and vapor

H315 - Causes skin irritation H319 - Causes serious eye irritation

Precautionary statements (GHS-US) : P280 - Wear protective gloves/protective clothing/eye protection/face protection

P210 - Keep away from heat, open flames, sparks. - No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P264 - Wash hands thoroughly after handling

P303+P361+P353 - If on skin (or hair): take off immediately all contaminated clothing. rinse

skin with water/shower

P332+P313 - If skin irritation occurs: Get medical advice/attention

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing P337+P313 - If eye irritation persists: Get medical advice/attention P321 - Specific treatment (see first aid instructions on this label) P362 - Take off contaminated clothing and wash before reuse

P370+P378 - In case of fire: Use water spray, foam, carbon dioxide, dry chemical to extinguish

P403+P235 - Keep in a cool place

08/13/2015 EN (English US) SDS ID: **SNB1025** Page 1

Safety Data Sheet

P501 - Dispose of contents/container to licensed waste disposal facility.

2.3. Other hazards

No additional information available

Unknown acute toxicity (GHS US)

No data available

SECTION 3: Composition/information on ingredients

Substance type : Multi-constituent

: BIS[BIS(TRIMETHYLSILYL)AMINO]TIN(II), 95% Name

CAS No 59863-13-7

| Name | Product identifier | % | Classification (GHS-US) |
|--------------------------------------|---------------------|------|--|
| Bis[bis(trimethylsilyl)amino]tin(II) | (CAS No) 59863-13-7 | > 95 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 |
| Other Organotins | | < 5 | Not classified |

Not applicable

SECTION 4: First aid measures

Description of first aid measures

: Remove contaminated clothing and shoes. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). If possible show this sheet; if not available show packaging or label. IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation

First-aid measures general

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If you feel

unwell, seek medical advice.

First-aid measures after skin contact

Wash with plenty of soap and water. Get medical advice/attention.

First-aid measures after eye contact

Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention.

First-aid measures after ingestion

Never give anything by mouth to an unconscious person. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation

May cause irritation to the respiratory tract. Overexposure may cause: Coughing. Headache.

Nausea.

Symptoms/injuries after skin contact

Causes skin irritation. Organotins may be absorbed through the skin.

Symptoms/injuries after eye contact Symptoms/injuries after ingestion

Causes serious eye irritation. No information available.

Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media : Water spray. Foam. Carbon dioxide. Dry chemical.

Unsuitable extinguishing media : Do not use straight streams.

Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapor. Irritating fumes and organic acid vapors may develop when

material is exposed to elevated temperatures or open flame.

Advice for firefighters

Firefighting instructions : Use water spray to cool exposed surfaces. Exercise caution when fighting any chemical fire.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

Avoid all eye and skin contact and do not breathe vapor and mist.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges.

For non-emergency personnel

: Wear protective equipment as described in Section 8. Protective equipment

Emergency procedures : Evacuate unnecessary personnel.

SDS ID: SNB1025 08/13/2015 EN (English US) 2/7

Safety Data Sheet

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

Methods and material for containment and cleaning up

For containment

: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or

streams

Methods for cleaning up

Clean up any spills as soon as possible, using an absorbent material to collect it. Sweep or shovel spills into appropriate container for disposal. Use only non-sparking tools.

Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling

: Avoid all eye and skin contact and do not breathe vapor and mist. Provide good ventilation in process area to prevent accumulation of vapors. Ground/bond container and receiving equipment. Take precautionary measures against static discharge. Use only non-sparking

Hygiene measures

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep container tightly closed.

Incompatible materials

: Bases. Direct sunlight. Reducing agents.

Storage area

: Store in a well-ventilated place. Store away from heat.

Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

Control parameters

| Other Organotins | | | |
|---|-----------------------|-----------------|--|
| USA ACGIH | ACGIH TWA (mg/m³) | 0.1 mg/m³ (Tin) | |
| Bis[bis(trimethylsilyl)amino]tin(II) (59863-13-7) | | | |
| Bis[bis(trimethylsilyl)amino |]tin(II) (59863-13-7) | | |

Exposure controls

Appropriate engineering controls

: Provide local exhaust or general room ventilation.

Personal protective equipment

: Avoid all unnecessary exposure. Emergency eye wash fountains and safety showers should be

available in the immediate vicinity of any potential exposure.

Hand protection : Neoprene or nitrile rubber gloves.

Chemical goggles. Contact lenses should not be worn. Eve protection

Skin and body protection Wear suitable protective clothing

Respiratory protection

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended. NIOSH-certified combination organic vapor - amine gas (brown cartridge) respirator.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state : Liquid Appearance Hazy liquid. Molecular mass 439.47 g/mol Color Orange-red. Odor No data available Odor threshold No data available

Refractive index 1.514

No data available Relative evaporation rate (butyl acetate=1) : No data available Melting point : No data available

08/13/2015 EN (English US) SDS ID: SNB1025 3/7

Safety Data Sheet

Freezing point : 37 - 38 °C

Boiling point : 112 °C @ 0.05 mm Hg

Flash point : 56 °C

Auto-ignition temperature : No data available
Decomposition temperature : No data available

Flammability (solid, gas) : Flammable liquid and vapor Vapor pressure : < 0.01 mm Hg @ 25°C

Relative vapor density at 20 °C : > 1
Relative density : 1.136

: Reacts with water. Solubility Log Pow : No data available Log Kow No data available Viscosity, kinematic No data available Viscosity, dynamic No data available Explosive properties : No data available : No data available Oxidizing properties **Explosion limits** No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Direct sunlight causes slow degradation to an inorganic tin salt.

10.4. Conditions to avoid

Heat. Open flame. Sparks.

10.5. Incompatible materials

Bases. Direct sunlight. Reducing agents

10.6. Hazardous decomposition products

Organic acid vapors. Tin oxides.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
Specific target organ toxicity (single exposure) : Not classified
Specific target organ toxicity (repeated : Not classified

exposure)

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : May cause irritation to the respiratory tract. Overexposure may cause: Coughing. Headache.

Nausea

Symptoms/injuries after skin contact : Causes skin irritation. Organotins may be absorbed through the skin.

Symptoms/injuries after eye contact : Causes serious eye irritation. Symptoms/injuries after ingestion : No information available. Reason for classification : Expert judgment

08/13/2015 EN (English US) SDS ID: **SNB1025** 4/7

Safety Data Sheet

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Other adverse effects : This substance may be hazardous to the environment.

Effect on ozone layer : No additional information available

Effect on the global warming : No known ecological damage caused by this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Sewage disposal recommendations : Do not dispose of waste into sewer.

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to licensed waste disposal facility.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

14.1. UN number

UN-No.(DOT) : 1993 DOT NA no. UN1993

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Flammable liquids, n.o.s.

(BIS[BIS(TRIMETHYLSILYL)AMINO]TIN(II))

Department of Transportation (DOT) Hazard

Classes

: 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Hazard labels (DOT) : 3 - Flammable liquid



DOT Symbols : G - Identifies PSN requiring a technical name

Packing group (DOT) : III - Minor Danger

DOT Packaging Exceptions (49 CFR 173.xxx) : 150
DOT Packaging Non Bulk (49 CFR 173.xxx) : 203
DOT Packaging Bulk (49 CFR 173.xxx) : 242

14.3. Additional information

Other information : No supplementary information available.

Transport by sea

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a

passenger vessel.

Air transport

DOT Quantity Limitations Passenger aircraft/rail : 60 L

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only (49 : 220 L

CFR 175.75)

08/13/2015 EN (English US) SDS ID: **SNB1025** 5/7

Safety Data Sheet

SECTION 15: Regulatory information

15.1. US Federal regulations

BIS[BIS(TRIMETHYLSILYL)AMINO]TIN(II), 95% (59863-13-7)

TSCA Exemption/Exclusion CAUTION: This material is supplied for research and development purposes subject to the R&D exemption under TSCA, 40 CFR 720.36, and must meet the requirements of the exemption, including supervision by a "technically qualified individual" as defined by 40 CFR 720.3(ee). The use of this material for "commercial purposes" as defined by 40 CFR 720.3(r)

is not permitted in the United States.

Bis[bis(trimethylsilyl)amino]tin(II) (59863-13-7)

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

No additional information available

15.3. US State regulations

| BIS[BIS(TRIMETHYLSILYL)AMINO]TIN(II), 95%(59863-13-7) | | |
|--|----|--|
| U.S California - Proposition 65 - Carcinogens List | No | |
| U.S California - Proposition 65 - Developmental Toxicity | No | |
| U.S California - Proposition 65 - Reproductive Toxicity - Female | No | |
| U.S California - Proposition 65 - Reproductive Toxicity - Male | No | |

| Other Organotins | | | | |
|------------------|------------------------|-------------------------|-------------------------|----------------------------|
| U.S California - | U.S California - | U.S California - | U.S California - | No significance risk level |
| Proposition 65 - | Proposition 65 - | Proposition 65 - | Proposition 65 - | (NSRL) |
| Carcinogens List | Developmental Toxicity | Reproductive Toxicity - | Reproductive Toxicity - | ` ' |
| | | Female | Male | |
| | | | | |
| No | No | No | No | |
| | | | | |

| Bis[bis(trimethylsilyl)amino | o]tin(II) (59863-13-7) | | | |
|--|--|---|---|-----------------------------------|
| U.S California - Proposition 65 - Carcinogens List | U.S California - Proposition 65 - Developmental Toxicity | U.S California - Proposition 65 - Reproductive Toxicity - Female | U.S California - Proposition 65 - Reproductive Toxicity - Male | No significance risk level (NSRL) |
| No | No | No | No | |

SECTION 16: Other information

Abbreviations and acronyms

: Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose; LC: Lethal threshold limit value; TG: Test Guideline; NIOSH: National Institute for Occupational Safety and Health; IARC: International Agency for Research on Cancer; NTP: National Toxicology Program; HMIS: Hazardous Material Information System; CAS No.: Chemcial Abstract Service Registration Number: EC No.: European Commission Registration Number: EC Index No.: European Commission Index Number; OECD: The Organisation for Economic Co-operation and Development.

Full text of H-phrases::

| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
|---------------|---|
| Flam. Liq. 3 | Flammable liquids Category 3 |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| H226 | Flammable liquid and vapor |
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation |

HMIS III Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is

Flammability : 2 Moderate Hazard Physical : 1 Slight Hazard

08/13/2015 SDS ID: SNB1025 EN (English US) 6/7

Safety Data Sheet


Prepared by safety and environmental affairs.

SDS US (GHS HazCom 2012) - Custom

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

© 2015 Gelest Inc. Morrisville, PA 19067



08/13/2015 EN (English US) SDS ID: **SNB1025** 7/7