

**GELEST, INC.**

11 East Steel Rd. Morrisville, PA 19067  
Phone: (215) 547-1015

MATERIAL SAFETY  
DATA SHEET

EMERGENCY TELEPHONE  
CHEMTREC: 1-800-424-9300

NAME USED ON LABEL: **DI-n-BUTYLDINEODECANOATETIN - SND3285**

CHEMICAL NAME: DI-n-BUTYLDINEODECANOATETIN

SYNONYMS: DIBUTYLTIN DINEOCANOATE

CHEMICAL FAMILY: ORGANOTIN

FORMULA: C<sub>28</sub>H<sub>56</sub>O<sub>4</sub>Sn

HMIS CODES HEALTH: 2 FLAMMABILITY: 1 REACTIVITY: 0

**INGREDIENTS**

IDENTITY	CAS NO.	%	TLV	OSHA PEL
DI-n-BUTYLDINEODECANOATETIN	25168-22-3	>95	0.1 mg/m <sup>3</sup> as tin	0.1 mg/m <sup>3</sup> as tin
OTHER ORGANOTINS		<5	0.1 mg/m <sup>3</sup> as tin	0.1 mg/m <sup>3</sup> as tin

**PHYSICAL DATA**

Boiling Point: >200°C at 1mm  
Specific Gravity: 1.04  
Vapor Density: not determined  
% volatiles: <5%  
Molecular Weight: 575.44  
Appearance & Color: Viscous liquid; characteristic odor

Freezing Point: <20°C  
Vapor Pressure: <0.1mm  
Solubility in water: insoluble - reacts slowly  
Evaporation rate: not determined  
Other: NA

**FIRE & EXPLOSION DATA**

Flash Point, COC: >110°C (>230°F) Autoignition Temp.: not determined  
Flammability Limits- LEL: NA UEL: NA

Extinguishing Media: Water spray, foam, carbon dioxide, dry chemical.

Special Fire Fighting Procedures: Avoid eye and skin contact. Do not breathe fumes or inhale vapors.

Unusual Fire and Explosion Hazards: Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.

-1-(SND3285)

## ENVIRONMENTAL INFORMATION

Spill response: May be hazardous to aquatic life if released to open waters. Cover spill with inert absorbent material such as sand, clay or vermiculite. Transfer to a suitable container for disposal.

Recommended Disposal: Dispose of absorbent material as solid waste. Follow all chemical pollution control regulations.

## HEALTH HAZARD DATA

Eye Contact: May cause immediate or delayed severe eye irritation. The onset of irritation may not occur until several hours after exposure.

Skin contact: May produce irritation or contact dermatitis which may be delayed several hours. Prompt and thorough washing with soap and water will reduce or eliminate potential dermal effects. Organotins may be absorbed through the skin.

Inhalation: Inhalation of vapors or particulates of organotins may irritate the respiratory tract. Overexposure may produce coughing, headache and nausea. The onset of symptoms may be delayed until several hours after exposure.

Oral Toxicity: not determined

Chronic Toxicity: There are no known chronic effects related to this compound.

## SUGGESTED FIRST AID

EYES: In case of contact, immediately flush eyes with flowing water for at least 15 minutes. Get medical attention.

SKIN: Flush with water, then wash with soap and water. *Note to physician:* of corticosteroid creams has been effective in treating severe skin irritation. If blisters develop, they may require abrasion to promote healing.

INHALATION: Move exposed individual to fresh air. Call a physician.

INGESTION: Never give fluids or induce vomiting if patient is unconscious or having convulsions. Get medical attention.

## REACTIVITY DATA

Stability: Stable

Conditions to avoid: Combustible; avoid contact with heat, sparks or open flame.

Incompatibility (materials to avoid): Reacts with moisture in air and water, slowly releasing butanol and dibutyltin oxide. Bases and reducing agents. Direct sunlight causes degradation to an inorganic tin salt.

Hazardous decomposition products: Organic acid vapors, tin oxides.

-2-(SND3285)

## SPECIAL PROTECTION INFORMATION

Ventilation: Local exhaust is required. Mechanical is recommended.

Respiratory Protection: If exposure exceeds TLV air-supplied or combination organic vapor acid gas respirator.

Eye and Face Protection: Chemical worker's goggles. Do not wear contact lenses.

Other Clothing and Equipment: Rubber, neoprene or nitrile gloves. An eyewash and emergency shower should be available. Launder clothing before reuse.

## OTHER PRECAUTIONS

For industrial and research use only.

Storage and Handling: Store in sealed containers.

## TRANSPORTATION

DOT SHIPPING NAME: CHEMICALS, NOI

DOT HAZARD CLASS: Not Regulated

DOT LABEL: Not Required

DOT ID No: Not Required

Prepared by safety and environmental affairs

ISSUE DATE SND3285: 1/16/03

SUPERSEDES: none

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore.