

**GELEST, INC.**

11 East Steel Rd. Morrisville, PA 19067  
Phone: (215) 547-1015

MATERIAL SAFETY  
DATA SHEET

EMERGENCY TELEPHONE  
CHEMTREC: 1-800-424-9300

NAME USED ON LABEL: **TIN II 2,4-HEXAFLUOROPENTANEDIONATE - SNT7943**

CHEMICAL NAME: TIN II 2,4-HEXAFLUOROPENTANEDIONATE

SYNONYMS: STANNOUS HEXAFLUOROACETYLACETONATE

CHEMICAL FAMILY: ORGANOTIN

FORMULA: C<sub>10</sub>H<sub>2</sub>F<sub>12</sub>O<sub>4</sub>Sn

HMIS CODES HEALTH: 3 FLAMMABILITY: 1 REACTIVITY: 1

**INGREDIENTS**

IDENTITY	CAS NO.	%	TLV
TIN II 2,4-HEXAFLUOROPENTANEDIONATE	51319-99-4	>95	0.1mg/m <sup>3</sup> as tin
OTHER ORGANOTINS		<5	0.1mg/m <sup>3</sup> as tin

**PHYSICAL DATA**

Boiling Point: 125°C at 2mm  
Specific Gravity: >1  
Vapor Density (air=1): >1  
% volatiles: NA  
Molecular Weight: 532.78  
Appearance & Color: yellow solid

Melting Point: (71-2°C)  
Vapor Pressure, 25°: <1mm  
Solubility in water: reacts  
Evaporation rate: NA  
Other: N/A

**FIRE & EXPLOSION DATA**

Flash Point, COC: >110°C (>230°F) Autoignition Temp.: not determined  
Flammability Limits: not determined

Extinguishing Media: Water spray, foam, carbon dioxide, dry chemical.  
Special Fire Fighting Procedures: Avoid eye and skin contact. Do not breathe fumes or inhale vapors.

Unusual Fire and Explosion Hazards: Irritating fumes and organic acid vapors may develop when material is exposed to elevated temperatures or open flame.

-1-(SNT7943)

## ENVIRONMENTAL INFORMATION

Spill response: May be hazardous to aquatic life if released to open waters. Cover spill with absorbent material. Transfer to a suitable container for disposal.

Recommended Disposal: Dispose of absorbent material as solid waste. Follow all chemical pollution control regulations.

## HEALTH HAZARD DATA

Eye Contact: May cause immediate or delayed severe eye irritation. The onset of irritation may not occur until several hours after exposure.

Skin contact: May produce irritation or contact dermatitis which may be delayed several hours. Prompt and thorough washing with soap and water will reduce or eliminate potential dermal effects. Organotins may be absorbed through the skin.

Inhalation: Inhalation of vapors or particulates of organotins may irritate the respiratory tract. Overexposure may produce coughing, headache and nausea. The onset of symptoms may be delayed until several hours after exposure.

Oral Toxicity: not determined

Chronic Toxicity: There are no known chronic effects related to this compound.

## SUGGESTED FIRST AID

EYES: In case of contact, immediately flush eyes with flowing water for at least 15 minutes. Get medical attention.

SKIN: Flush with water, then wash with soap and water.

INHALATION: Move exposed individual to fresh air. Call a physician.

INGESTION: Never give fluids or induce vomiting if patient is unconscious or having convulsions. Get medical attention.

## REACTIVITY DATA

Stability: Stable

Conditions to avoid: Combustible; avoid contact with heat, sparks or open flame.

Incompatibility (materials to avoid): Acids and reducing agents.

Hazardous decomposition products: Organic acid vapors, tin oxides, tin fluorides, hexafluoropentanedione.

-2-(SNT7943)

## SPECIAL PROTECTION INFORMATION

Ventilation: Local exhaust is required. Mechanical is recommended.

Respiratory Protection: If exposure exceeds TLV air-supplied or combination organic vapor acid gas respirator.

Eye and Face Protection: Chemical worker's goggles. Do not wear contact lenses.

Other Clothing and Equipment: Rubber, neoprene or nitrile gloves. An eyewash and emergency shower should be available. Launder clothing before reuse.

## OTHER PRECAUTIONS

For research use only.

Storage and Handling: Store in sealed containers.

## TRANSPORTATION

DOT SHIPPING NAME: CHEMICALS, NOI.

DOT HAZARD CLASS: NONE REQUIRED

DOT LABEL: NONE REQUIRED

DOT ID No: NONE REQUIRED

Prepared by safety and environmental affairs

ISSUE DATE SNT7943: 10/4/03

SUPERSEDES: 2/2/99

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore.