

GELEST, INC.

11 East Steel Rd. Morrisville, PA 19067 Phone: (215) 547-1015

MATERIAL SAFETY DATA SHEET

EMERGENCY TELEPHONE CHEMTREC: 1-800-424-9300

NAME USED ON LABEL: TIN II BROMIDE -SNT7914

CHEMICAL NAME: TIN II BROMIDE

SYNONYMS: STANNOUS BROMIDE - ANHYDROUS

CHEMICAL FAMILY: TIN COMPOUND

FORMULA: SnBr₂

HMIS CODES HEALTH: 3 FLAMMABILITY: 0 REACTIVITY: 2

INGREDIENTS

IDENTITY CAS NO. % TLV OSHA PEL

TIN II BROMIDE 10031-24-0 > 95 2 mg/m³ as tin 2 mg/m³ as tin

PHYSICAL DATA

Boiling Point: 620°CMelting Point: 232°C

Specific Gravity: 5.12 Vapor Pressure, 25°C: not determined Vapor Density (air=1): >1 Solubility in water: soluble, reacts

% volatiles NA Evaporation rate: NA

Molecular Weight: 278.51 Other: N/

Appearance & Color: yellow solid; hygroscopic; acrid odor

FIRE & EXPLOSION DATA

Flash Point, TCC: not flammable Autoignition Temp.: NA

Flammability Limits- LEL: NA UEL: NA

Extinguishing Media: Water spray, foam, carbon dioxide, dry chemical.

Special Fire Fighting Procedures: Avoid eye and skin contact. Do not breathe fumes or inhale

vapors.

Unusual Fire and Explosion Hazards: Irritating fumes and acid vapors may develop when material is exposed to water, elevated temperatures or open flame.

-1-(SNT7914)

Abbreviations: ND: Not Determined, No Data; NA: Not Applicable; LD: Lethal Dose, LC: Lethal Concentration; H: hour; °: °C unless otherwise stated; mm: millimeters Hg, torr; PEL: permissible exposure level; TWA: time weighted average; TLV: threshold limit value; HMIS: Hazardous Material information System; CAS No.: Chemcial Abstract Service Registration Number Gelest. Inc. © 2008



ENVIRONMENTAL INFORMATION

Spill response: Cover spill with absorbent material. Transfer to a suitable container for disposal.

Recommended Disposal: Dispose of absorbent material as solid waste. Follow all chemical pollution control regulations.

HEALTH HAZARD DATA

Eye Contact: Will cause immediate or delayed severe eye irritation.

Skin contact: Will produce irritation or contact dermatitis which may be delayed several hours. May cause burns. Prompt and thorough washing with soap and water will reduce or eliminate potential dermal effects.

Inhalation: Inhalation of vapors or particulates of may irritate the respiratory tract. Overexposure may produce coughing, headache and nausea. The onset of symptoms may be delayed until several hours after exposure.

Acute Toxicity: not determined

Chronic Toxicity: There are no known chronic effects related to this compound.

SUGGESTED FIRST AID

EYES: In case of contact, immediately flush eyes with flowing water for at least 15 minutes. Get medical attention.

SKIN: Flush with water, then wash with soap and water. Note to physician: Application of corticosteroid creams has been effective in treating severe skin irritation. If blisters develop, they may require abrasion to promote healing.

INHALATION: Move exposed individual to fresh air. Call a physician.

INGESTION: Never give fluids or induce vomiting if patient is unconscious or having convulsions. Get medical attention.

REACTIVITY DATA

Stability: Stable

Conditions to avoid: Heating in air causes oxidative decompopsition.

Incompatibility (materials to avoid): Water, acids, bases, oxidizers, reducers, metal containers and direct sunlight. Slowly oxidizes in air.

Hazardous decomposition products: Hydrogen bromide, tin oxide.

-2-(SNT7914)



SPECIAL PROTECTION INFORMATION

Ventilation: Local exhaust is required. Mechanical is recommended.

Respiratory Protection: If exposure exceeds TLV air-supplied or combination organic vapor acid gas

respirator.

Eye and Face Protection: Chemical worker's goggles. Do not wear contact lenses.

Other Clothing and Equipment: Rubber, neoprene or nitrile gloves. An eyewash and emergency

shower should be available. Launder clothing before reuse.

OTHER PRECAUTIONS

For research and industrial use only.

Storage and Handling: Store in sealed containers.

TRANSPORTATION

DOT SHIPPING NAME: CORROSIVE SOLID, N.O.S. (TIN II BROMIDE)

DOT HAZARD CLASS: 8

DOT LABEL: CORROSIVE

DOT ID No: UN1759 PG: III

Prepared by safety and environmental affairs ISSUE DATE SNT7914: 5/6/09 SUPERSEDES: none

The information contained in this document has been gathered from reference materials and/or Gelest, Inc. test data and is to the best knowledge and belief of Gelest, Inc. accurate and reliable. Such information is offered solely for your consideration, investigation and verification. It is not suggested or guaranteed that the hazard precautions or procedures described are the only ones which exist. Gelest, Inc. makes no warranties, express or implied, with respect to the use of such information and assumes no responsibility therefore. Information on this safety data sheet is not intended to constitute a basis for product specifications.

-3-(SNT7914) © 2009 Gelest inc. Morrisville, PA 19067